

APPROVAL SHEET

MULTILAYER CERAMIC ANTENNA

RFECA Series – RoHS Compliance

Halogens Free Product

5 GHz ISM Band Working Frequency

P/N: RFECA3216060K1T

*Contents in this sheet are subject to change without prior notice.




FEATURES

- 1. Surface Mounted Devices with a small dimension of 3.2 X 1.6 X 0.6 mm³ meet future miniaturization trend.
- 2. RFECA Series.
- 3. High stability in Temperature / Humidity Change.

APPLICATIONS


- 1. ISM Band 5GHz applications.
- 2. IEEE802.11a application.


CONSTRUCTION



PIN	Connection			
1	Feeding			
2	Soldering terminal			

DIMENSIONS






TYPE 1 ELECTRONIC CHARACTERISTICS


Item	Specification	
Working Frequency Range	4.9GHz~5.85GHz (Note-1)	
Gain	2.8 dBi (Typical)	
VSWR	2 max.	
Polarization	Linear	
Azimuth Bandwidth	Omni-directional	
Impedance	50Ω	

*Note 1. Central Frequency should be defined after customers' application approval.



Antenna on Test Board (Thickness 0.8mm)








RADIATION PATTERN

Radiation Pattern and Gain were dependent on measurement board design. The specification of RFECA3216060K1T antenna was measured based on the PCB size and installation position as shown in the below figure Test Board.







RELIABILITY TEST

■ Mechanical performance

Test item	Test condition / Test method	Specification
Solderability JIS C 0050-4.6 JESD22-B102D	*Solder bath temperature : $235 \pm 5^{\circ}$ C *Immersion time : 2 ± 0.5 sec	At least 95% of a surface of each terminal electrode must be covered by fresh solder.
JESD22-B102D	*Solder : Sn3Ag0.5Cu for lead-free	
Leaching (Resistance to dissolution of metallization) IEC 60068-2-58	*Solder bath temperature : $260 \pm 5^{\circ}\text{C}$ *Leaching immersion time : $30 \pm 0.5 \text{ sec}$ *Solder : SN63A	Loss of metallization on the edges of each electrode shall not exceed 25%.
Resistance to soldering heat JIS C 0050-5.4	*Preheating temperature : 120~150°C, 1 minute. *Solder temperature : 270±5°C *Immersion time : 10±1 sec *Solder : Sn3Ag0.5Cu for lead-free Measurement to be made after keeping at room temperature for 24±2 hrs	No mechanical damage. Samples shall satisfy electrical specification after test. Loss of metallization on the edges of each electrode shall not exceed 25%.
Drop Test JIS C 0044	*Height: 75 cm *Test Surface: Rigid surface of concrete or steel. *Times: 6 surfaces for each units; 2 times for each side.	after test.
Adhesive Strength of Termination JIS C 0051- 7.4.3	*Pressurizing force : 5N(≤0603) ; 10N(>0603) *Test time : 10±1 sec	No remarkable damage or removal of the termination.
Bending test JIS C 0051- 7.4.1	The middle part of substrate shall be pressurized by means of the pressurizing rod at a rate of about 1 mm/s per second until the deflection becomes 1mm/s and then pressure shall be maintained for 5±1 sec. Measurement to be made after keeping at room temperature for 24±2 hours	No mechanical damage. Samples shall satisfy electrical specification after test.

T			
Temperature cycle	1. 30±3 minutes at -40°C±3°C,	No mechanical damage.	
JIS C 0025	2. 10~15 minutes at room temperature,	Samples shall satisfy electrical specification	
	3. 30±3 minutes at +85°C±3°C,	after test.	
	4. 10~15 minutes at room temperature,		
	Total 100 continuous cycles		
	Measurement to be made after keeping at		
	room temperature for 24±2 hrs		
Vibration	*Frequency: 10Hz~55Hz~10Hz(1min)	No mechanical damage.	
JIS C 0040	*Total amplitude : 1.5mm	Samples shall satisfy electrical specification	
	*Test times: 6hrs.(Two hrs each in three	after test.	
	mutually perpendicular directions)		
High temperature	*Temperature: 85°C±2°C	No mechanical damage.	
JIS C 0021	*Test duration: 1000+24/-0 hours	Samples shall satisfy electrical specification	
	Measurement to be made after keeping at	after test.	
	room temperature for 24±2 hrs		
Humidity	*Humidity: 90% to 95% R.H.	No mechanical damage.	
(steady conditions)	*Temperature : 40±2°C	Samples shall satisfy electrical specification	
JIS C 0022	*Time: 1000+24/-0 hrs.	after test.	
	Measurement to be made after		
	keeping at room temperature for 24±2		
	hrs		
	₩ 500bro magauring the first data then		
	3 500hrs measuring the first data then 1000hrs data 3 6 7 7 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9		
Low temperature	*Temperature : -40°C±2°C	No mechanical damage.	
JIS C 0020	*Test duration : 1000+24/-0 hours	Samples shall satisfy electrical specification	
	Measurement to be made after keeping at	after test.	
	room temperature for 24±2 hrs		
	123 topo.ata.o.131 2 122 1110		

SOLDERING CONDITION

Typical examples of soldering processes that provide reliable joints without any damage are given in Fig 2





Fig 2. Infrared soldering profile

ORDERING CODE

RF	ECA	321606	0	k	1	Т
Walsin	Product code	Dimension code	Unit of	Application	Specification	Packing
RF device	ECA : Antenna	Per 2 digits of	dimension	A:5 GHz ISM	Design Code	T : Reeled
		Length, Width,	0 : 0.1 mm	Band		
		Thickness :	1 : 1.0 mm			
		e.g. :				
		321606 =				
		Length 32,				
		Width 16,				
		Thickness 06				

Minimum Ordering Quantity: 2000 pcs per reel.


PACKAGING



Plastic Tape specifications (unit :mm)

Index	Ao	Во	ΦD	Т	W
Dimension (mm)	1.95 ± 0.10	3.45 ± 0.10	1.55 ± 0.05	0.75 ± 0.10	8.00 ± 0.30
Index	E	F	Po	P1	P2
Dimension (mm)	1.75 ± 0.10	3.50 ± 0.05	4.00 ± 0.10	4.00 ± 0.10	2.00 ± 0.10

Reel dimensions



Index	А	В	С
Dimension (mm)	Ф178.0	Ф60.0	Ф13.0

Taping Quantity:2000 pieces per 7" reel

CAUTION OF HANDLING

Limitation of Applications

Please contact us before using our products for the applications listed below which require especially high reliability for the prevention of defects, which might directly cause damage to the third party's life, body or property.

- (1) Aircraft equipment
- (2) Aerospace equipment
- (3) Undersea equipment
- (4) Medical equipment
- (5) Disaster prevention / crime prevention equipment
- (6) Traffic signal equipment
- (7) Transportation equipment (vehicles, trains, ships, etc.)
- (8) Applications of similar complexity and /or reliability requirements to the applications listed in the above.

Storage condition

- (1) Products should be used in 6 months from the day of WALSIN outgoing inspection, which can be confirmed.
- (2) Storage environment condition.
 - Products should be storage in the warehouse on the following conditions.

Temperature : -10 to +40 $^{\circ}$ C

Humidity : 30 to 70% relative humidity

- Don't keep products in corrosive gases such as sulfur. Chlorine gas or acid or it may cause oxidization of electrode, resulting in poor solderability.
- Products should be storage on the palette for the prevention of the influence from humidity, dust and son on.
- Products should be storage in the warehouse without heat shock, vibration, direct sunlight and so on.
- Products should be storage under the airtight packaged condition.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Antennas category:

Click to view products by Walsin manufacturer:

Other Similar products are found below:

CCT FM1 ABFT AD-NM-SMAF 001-0021 CTC110 MAF94149 EXE902SF MMCX-SMA-100 PDQ24496-91NF GAN30084EU 930-033-R A08-HABUF-P5I AAF95035 DG-ANT-20DP-BG-B APAMPGJ-141 1513563-1 OF86315-FNF OP24516DS-91NM A09-HASM-7 EXE902MD EXE902SM SPDA17806/2170LAR APAMPG-117 GPS1575SP26-004 GPS15MGSMA CMD69273P-30NF CMQ69273-30NF RD2458-5-OTDR-NM RD2458-5-RSMA TRAB24/49003 W4120ER5000 W6102B0100 YE572113-30RSMM 108-00014-50 SPDA17RP918 OP24516SX-91NM OP24516SX-91RSMM CMQ69273P-30NF CMS69273-30NF CMS69273P-30NF TRAB24003N TRAB24003NP TRAB8213NP TRAB8903 A09-Y8NF A09-Y11NF A09-HSM-7 A09-F8NF-M A09-F5NF-M