



SPECIFICATION (Reference sheet)

- Supplier : Samsung electro-mechanics - Samsung P/N : CL21C150GBANNNC


Product : Multi-layer Ceramic Capacitor
 Description : CAP, 15pF, 50V, ± 2%, C0G, 0805

A. Samsung Part Number

<u>CL</u> <u>21</u> <u>C</u> <u>150</u> <u>G</u> <u>B</u> <u>A</u> <u>N</u> <u>N</u> <u>N</u> <u>C</u> ① ② ③ ④ ⑤ ⑥ ⑦ ⑧ ⑨ ⑩ ⑪

① Series	Samsung Multi-layer Ceran	Samsung Multi-layer Ceramic Capacitor				
② Size	0805 (inch code)	L: 2.00 ± 0.10 mm	W: 1.25 ± 0.10 mm			
③ Dielectric	COG	Inner electrode	Ni			
Capacitance	15 pF	Termination	Cu			
⑤ Capacitance	± 2%	Plating	Sn 100% (Pb Free)			
tolerance		Product	Normal			
6 Rated Voltag	je 50 V	Special	Reserved for future use			
① Thickness	0.65 ± 0.10 mm	① Packaging	Cardboard Type, 7" reel			

B. Structure and dimension



Samsung P/N	Dimension(mm)				
Samsung F/N	L	W	Т	BW	
CL21C150GBANNNC	2.00 ± 0.10	1.25 ± 0.10	0.65 ± 0.10	0.50+0.20/-0.30	

C. Samsung Reliability Test and Judgement condition

	Judgement	Test condition		
Capacitance	Within specified tolerance	1 ^{Mlz} ±10% / 0.5~5Vrms		
Q	700 min			
Insulation	10,000Mohm or 500Mohm x <i>Ш</i>	Rated Voltage 60~120 sec.		
Resistance	Whichever is smaller			
Appearance	No abnormal exterior appearance	Microscop (X10)		
Withstanding	No dielectric breakdown or	300% of the rated voltage		
Voltage	mechanical breakdown			
Temperature	COG			
Characteristics	(From -55℃ to 125℃, Capacitance change should be within ±30PPM/℃)			
Adhesive Strength	No peeling shall be occur on the	500g×F, for 10±1 sec.		
of Termination	terminal electrode			
Bending Strength	Capacitance change :	Bending to the limit (1mm)		
	within ±5% or ±0.5pF whichever is larger	with 1.0mm/sec.		
Solderability	More than 75% of terminal surface	SnAg3.0Cu0.5 solder		
	is to be soldered newly	245±5℃, 3±0.3sec.		
		(preheating: 80~120°C for 10~30sec.)		
Resistance to	Capacitance change : Solder pot : 270±5 ℃, 10±1sec.			
Soldering heat	within ±2.5% or ±0.25pF whichever is larger			
	Tan δ, IR : initial spec.			
Vibration Test	Capacitance change :	Amplitude : 1.5mm		
	within ±2.5% or ±0.25pF whichever is larger	From 10Hz to 55Hz (return : 1min.)		
	Tan δ, IR : initial spec.	2hours ´3 direction (x, y, z)		
Moisture	Capacitance change :	With rated voltage		
Resistance	within ±7.5% or ±0.75pF whichever is larger	40±2°C, 90~95%RH, 500+12/-0hrs		
	Q: 150.00 min			
	IR : 500Mohm or 25Mohm × μ F			
	Whichever is smaller			
High Temperature	Capacitance change :	With 200% of the rated voltage		
Resistance	within ±3% or ±0.3pF whichever is larger	Max. operating temperature		
	Q: 312.50 min	1,000+48/-0hrs		
	IR: 1,000Mohm or 50Mohm × μ F			
	Whichever is smaller			
Temperature	Capacitance change :	1 cycle condition		
Cycling	within ±2.5% or ±0.25pF whichever is larger	Min. operating temperature → 25 °C		
	Tan δ, IR : initial spec.	$ ightarrow$ Max. operating temperature $ ightarrow$ 25 $^{\circ}$ C		
		5 cycle test		

^{*} The reliability test condition can be replaced by the corresponding accelerated test condition.

D. Recommended Soldering method:

Reflow (Reflow Peak Temperature : 260±5 ℃, 30sec.)



A Product specifications included in the specifications are effective as of March 1, 2013.

Please be advised that they are standard product specifications for reference only.

We may change, modify or discontinue the product specifications without notice at any time.

So, you need to approve the product specifications before placing an order.

Should you have any question regarding the product specifications,

please contact our sales personnel or application engineers.

- Disclaimer & Limitation of Use and Application -

The products listed in this Specification sheet are **NOT** designed and manufactured for any use and applications set forth below.

Please note that any misuse of the products deviating from products specifications or information provided in this Spec sheet may cause serious property damages or personal injury.

We will **NOT** be liable for any damages resulting from any misuse of the products, specifically including using the products for high reliability applications as listed below.

If you have any questions regarding this 'Limitation of Use and Application', you should first contact our sales personnel or application engineers.

- ① Aerospace/Aviation equipment
- ② Automotive or Transportation equipment (vehicles, trains, ships, etc)
- 3 Medical equipment
- Military equipment
- 5 Disaster prevention/crime prevention equipment
- Any other applications with the same as or similar complexity or reliability to the applications set forth above.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for samsung manufacturer:

Other Similar products are found below:

DA61-04475B DA97-17194A RC2012F2001CS CL10B472JB8NNND KM44C4100BK-60 CL05C160JB5NCNC CL21C151FBANNWC M471B5673EH1-CH900 K4H510838B-TCB3 RC1608F86R6CS CL31C120JBCNNNC CL21CR47BBANNNC CL32C103JBFNNNE CL31B223JBCNNNC CL21C221JDCNFNC CL21B223KBANNWC CL10B563KB8NFNC CL10B473KB8SFNC CL10B122KB8NFNC SI-B8T171550WW SL-B8V2N70LAWW BN96-35590A BN96-31876D DC97-15103A DA67-02638B BN96-32239D BN39-02189A BN39-02190A DA61-08574A DA97-17215A DC47-00027F AH59-02748B 3903-001209 RC1005F103CS RF062PJ150CS CL10A335MQ8NNNC CL10B823KA8NNNC CL10C680JB8NFNC CL31B681KHFNFNE CL31C101JCCNFNC RC1608F753CS RC1005FR100CS CL10F334ZO8NNNC CL31C331KBCNBNC CL31B683KBCNNNC CL21C2R4CBANNNC CL05B104MP5NNNC DC97-16350E AH81-09068A DC66-00814A