

LXH8-PW27 Luxeon Rebel Starboard LED



Opulent Part Number: REBEL-STAR-A-PW27

Opulent Starboard: MCPCB

Luxeon Rebel LED: LXH8-PW27

Features

- Excellent thermal conductivity
- Excellent insulating ability
- Excellent Dimensional Stability
- Excellent MechanicalStrength
- Lower heat expansibility
- Lower operating temperature
- Increase power density
- Reduce the number of interconnects
- Extend the life of dies

OP REBEL STAR

OP REBEL STAR

ALUMINUM CLAD PRINTED

CIRCUIT BOARD FOR

LUXEON REBEL ALLOWS

OPTIMUM HEAT

DISSIPATION.





This is a custom MCPCB structure that further enhances heat dissipation and thus enabling the LED to last according to its life time.


Higher thermal conductive MCPCB is also available with our special enhanced capabilities.

CONSTRUCTION OF MCPCB

The structure of the aluminum material includes copper layer, dielectric layer laminated together with aluminum base layer. Below appends summary of available range of material:

| Aluminum | Aluminum | Copper | Dielectric |
|----------|-----------|-----------|------------|
| Type | Thickness | Thickness | Thickness |
| AL 5052 | 1.5 mm | 1 oz | 0.100mm |

PANEL DRAWING



MATERIAL DATASHEET

Material Datasheet - OPT111.01.Al5215.4.0018 **Treatment** Value Unit Condition **Thermal Properties** Thermal Conductivity W/m-k 1.8 (Dielectric layer) Thermal Resistance 0.086 °C-in²/W (Dielectric layer) $^{\circ}C$ Maximum Operating Temperature **UL 746** 125 °C Glass Transition Temp (Tg) DSC 130 < Tg 21.5 Coefficient of Thermal Expansion (CTE) x10⁻⁶/°C 22.0 > Tg **Electrical Properties** 4.2 Dielectric constant 1kHz/1MHz 0.02 Dissipation Factor 1kHz/1MHz C-96/40/90 Volume Resistivity 1×10⁸ $M\Omega \cdot cm$ Surface Resistivity C-96/40/90 МΩ 1×10⁷ 30 KV/mm Dielectric Breakdown Voltage Α **Mechanical Properties** Dielectric Thickness Α 100 μm Peel Strength Α 1.05 N/mm **Chemical Properties** Water absorption D-24/23 0.09 % Ratings and Durability **UL Flammablility** 94 V-0 IEC60112 600 Comparative Tracking Index 10 sec @ 288 °C, Thermal stress Pass 3 cycles Time to delamination 5min @ 260 °C Pass

^{*} The data is based on typical values of standard production and should be considered as general information. Our company reserves the right for future changes. It is the responsibility of the user to ensure that the product complies with his requirements.



PRODUCT SPECIFICATIONS

OP REBEL STAR MCPCB

Aluminum Type: AL5052

Aluminum Thickness: 1.5mm

Copper Thickness: 1oz


Dielectric Thickness: 0.1mm

Unit Size: 21.38 x 19.92mm (±0.1mm)

Panel Size: 136.9 x 91.67mm (24pcs/pnl)

Finishing: OSP

Solder Mask: Glossy Black



SOLDER PASTE

Type: Leadfree SAC 305 paste, grade 3 or above

Lumileds Internal: Alpha Metal OM325 grade 4

Alternative: Alpha Metal OM338 grade 3

PACKAGING

One carton consists of 10 internal white boxes. Each white box consists of 3 trays. Each tray consists of 48 pieces.

Type of tray: Individual slot for each OP Rebel Star

Cavity per tray: 48 pcs

Dimension of tray: 44.3cm x 17.25cm x 2.3cm

Internal White Box: contains 3 trays with 1 cover tray (equivalent to 144pcs of OP Rebel)

Dimension of I.W.B: 44.8cm x 17.7cm x 5.5cm

Carton box: contains 10 white boxes (equivalent to 1440pcs of OP Rebel Star)

Dimension of carton: 45.5cm x 36.4cm x 28.5cm

ABOUT OPULENT

Opulent (Asia)

Email: sales@opulent-group.com

Singapore 2: +65 67498188 (Head Office)

eadquartered in Singapore, Opulent has more than 20 years experience in the manufacturing of conventional printed circuit boards (PCBs). Embarking for an international presence, Opulent has set up sales and marketing support in China, Hong Kong, Germany, Italy, United Kingdom and Malaysia.

Through innovation and R&D, Opulent created metal-clad PCBs (MCPCB) and is currently a leading designer and manufacturer of thermal solutions. Our products and works are guided by a customer centric approach that empowers us to provide value added solutions from design to assembly.

Our customers are well-known international brands whom have come to trust Opulent for our innovation, our knowledge and our commitment to attain customer satisfaction.





LUXEON A

Freedom From Binning Hot Tested Superior Quality of Light

Technical Datasheet DS100







LUXEON® A

Freedom From Binning

Introduction

LUXEON® A brings Illumination Grade LED light sources to the lighting market. It has never been simpler to design LED solutions and bring them to market. With hot testing and color binning, every LUXEON A is tested and specified at real world operating conditions, Tj 85°C. With *Freedom From Binning*, every LUXEON A LED falls within a single 3 step MacAdam ellipse centered on the black body curve and now, luminaire manufacturers can be confident in color consistency from LED to LED. There's never been a more supportable and consistent light emitting diode. The superior quality of light, light output, and real world efficacy enable leading performance and efficient solution development in a wide variety of segments including retrofit bulbs, office, hospitality, school, and home lighting.

- Freedom From Binning for superior quality of light
- Hot tested and color binned at Tj 85°C
- Maximum light output and lowest cost of light
- Specified color over angle
- Simplified design and accelerated time to market.



Table of Contents

| General Product Information | 3 |
|---|----|
| Product Nomenclature | 3 |
| Lumen Maintenance | 3 |
| Environmental Compliance | 3 |
| Product Selection | 4 |
| Product Selection Guide for LUXEON A Emitters | 4 |
| Optical Characteristics | 5 |
| Electrical Characteristics | 6 |
| Absolute Maximum Ratings | 7 |
| JEDEC Moisture Sensitivity | 7 |
| Reflow Soldering Characteristics | 8 |
| Mechanical Dimensions | 9 |
| Pad Configuration | 10 |
| Solder Pad Design | 10 |
| Relative Spectral Distribution vs. Wavelength Characteristics | 11 |
| Typical Light Output Characteristics over Temperature | 14 |
| Typical Forward Current Characteristics | 15 |
| Current Derating Curves | 16 |
| Typical Radiation Patterns | 18 |
| Typical du' versus dv' Characteristic Versus Angle | 19 |
| Emitter Pocket Tape Packaging | 20 |
| Emitter Reel Packaging | 21 |
| Product Binning and Labeling | 22 |
| Luminous Flux Bins | 23 |
| LUXEON A 3-step MacAdam Ellipse Color Definition | 24 |
| Forward Voltage Bins | 25 |

General Product Information

Product Nomenclature

LUXEON A emitters are tested and binned "hot" under conditions comparable to those found in "real-world" lighting products. The test conditions for LUXEON A are 700 mA D.C. with junction temperature at 85°C.

The part number designation for the LUXEON A emitters is explained as follows:

LXHA-BCDE

Where:

A — designates minimum CRI performance (value 8 = 80 minimum and value 9 = 90 minimum)

B — designates radiation pattern (value P for Lambertian)

C — designates color (value W = White)

D & E — designates nominal ANSI CCT (value 27 = 2700K, 30 = 3000K, 40 = 4000K and 50 = 5000K)

Therefore products tested and binned at 700 mA follow the part numbering scheme:

LXHx-PWxx

Lumen Maintenance

LUXEON A products are tested in compliance with LM-80. Please visit http://www.philipslumileds.com/support/documentation/lumen-maintenance or contact your local Philips Lumileds Technical Solutions Manager for TM-21 extrapolations or other support.

Environmental Compliance

Philips Lumileds is committed to providing environmentally friendly products to the solid-state lighting market. LUXEON A is compliant to the European Union directives on the restriction of hazardous substances in electronic equipment, namely the RoHS and REACH directives. Philips Lumileds will not intentionally add the following restricted materials to the LUXEON A: lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyls (PBB) or polybrominated diphenyl ethers (PBDE).

Product Selection

Product Selection Guide for LUXEON A Emitters Junction Temperature = 85°C

Table I.

| | | CF | RI | Lum Flux (Im) | Тур. | Lum Flux | (lm) | Тур. F | orward Vol | tage (V _f) | Тур. Е | fficacy (Im | /W) |
|-----------|----------|-------|------|---------------|--------|----------|---------|--------|------------|------------------------|--------|-------------|---------|
| Part | Nominal | @ 700 |) mA | Min. @ | @ | @ | @ | @ | @ | @ | @ | @ | @ |
| Number | ANSI CCT | Min. | Тур. | 700 mA | 350 mA | 700 mA | 1000 mA | 350 mA | 700 mA | 1000 mA | 350 mA | 700 mA | 1000 mA |
| XH8-PW27 | 2700K | 80 | 85 | 140 | 89 | 160 | 218 | 2.72 | 2.81 | 2.85 | 93 | 81 | 76 |
| XH8-PW30 | 3000K | 80 | 85 | 150 | 97 | 174 | 237 | 2.72 | 2.81 | 2.85 | 102 | 88 | 83 |
| _XH9-PW30 | 3000K | 90 | 95 | 120 | 75 | 135 | 184 | 2.72 | 2.81 | 2.85 | 79 | 69 | 64 |
| XH8-PW40 | 4000K | 80 | 85 | 160 | 102 | 183 | 249 | 2.72 | 2.81 | 2.85 | 107 | 93 | 87 |
| XH8-PW50 | 5000K | 80 | 85 | 170 | 106 | 190 | 258 | 2.72 | 2.81 | 2.85 | 111 | 97 | 91 |

Optical Characteristics

LUXEON A at Test Current [1] Junction Temperature = 85°C

Table 2.

| | | | Typical | |
|----------|-----------|-------------------|--------------------------|-----------|
| | | | Total | Typical |
| | | Color Temperature | Included | Viewing |
| | | CCT | Angle [2] | Angle [3] |
| Nominal | Part | | (degrees) | (degrees) |
| ANSI CCT | Number | Typical | $\theta_{	exttt{0.90V}}$ | 2θ 1/2 |
| 2700K | LXH8-PW27 | 2725K | 160 | 120 |
| 3000K | LXH8-PW30 | 3045K | 160 | 120 |
| 3000K | LXH9-PW30 | 3045K | 160 | 120 |
| 4000K | LXH8-PW40 | 3985K | 160 | 120 |
| 5000K | LXH8-PW50 | 5028K | 160 | 120 |
| | | | | |

Notes for Table 2:

- I. Test current is 700 mA D.C. for all LXH8-PWxx emitters.
- 2. Total angle at which 90% of total luminous flux is captured.
- 3. Viewing angle is the off axis angle from lamp centerline where the luminous intensity is $\frac{1}{2}$ of the peak value.

Electrical Characteristics

Electrical Characteristics at 700 mA for LUXEON A Junction Temperature = 85°C

Table 3

| | | 18 | ible 3. | |
|----------|----------|---------------------------|--|----------------------------|
| | | | Typical Temperature | |
| | | | Coefficient of Forward | Typical Thermal Resistance |
| | Forward\ | oltage V _, [1] | Voltage [2] | Junction to |
| Nominal | (| /) | (mV/°C) | Thermal Pad (°C/W) |
| ANSI CCT | Min. | Max. | $\Delta V_{_{\rm F}}$ / $\Delta T_{_{ m J}}$ | $R \theta$ _{J-C} |
| 2700K | 2.5 | 3.5 | -1.8 to -2.4 | 6 |
| 3000K | 2.5 | 3.5 | -1.8 to -2.4 | 6 |
| 4000K | 2.5 | 3.5 | -1.8 to -2.4 | 6 |
| 5000K | 2.5 | 3.5 | -1.8 to -2.4 | 6 |

Notes for Table 3:

- 1. Philips Lumileds maintains a tolerance of $\pm 0.06 V$ on forward voltage measurements.
- 2. Measured between $T_j = 25^{\circ}C$ and $T_j = 110^{\circ}C$ at $I_f = 700$ mA.

Absolute Maximum Ratings

| Table 4. |
|----------|
|----------|

| Parameter | LUXEON A |
|---|---|
| DC Forward Current (mA) | 1000 [2] |
| Peak Pulsed Forward Current (mA) | I 200 ^[3] |
| ESD Sensitivity | < 8000V Human Body Model (HBM) |
| | Class 3A JESD22-A I I 4-E |
| LED Junction Temperature ^[1] | 150°C |
| Operating Case Temperature at 700 mA | -40°C - 135°C |
| Storage Temperature | -40°C - 135°C |
| Soldering Temperature | JEDEC 020c 260°C |
| Allowable Reflow Cycles | 3 |
| Reverse Voltage (Vr) | LUXEON A LEDs are not designed to be driven in reverse bias |

Notes for Table 4:


- 1. Proper current derating must be observed to maintain junction temperature below the maximum. For additional information on thermal measurement guidelines please refer to Application Brief AB33.
- 2. Residual periodic variations due to power conversion from alternating current (AC) to direct current (DC), also called "ripple', with frequencies ≥ 100 Hz and amplitude ≤ 200 mA are acceptable, assuming the average current throughout each cycle does not exceed 1000 mA.
- 3. Pulsed operation with a peak drive current of 1200 MA is acceptable if the pulse on-time is ≤ 5 ms per cycle and the duty cycle is $\leq 50\%$.

JEDEC Moisture Sensitivity

Table 5.

| | | | Soak Requ | uirements | |
|-------|-----------|------------|-----------|------------|--|
| Level | Floo | r Life | Stand | lard | |
| | Time | Conditions | Time | Conditions | |
| 1 | unlimited | ≤ 30°C / | 168h | 85°C / 85% | |
| | | 85% RH | + 5 / -0 | RH | |

Reflow Soldering Characteristics



Temperature Profile for Table 6.

Table 6.

| Table 0. | | |
|--|--------------------|--|
| Profile Feature | Lead Free Assembly | |
| Average Ramp-Up Rate (Ts _{max} to T _p) | 3°C / second max | |
| Preheat Temperature Min (Ts _{min}) | 150°C | |
| Preheat Temperature Max (Ts _{max}) | 200°C | |
| Preheat Time (ts _{min} to ts _{max}) | 60 - 180 seconds | |
| Temperature (T _L) | 217°C | |
| Time Maintained Above Temperature (T_L) | 60 - 150 seconds | |
| Peak / Classification Temperature (T_p) | 260°C | |
| Time Within 5°C of Actual Peak Temperature (t _p) | 20 - 40 seconds | |
| Ramp - Down Rate | 6°C / second max | |
| Time 25°C to Peak Temperature | 8 minutes max | |

Notes for Table 6

- All temperatures refer to the application Printed Circuit Board (PCB), measured on the surface adjacent to the package body.

Mechanical Dimensions





Figure I. Package outline drawing.

Notes for Figure 1:

- Do not handle the device by the lens. Care must be taken to avoid damage to the lens or the interior of the device that can be damaged by excessive force to the lens.
- Drawings not to scale. All dimensions are in millimeters.
- The thermal pad is electrically isolated from the anode and cathode contact pads.

Pad Configuration



| PAD | FUNCTION |
|-----|----------|
| I | CATHODE |
| 2 | ANODE |
| 3 | THERMAL |

Figure 2. Pad configuration.

Note for Figure 2:

- The Thermal Pad is electrically isolated from the Anode and Cathode contact pads.

Solder Pad Design




Figure 3. Solder pad layout.

Note for Figure 3:

- The photograph shows the recommended LUXEON A layout on Printed Circuit Board (PCB). This design easily achieves a thermal resistance of 7K/W.
- Application Brief AB32 provides extensive details for this layout. Printed Circuit Board layout files (.dwg) are available at www.philipslumileds.com and www.philipslumileds.co.com.

Relative Spectral Distribution vs. Wavelength Characteristics

LXH8-PW27 at Test Current, Junction Temperature = 85°C




Figure 4. Color spectrum of LXH8-PW27 emitter, integrated measurement.

LXH8-PW30 at Test Current, Junction Temperature = 85°C




Figure 5. Color spectrum of LXH8-PW30 emitter, integrated measurement.

LXH9-PW30 at Test Current, Junction Temperature = 85°C




Figure 6. Color spectrum of LXH9-PW30 emitter, integrated measurement.

LXH8-PW40 at Test Current, Junction Temperature = 85°C




Figure 7. Color spectrum of LXH8-PW40 emitter, integrated measurement.

LUXEON A Datasheet DS100 20121215

LXH8-PW50 at Test Current, Junction Temperature = 85°C




Figure 8. Color spectrum of LXH8-PW50 emitter, integrated measurement.

LUXEON A Datasheet DS100 20121215

Typical Light Output Characteristics over Temperature

All LUXEON A Emitters at Test Current




Figure 9. Relative light output vs. junction temperature.

Typical Forward Current Characteristics

All LUXEON A Emitters, Junction Temperature = 85°C




Figure 10. Forward current vs. forward voltage.

Typical Relative Luminous Flux vs. Forward Current for All LUXEON A Emitters, Junction Temperature = 85°C




Figure 11. Typical relative luminous flux vs. forward current, junction temperature = 85°C.

LUXEON A Datasheet DS100 20121215

Current Derating Curves

Current Derating Curve for 350 mA Drive Current All LUXEON A Emitters




Figure 12. Maximum forward current vs. ambient temperature, based on T_{JMAX} = 150°C.

Current Derating Curve for 700 mA Drive Current All LUXEON A Emitters




Figure 13. Maximum forward current vs. ambient temperature, based on $T_{JMAX} = 150$ °C.

LUXEON A Datasheet DS100 20121215 16

Current Derating Curve for 1000 mA Drive Current All LUXEON A Emitters




Figure 14. Maximum forward current vs. ambient temperature, based on $T_{JMAX} = 150$ °C.

LUXEON A Datasheet DS100 20121215

Typical Radiation Patterns

Typical Luminous Intensity Distribution Pattern for LUXEON A Emitters




Figure 15. Cartesian plot of typical luminous intensity.

LUXEON A Datasheet DS100 20121215

Typical du' versus dv' Characteristic Versus Angle

Typical and Maximum du' and dv' Color Variation vs. Viewing Angle for 2700K and 3000K LUXEON A Emitters

Typical du' versus dv' characteristic versus angle (0 to 90 degrees) for LXH8-PW27 emitter.

Maximum du'v' deviation within rectangular mask (u' 0 to -0.015, v' -0.002 to 0.008

Normalized to 0 degrees (on axis) at 0,0




Figure 16.

Typical and Maximum du' and dv' Color Variation vs. Viewing Angle for 4000K LUXEON A Emitters

Typical du' versus dv' characteristic versus angle (0 to 90 degrees) for LXH8-PW40 emitter.

Maximum du'v' deviation within rectangular mask (u' 0.000 to -0.010, v' -0.008 to 0.006)

Normalized to 0 degrees (on axis) at 0,0





Figure 17.


19

Emitter Pocket Tape Packaging



LUXEON A Datasheet DS100 20121215 20

Emitter Reel Packaging



Product Binning and Labeling

Purpose of Product Binning

In the manufacturing of semiconductor products, there is a variation of performance around the average values given in the technical data sheets. For this reason, Philips Lumileds bins the LED components for luminous flux and forward voltage (V_f). Color is offered in a single 3-step MacAdam ellipse color space centered on the ANSI CCT color bins; 2725K for nominal 2700K, 3045K for nominal 3000K, 3985K for 4000K, and 5028K for 5000K. For additional information please review the MacAdam ellipse technical definition section.

Decoding Product Bin Labeling

LUXEON A emitters are labeled using a two digit alphanumeric code (CAT code) depicting the bin values for emitters packaged on a single reel. All emitters packaged within a reel are of the same 2-variable bin combination. Using these codes, it is possible to determine optimum mixing and matching of products for consistency in a given application.

Reels of LUXEON A emitters are labeled with a two digit alphanumeric CAT code following the format below.

ΑB

A = Flux bin (P, Q, R, S or I through 9, M, N, U, or V)B = V_r bin (P, R, S and T)

LUXEON A Datasheet DS100 20121215 22

Luminous Flux Bins

Table 7 lists the standard photometric luminous flux bins for LUXEON A emitters (tested and binned at 700 mA D.C., Junction Temperature = 85°C. Minimum luminous flux performance within published operating conditions. Philips Lumileds maintains a tolerance of ± 6.5% on luminous flux measurements.

Although several bins are outlined, product availability in a particular bin varies by production run and by product performance. Not all bins are available in all CCT's.

Table 7

| | Table 7. | |
|----------|--------------------------|--------------------------|
| | Flux Bins | |
| | Minimum Photometric Flux | Maximum Photometric Flux |
| Bin Code | (lm) | (lm) |
| Р | 120 | 140 |
| Q | 140* | 160 |
| R | 160 | 180 |
| S | 180 | 200 |

^{* 150} lm for LXH8-PW30

Beginning in April 2012, LUXEON A will transition to 10 lumen flux bins as shown in the table below. This transition may result in mixed shipments of old bin codes and new bin codes during calendar year 2012.

Table 8.

| | Flux Bins | |
|----------|--------------------------|--------------------------|
| | Minimum Photometric Flux | Maximum Photometric Flux |
| Bin Code | (lm) | (lm) |
| I | 120 | 130 |
| 2 | 130 | 140 |
| 3 | 140 | 150 |
| 4 | 150 | 160 |
| 5 | 160 | 170 |
| 6 | 170 | 180 |
| 7 | 180 | 190 |
| 8 | 190 | 200 |
| 9 | 200 | 210 |
| M | 210 | 220 |
| N | 220 | 230 |
| U | 230 | 240 |
| V | 240 | 255 |
| | | |

LUXEON A 3-step MacAdam Ellipse Color Definition

Tested at 700 mA D.C. & Junction Temperature = 85°C




Table 9. LUXEON A Product Characteristics

| Part Number | Nominal ANSI CCT | Color Space | Center Point (cx, cy) | Major Axis, a | Minor Axis, b | Ellipse Rotation Angle |
|----------------|---------------------|-------------------------------|-----------------------|------------------|------------------|---------------------------|
| LXH8-PW27 | 2700K | Single 3-step MacAdam ellipse | 0.4578, 0.4101 | 0.00810 | 0.00420 | 53.70 |
| LXH8-PW30 | 3000K | Single 3-step MacAdam ellipse | 0.4338, 0.4030 | 0.00834 | 0.00408 | 53.22 |
| LXH9-PW30 | 3000K | Single 3-step MacAdam ellipse | 0.4338, 0.4030 | 0.00834 | 0.00408 | 53.22 |
| LXH8-PW40 | 4000K | Single 3-step MacAdam ellipse | 0.3818, 0.3797 | 0.00939 | 0.00402 | 53.72 |
| LXH8-PW50 | 5000K | Single 3-step MacAdam ellipse | 0.3447, 0.3553 | 0.00822 | 0.00354 | 59.62 |

Note for Table 9:

- Philips Lumileds maintains a tester tolerance of $\pm\ 0.005$ on x, y color coordinates.

LUXEON A Datasheet DS100 20121215

24

Forward Voltage Bins

Table 10 lists minimum and maximum V_f bin values per emitter (tested and binned at 700 mA). Although several bins are outlined, product availability in a particular bin varies by production run and by product performance.

| | Table 10. | | | | |
|--------------------------|-------------------------|-------------------------|--|--|--|
| $V_{_{\mathrm{f}}}$ Bins | | | | | |
| | Minimum Forward Voltage | Maximum Forward Voltage | | | |
| Bin Code | (V) | (V) | | | |
| P | 2.50 | 2.75 | | | |
| R | 2.75 | 3.00 | | | |
| S | 3.00 | 3.25 | | | |
| Т | 3.25 | 3.50 | | | |

Note for Table 10:

LUXEON A Datasheet DSI00 20121215

⁻ Philips Lumileds maintains a tolerance of $\pm 0.06 \mbox{V}$ on forward voltage measurements.

Company Information

Philips Lumileds is a leading provider of LEDs for everyday lighting applications. The company's records for light output, efficacy and thermal management are direct results of the ongoing commitment to advancing solid-state lighting technology and enabling lighting solutions that are more environmentally friendly, help reduce CO₂ emissions and reduce the need for power plant expansion. Philips Lumileds LUXEON® LEDs are enabling never before possible applications in outdoor lighting, shop lighting, consumer electronics, and automotive lighting.

Philips Lumileds is a fully integrated supplier, producing core LED material in all three base colors, (Red, Green, Blue) and white. Philips Lumileds has R&D centers in San Jose, California and in the Netherlands, and production capabilities in San Jose, Singapore and Penang, Malaysia. Founded in 1999, Philips Lumileds is the high flux LED technology leader and is dedicated to bridging the gap between solid-state technology and the lighting world. More information about the company's LUXEON LED products and solid-state lighting technologies can be found at www.philipslumileds.com.

©2012 Philips Lumileds Lighting Company. All rights reserved. Product specifications are subject to change without notice.



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for opulent manufacturer:

Other Similar products are found below:

STAR-LUXEON-ZES-24080-3 CCK-XHP50-CK01 REBEL STAR LUXEONZ-RGBA XPEPHR-L1-0000-00901-SB01 XHP70A-0L-04-0D0BN450E LST1-01F04-5770-01 LST1-01F04-5070-01 LST1-01F04-3070-01 XPERDO-L1-0000-00A01-SB01 LST1-01F05-3070-01 LST1-01F05-4070-01 LST1-01G01-GRN1-00 LVS1-04C05-2790-00 LSR1-04C32-5070-00 LSR1-12C32-5070-00 LSR1-12C32-5070-00 LSR1-12C32-5770-00 LVS1-04C05-4070-00 LSR1-04C32-4070-00 SSB1-72F16-3090-00 SSB1-72F16-4090-00 XHP35A-0R-08-0D0BE450E XHP70A-0L-02-0D0BN450E XHP50A-0L-02-0D0BN450E XHP50A-0L-03-0D0BN450E LST1-01F05-5070-01 LUXEONZ-4UP-MCPCB XHP50A-0S-04-0D0BJ440E XPLAWT-H0-0000-000BV20E5-SB01 LST1-01C48-5770-01 LST1-01F07-3070-01 XHP35A-0R-08-0D0BE240E XPLAWT-00-0000-0000V60E1-SB01 XPGDWT-B1-0000-00L5E-SB01 LST1-01F07-5770-01 LST1-01F05-5770-01 LPS1-01C24-2790-00 STAR-LG3535HP3W-35 XHP50A-00-0000-0D0BJ440E-SB01 LSS1-04C22-4070-00 LST1-01C48-4080-01 XHP35A-0R-04-0D0UB427E LST1-01C48-3580-01 DSB1-66G02-3018-90-01 XHP35A-0R-12-0D0UB427E XHP70A-0S-04-0D0BN240E STAR-LUXEON-ZES-25770 XHP70A-0S-04-0D0BN450E LST1-01G01-UV02-00 MHDGWT-0000-000N0HK427G-SB01