

Film Capacitors

Metallized Polypropylene Film Capacitors (MKP)

Series/Type: B32671Z ... B32673Z

Date: December 2012

© EPCOS AG 2012. Reproduction, publication and dissemination of this publication, enclosures hereto and the information contained therein without EPCOS' prior express consent is prohibited.

Power Factor Correction

Typical applications

- PFC (Power Factor Correction)
- Not suitable for "across the line" applications

Climatic

- Max. operating temperature: 125 °C
- Climatic category (IEC 60068-1): 55/110/56

Construction

- Dielectric: metallized polypropylene (PP)
- Wound capacitor technology
- Plastic case (UL 94 V-0)
- Epoxy resin sealing, flame retardant

Features

- High frequency capability
- Very small dimensions
- RoHS-compatible
- Halogen-free capacitors available on request

Terminals

■ Parallel wire leads, lead-free tinned

Marking

Manufacturer's logo, rated capacitance (coded), tolerance, rated DC voltage, type number


Delivery mode

Bulk (untaped)

Taped (Ammo pack or reel)

For notes on taping, refer to chapter "Taping and packing".


Dimensional drawing



Dimensions in mm

Lead spacing	Lead diameter	Туре
<i>e</i> ±0.4	d ₁	
10	0.6	B32671Z
15	0.8	B32672Z
22.5	0.8	B32673Z





Power Factor Correction

Overview of available types

Lead spacing	10 mm	15 mm			22.5 mm		
Туре	B32671Z	B32672Z	B32672Z		B32673Z		
Page	4	5			6		
V _{RMS} (V AC)	310	220	277	310	220	277	310
V _R (V DC)	630	450	520	630	450	520	630
C _R (μF)							
0.010							
0.015							
0.022							
0.033							
0.047							
0.068							
0.10							
0.12							
0.15							
0.22							
0.33							
0.47							
0.56							
0.68							
1.0							
1.2							
1.5							
2.2							





B32671Z

Power Factor Correction

Ordering codes and packing units (lead spacing 10 mm)

V_{RMS}	V_R	C _R	Max. dimensions	Ordering code	Ammo	Reel	Untaped
f≤1 kHz			$w \times h \times l$	(composition see	pack		
V AC	V DC	μF	mm	below)	pcs./MOQ	pcs./MOQ	pcs./MOQ
310	630	0.010	$4.0 \times 9.0 \times 13.0$	B32671Z6103+***	4000	6800	4000
		0.015	$4.0 \times 9.0 \times 13.0$	B32671Z6153+***	4000	6800	4000
		0.022	$4.0 \times 9.0 \times 13.0$	B32671Z6223+***	4000	6800	4000
		0.033	$5.0 \times 11.0 \times 13.0$	B32671Z6333+***	3320	5200	4000
		0.047	$5.0\times11.0\times13.0$	B32671Z6473+***	3320	5200	4000
		0.068	$6.0\times12.0\times13.0$	B32671Z6683+***	2720	4400	4000
		0.10	$6.0\times12.0\times13.0$	B32671Z6104+***	2720	4400	4000

MOQ = Minimum Order Quantity, consisting of 4 packing units.

Further E series and intermediate capacitance values on request.

Composition of ordering code

+ = Capacitance tolerance code:

 $K = \pm 10\%$

J = ±5%

*** = Packaging code:


289 = Ammo pack

189 = Reel

000 = Untaped (lead length 6 - 1 mm)



B32672Z





Ordering codes and packing units (lead spacing 15 mm)

V _{RMS}	V_R	C_R	Max. dimensions	Ordering code	Ammo	Reel	Untaped
f≤1 kHz			$w \times h \times l$	(composition see	pack		
V AC	V DC	μF	mm	below)	pcs./MOQ	pcs./MOQ	pcs./MOQ
220	450	0.10	$5.0\times10.5\times18.0$	B32672Z4104+***	4680	5200	4000
		0.15	$5.0\times10.5\times18.0$	B32672Z4154+***	4680	5200	4000
		0.22	$6.0 \times 11.0 \times 18.0$	B32672Z4224+***	3840	4400	4000
		0.33	$7.0\times12.5\times18.0$	B32672Z4334+***	3320	3600	4000
		0.47	$8.0 \times 14.0 \times 18.0$	B32672Z4474+***	2920	3000	2000
		0.68	$9.0\times17.5\times18.0$	B32672Z4684+***	2560	2800	2000
		1.0	$11.0\times18.5\times18.0$	B32672Z4105K***	_	2200	1200
277	520	0.047	$5.0\times10.5\times18.0$	B32672Z5473+***	4680	5200	4000
		0.10	$6.0 \times 11.0 \times 18.0$	B32672Z5104+***	3840	4400	4000
		0.15	$6.0 \times 11.0 \times 18.0$	B32672Z5154+***	3840	4400	4000
		0.22	$7.0\times12.5\times18.0$	B32672Z5224+***	3320	3600	4000
		0.33	$8.5 \times 14.5 \times 18.0$	B32672Z5334+***	2720	2800	2000
		0.47	$9.0\times17.5\times18.0$	B32672Z5474+***	2560	2800	2000
		0.68	$11.0 \times 18.5 \times 18.0$	B32672Z5684+***	_	2000	1200
		1.0	$11.0\times18.5\times18.0$	B32672Z5105K***	_	2200	1200
310	630	0.033	$5.0\times10.5\times18.0$	B32672Z6333+***	4680	5200	4000
		0.047	$5.0\times10.5\times18.0$	B32672Z6473+***	4680	5200	4000
		0.068	$5.0\times10.5\times18.0$	B32672Z6683+***	4680	5200	4000
		0.10	$6.0 \times 11.0 \times 18.0$	B32672Z6104+***	3840	4400	4000
		0.12	$6.0 \times 11.0 \times 18.0$	B32672Z6124+***	3840	4400	4000
		0.15	$6.0 \times 12.0 \times 18.0$	B32672Z6154+***	3840	4400	4000
		0.33	$8.5\times14.5\times18.0$	B32672Y6334K***	2720	2800	2000
		0.33	$9.0\times17.5\times18.0$	B32672Z6334+***	2560	2800	2000
		0.47	$11.0\times18.5\times18.0$	B32672Z6474+***	_	2200	1200
		0.56	$11.0 \times 18.5 \times 18.0$	B32672Z6564+***	_	2200	1200

MOQ = Minimum Order Quantity, consisting of 4 packing units. Further E series and intermediate capacitance values on request.

Composition of ordering code

+ = Capacitance tolerance code:

K = ±10%

 $J = \pm 5\%$

*** = Packaging code:

289 = Ammo pack

189 = Reel

000 = Untaped (lead length 6 - 1 mm)





B32673Z

Power Factor Correction

Ordering codes and packing units (lead spacing 22.5 mm)

V_{RMS}	V_R	C _R	Max. dimensions	Ordering code	Ammo	Reel	Untaped
f≤1 kHz			$w \times h \times l$	(composition see	pack		
V AC	V DC	μF	mm	below)	pcs./MOQ	pcs./MOQ	pcs./MOQ
220	450	0.22	$6.0 \times 15.0 \times 26.5$	B32673Z4224+***	2720	2800	2880
		0.22	$7.5\times14.0\times26.5$	B32673T4224K***	2200	2000	2280
		0.33	$6.0\times15.0\times26.5$	B32673Z4334+***	2720	2800	2880
		0.33	$7.5\times14.0\times26.5$	B32673T4334K***	2200	2000	2280
		0.47	$6.0\times15.0\times26.5$	B32673Z4474+***	2720	2800	2880
		0.47	$7.5\times14.0\times26.5$	B32673T4474K***	2200	2000	2280
		0.68	$7.0\times16.0\times26.5$	B32673Z4684+***	2320	2400	2520
		0.68	$7.5\times14.0\times26.5$	B32673T4684K***	2200	2000	2280
		1.0	$10.5 \times 16.5 \times 26.5$	B32673Z4105+***	1560	1600	2160
		1.5	$11.0 \times 20.5 \times 26.5$	B32673Z4155+***	1480	1400	2040
		2.2	$12.0\times22.0\times26.5$	B32673Z4225+***	_	_	1800
277	520	0.22	$6.0\times15.0\times26.5$	B32673Z5224+***	2720	2800	2880
		0.22	$7.5\times14.0\times26.5$	B32673T5224K***	2200	2000	2280
		0.33	$6.0\times15.0\times26.5$	B32673Z5334+***	2720	2800	2880
		0.33	$7.5\times14.0\times26.5$	B32673T5334K***	2200	2000	2280
		0.47	$7.0\times16.0\times26.5$	B32673Z5474+***	2320	2400	2520
		0.47	$7.5\times14.0\times26.5$	B32673T5474K***	2200	2000	2280
		0.68	$10.5\times16.5\times26.5$	B32673Z5684+***	1560	1600	2160
		1.0	$10.5\times20.5\times26.5$	B32673Z5105+***	_	_	2160
		1.5	$12.0\times22.0\times26.5$	B32673Z5155+***	_	-	1800
310	630	0.15	$6.0\times15.0\times26.5$	B32673Z6154+***	2720	2800	2880
		0.22	$6.0\times15.0\times26.5$	B32673Z6224+***	2720	2800	2880
		0.33	$7.0\times16.0\times26.5$	B32673Z6334+***	2820	2400	2520
		0.33	$7.5\times14.0\times26.5$	B32673T6334+***	2200	2000	2280
		0.47	$8.5 \times 16.5 \times 26.5$	B32673Z6474+***	1920	2000	2040
		0.68	$10.5\times18.5\times26.5$	B32673Z6684+***	1560	1600	2160
		1.0	$11.0\times20.5\times26.5$	B32673Z6105+***	1480	1400	2040
		1.2	$12.0\times22.0\times26.5$	B32673Z6125+***	_	_	1800
		1.5	$14.5\times29.5\times26.5$	B32673Z6155+***	_	_	2160
		2.2	$14.5\times29.5\times26.5$	B32673Z6225+***	_	-	2160

MOQ = Minimum Order Quantity, consisting of 4 packing units.

Further E series and intermediate capacitance values on request.

Composition of ordering code

+ = Capacitance tolerance code:


 $K = \pm 10\%$ $J = \pm 5\%$ *** = Packaging code:

289 = Ammo pack

189 = Reel

000 = Untaped (lead length 6 - 1 mm)







Technical data

Max. operating temperature	+125 °C				
Dissipation factor tan δ (in 10 ⁻³⁾	T123 U	C _R ≤ 0.1 μF	0.1 μF< C _R		
at 20 °C (upper limit values)	at 1 kHz	<u>'</u>	1.0		
ш = с (оррег	100 kHz	() , ,	_		
Insulation resistance R _{ins}	> 30 000 MΩ	2 (C _R ≤ 0.33 μF)			
or time constant $\tau = C_{\text{R}} \cdot R_{\text{ins}}$	> 10 000 s	$(C_R > 0.33 \mu F)$			
at 20 °C, rel. humidity ≤ 65%					
(minimum as-delivered values)					
Total self-inductance L	LS 15 mm	10 nH			
(lead length \approx 3mm)	LS 22.5 mm	18 nH			
DC test voltage	$1.6 \times V_R$, 2 s				
Category voltage V _C	T _A (°C)	DC voltage derating	AC voltage derating		
(continuous operation with	$T_A \le 85$	$V_C = V_R$	$V_{C,RMS} = V_{RMS}$		
V_{DC} or V_{AC} at $f \le 1$ kHz)	85 <t<sub>A≤110</t<sub>	$V_{\rm C} = V_{\rm R} \cdot (165 - T_{\rm A})/80$	$V_{C,RMS} = V_{RMS} \cdot (165 - T_A)/80$		
Operating voltage V _{op} for	T _A (°C)	DC voltage (max. hours)	AC voltage (max. hours)		
short operating periods $(V_{DC} \text{ or } V_{AC} \text{ at } f \leq 1 \text{ kHz})$	T _A ≤ 100	$V_{op} = 1.25 \cdot V_{C} (2000 \text{ h})$	$V_{op} = 1.0 \cdot V_{C,RMS} (2000 \text{ h})$		
	100<1 _A ≤125	$V_{op} = 1.25 \cdot V_{C} (1000 \text{ h})$	$V_{op} = 1.0 \cdot V_{C,RMS} (1000 \text{ h})$		
Passive flammability category in accordance to					
IEC 40 (CO) 752	С				
Maximum continuous					
AC voltage V _{AC}	220 V / 277 V	V / 310 V (50/60 Hz)			
Rated AC voltage					
(IEC 60384-14)	250 V (50/60	Hz)			
Surge pulse test IEC 1000-4-5	1.2 μs / 50 μ				
	8.0 μs / 20 μ				
Damp heat test	,	°C / 93% relative humidit	•		
Limit values after		change ∆C/C	≤ 5%		
damp heat test		actor change Δ tan δ	$\leq 0.5 \cdot 10^{-3} \text{ (at 1 kHz)}$		
	Insulation res	sistance R_{ins} $tant \tau = C_R \cdot R_{ins}$	≤ 1.0 · 10 ⁻³ (at 10 kHz) ≥ 50% of minimum		
	or time cons	ant t = OR · Hins	as-delivered values		
Reliability:					
Failure rate λ	1 fit (\leq 1 \cdot 10 $^{\circ}$ /h) at 0.5 \cdot V _R , 40 $^{\circ}$ C				
Service life t _{SL}		$1.0 \cdot V_R$, $85 ^{\circ}C$			
		-	ditions and temperatures,		
-	reter to chap	ter "Quality, 2 Reliability".			





Power Factor Correction

Failure criteria:		
Total failure	Short circuit or open circuit	
Failure due to variation	Capacitance change ∆C/C	> 10%
of parameters	Dissipation factor $tan \delta$	> 4 · upper limit values
	Insulation resistance R _{ins}	$<$ 1500 M Ω

Pulse handling capability

"dV/dt" represents the maximum permissible voltage change per unit of time for non-sinusoidal voltages, expressed in $V/\mu s$.

" k_0 " represents the maximum permissible pulse characteristic of the waveform applied to the capacitor, expressed in $V^2/\mu s$.

Note

The values of dV/dt and k_0 provided below must not be exceeded in order to avoid damaging the capacitor.

dV/dt values

Lead sp	acing	10 mm	15 mm	22.5 mm
V_R	V_{RMS}			_
V DC	V AC	dV/dt in V/μs		
450	220	-	160	100
520	277	_	200	120
630	310	400	250	160

ko values

Lead spacing		10 mm	15 mm	22.5 mm
V _R	V_{RMS}			_
V DC	V AC	k ₀ in V²/μs		
450	220	-	128 000	80 000
520	277	_	208 000	125 000
630	310	504 000	504 000	202 000



B32671Z

Power Factor Correction




Permissible AC voltage V_{RMS} versus frequency f (for sinusoidal waveforms $T_A \leq 90~^{\circ}C)$

For T_A >90 °C, please refer to "General technical information", section 3.2.3.

Lead spacing 10 mm

630 V DC/310 V AC








B32672Z

Power Factor Correction


Permissible AC voltage V_{RMS} versus frequency f (for sinusoidal waveforms $T_A \le 100$ °C) For $T_A > 100$ °C, please refer to "General technical information", section 3.2.3.

Lead spacing 15 mm


450 V DC/220 V AC



520 V DC/277 V AC



630 V DC/310 V AC








Power Factor Correction




Permissible AC voltage V_{RMS} versus frequency f (for sinusoidal waveforms $T_A \le 100$ °C) For $T_A > 100$ °C, please refer to "General technical information", section 3.2.3.

Lead spacing 22.5 mm


450 V DC/220 V AC



520 V DC/277 V AC



630 V DC/310 V AC







Power Factor Correction

Mounting guidelines

1 Soldering

1.1 Solderability of leads

The solderability of terminal leads is tested to IEC 60068-2-20, test Ta, method 1.

Before a solderability test is carried out, terminals are subjected to accelerated ageing (to IEC 60068-2-2, test Ba: 4 h exposure to dry heat at 155 °C). Since the ageing temperature is far higher than the upper category temperature of the capacitors, the terminal wires should be cut off from the capacitor before the ageing procedure to prevent the solderability being impaired by the products of any capacitor decomposition that might occur.


Solder bath temperature	235 ±5 °C
Soldering time	2.0 ±0.5 s
Immersion depth	2.0 +0/-0.5 mm from capacitor body or seating plane
Evaluation criteria:	
Visual inspection	Wetting of wire surface by new solder ≥90%, free-flowing solder

1.2 Resistance to soldering heat


Resistance to soldering heat is tested to IEC 60068-2-20, test Tb, method 1A. Conditions:

Series	s	Solder bath temperature	Soldering time
MKT	boxed (except $2.5 \times 6.5 \times 7.2$ mm) coated	260 ±5 °C	10 ±1 s
	uncoated (lead spacing > 10 mm)		
MFP	uncoured (road opacing > 10 mm)		
MKP	(lead spacing > 7.5 mm)		
MKT	boxed (case $2.5 \times 6.5 \times 7.2$ mm)		5 ±1 s
MKP	(lead spacing ≤ 7.5 mm)		< 4 s
MKT	uncoated (lead spacing ≤ 10 mm)		recommended soldering
	insulated (B32559)		profile for MKT uncoated
			(lead spacing ≤ 10 mm) and
			insulated (B32559)









Immersion depth	2.0 + 0/-0.5 mm from capacitor body or seating plane	
Shield	Heat-absorbing board, (1.5 \pm 0.5) mm thick, between capacitor body and liquid solder	
Evaluation criteria:		
Visual inspection	No visible damage	
$\Delta C/C_0$	2% for MKT/MKP/MFP 5% for EMI suppression capacitors	
tan δ	As specified in sectional specification	





Power Factor Correction

1.3 General notes on soldering

Permissible heat exposure loads on film capacitors are primarily characterized by the upper category temperature T_{max} . Long exposure to temperatures above this type-related temperature limit can lead to changes in the plastic dielectric and thus change irreversibly a capacitor's electrical characteristics. For short exposures (as in practical soldering processes) the heat load (and thus the possible effects on a capacitor) will also depend on other factors like:

- Pre-heating temperature and time
- Forced cooling immediately after soldering
- Terminal characteristics: diameter, length, thermal resistance, special configurations (e.g. crimping)
- Height of capacitor above solder bath
- Shadowing by neighboring components
- Additional heating due to heat dissipation by neighboring components
- Use of solder-resist coatings

The overheating associated with some of these factors can usually be reduced by suitable countermeasures. For example, if a pre-heating step cannot be avoided, an additional or reinforced cooling process may possibly have to be included.

EPCOS recommends the following conditions:

- Pre-heating with a maximum temperature of 110 °C
- Temperature inside the capacitor should not exceed the following limits:
 - MKP/MFP 110 °C
 - MKT 160 °C
- When SMD components are used together with leaded ones, the leaded film capacitors should not pass into the SMD adhesive curing oven. The leaded components should be assembled after the SMD curing step.
- Leaded film capacitors are not suitable for reflow soldering.

Uncoated capacitors

For uncoated MKT capacitors with lead spacings ≤10 mm (B32560/B32561) the following measures are recommended:

- pre-heating to not more than 110 °C in the preheater phase
- rapid cooling after soldering



Power Factor Correction



Cautions and warnings

- Do not exceed the upper category temperature (UCT).
- Do not apply any mechanical stress to the capacitor terminals.
- Avoid any compressive, tensile or flexural stress.
- Do not move the capacitor after it has been soldered to the PC board.
- Do not pick up the PC board by the soldered capacitor.
- Do not place the capacitor on a PC board whose PTH hole spacing differs from the specified lead spacing.
- Do not exceed the specified time or temperature limits during soldering.
- Avoid external energy inputs, such as fire or electricity.
- Avoid overload of the capacitors.

The table below summarizes the safety instructions that must always be observed. A detailed description can be found in the relevant sections of the chapters "General technical information" and "Mounting guidelines".

Topic	Safety information	Reference chapter "General technical information"
Storage conditions	Make sure that capacitors are stored within the specified range of time, temperature and humidity conditions.	4.5 "Storage conditions"
Flammability	Avoid external energy, such as fire or electricity (passive flammability), avoid overload of the capacitors (active flammability) and consider the flammability of materials.	5.3 "Flammability"
Resistance to vibration Do not exceed the tested ability to withstand vibration. The capacitors are tested to IEC 60068-2-6. EPCOS offers film capacitors specially designed for operation under more severe vibration regime such as those found in automotive applications. Consult our catalog "Film Capacitors for Automotive Electronics".		5.2 "Resistance to vibration"





Power Factor Correction

Topic	Safety information	Reference chapter "Mounting guidelines"
Soldering	Do not exceed the specified time or temperature limits during soldering.	1 "Soldering"
Cleaning	Use only suitable solvents for cleaning capacitors.	2 "Cleaning"
Embedding of capacitors in finished assemblies must be taken into account. Caution: Consult us first, if you also wish embed other uncoated component types		3 "Embedding of capacitors in finished assemblies"



Power Factor Correction



Symbols and terms

Symbol	English	German
α	Heat transfer coefficient	Wärmeübergangszahl
α_{C}	Temperature coefficient of capacitance	Temperaturkoeffizient der Kapazität
Α	Capacitor surface area	Kondensatoroberfläche
β_{C}	Humidity coefficient of capacitance	Feuchtekoeffizient der Kapazität
С	Capacitance	Kapazität
C_R	Rated capacitance	Nennkapazität
ΔC	Absolute capacitance change	Absolute Kapazitätsänderung
ΔC/C	Relative capacitance change (relative	Relative Kapazitätsänderung (relative
	deviation of actual value)	Abweichung vom Ist-Wert)
$\Delta C/C_R$	Capacitance tolerance (relative deviation	
	from rated capacitance)	vom Nennwert)
dt	Time differential	Differentielle Zeit
Δt	Time interval	Zeitintervall
ΔΤ	Absolute temperature change	Absolute Temperaturänderung
	(self-heating)	(Selbsterwärmung)
Δ tan δ	Absolute change of dissipation factor	Absolute Änderung des Verlustfaktors
ΔV	Absolute voltage change	Absolute Spannungsänderung
dV/dt	Time differential of voltage function (rate	Differentielle Spannungsänderung
	of voltage rise)	(Spannungsflankensteilheit)
ΔV/Δt	Voltage change per time interval	Spannungsänderung pro Zeitintervall
E	Activation energy for diffusion	Aktivierungsenergie zur Diffusion
ESL	Self-inductance	Eigeninduktivität
ESR	Equivalent series resistance	Ersatz-Serienwiderstand
f	Frequency	Frequenz
f ₁	Frequency limit for reducing permissible	Grenzfrequenz für thermisch bedingte
	AC voltage due to thermal limits	Reduzierung der zulässigen
	Fragues of limit for radicing permissible	Wechselspannung
f ₂	Frequency limit for reducing permissible AC voltage due to current limit	Grenzfrequenz für strombedingte Reduzierung der zulässigen
	Ao voltage due to current innit	Wechselspannung
f _r	Resonant frequency	Resonanzfrequenz
F _D	Thermal acceleration factor for diffusion	Therm. Beschleunigungsfaktor zur
ں .		Diffusion
F_T	Derating factor	Deratingfaktor
i	Current (peak)	Stromspitze
I _C	Category current (max. continuous current)	Kategoriestrom (max. Dauerstrom)





Power Factor Correction

Symbol	English	German
I _{RMS}	(Sinusoidal) alternating current,	(Sinusförmiger) Wechselstrom
i	root-mean-square value Capacitance drift	Inkonstanz der Kapazität
i _z	Pulse characteristic	Impulskennwert
k _o	Series inductance	Serieninduktivität
L _s	Failure rate	Ausfallrate
		Konstante Ausfallrate in der
λ_0	Constant failure rate during useful service life	Nutzungsphase
2	Failure rate, determined by tests	Experimentell ermittelte Ausfallrate
λ_{test}		
P _{diss}	Dissipated power	Abgegebene Verlustleistung
P _{gen}	Generated power	Erzeugte Verlustleistung
Q	Heat energy	Wärmeenergie
ρ	Density of water vapor in air	Dichte von Wasserdampf in Luft
R	Universal molar constant for gases	Allg. Molarkonstante für Gas
R	Ohmic resistance of discharge circuit	Ohmscher Widerstand des Entladekreises
_	Into wood wasiatawaa	Innenwiderstand
R _i	Internal resistance	
R _{ins}	Insulation resistance	Isolationswiderstand
R _P	Parallel resistance	Parallelwiderstand
R _s	Series resistance	Serienwiderstand
S	severity (humidity test)	Schärfegrad (Feuchtetest)
t	Time	Zeit
Т	Temperature	Temperatur
τ	Time constant	Zeitkonstante
tan δ	Dissipation factor	Verlustfaktor
$tan \; \delta_{\scriptscriptstyle D}$	Dielectric component of dissipation factor	Dielektrischer Anteil des Verlustfaktors
tan δ_P	Parallel component of dissipation factor	Parallelanteil des Verlfustfaktors
tan δ_s	Series component of dissipation factor	Serienanteil des Verlustfaktors
T _A	Ambient temperature	Umgebungstemperatur
T _{max}	Upper category temperature	Obere Kategorietemperatur
T _{min}	Lower category temperature	Untere Kategorietemperatur
t _{OL}	Operating life at operating temperature	Betriebszeit bei Betriebstemperatur und
-OL	and voltage	-spannung
T _{op}	Operating temperature	Beriebstemperatur
T _B	Rated temperature	Nenntemperatur
T _{ref}	Reference temperature	Referenztemperatur
t _{SL}	Reference service life	Referenz-Lebensdauer
V _{AC}	AC voltage	Wechselspannung





Power Factor Correction

Symbol	English	German
V _C	Category voltage	Kategoriespannung
$V_{C,RMS}$	Category AC voltage	(Sinusförmige)
		Kategorie-Wechselspannung
V_{CD}	Corona-discharge onset voltage	Teilentlade-Einsatzspannung
V_{ch}	Charging voltage	Ladespannung
V_{DC}	DC voltage	Gleichspannung
V_{FB}	Fly-back capacitor voltage	Spannung (Flyback)
V_{i}	Input voltage	Eingangsspannung
V_{\circ}	Output voltage	Ausgangssspannung
V_{op}	Operating voltage	Betriebsspannung
V_p	Peak pulse voltage	Impuls-Spitzenspannung
V_{pp}	Peak-to-peak voltage Impedance	Spannungshub
V_R	Rated voltage	Nennspannung
v̂ _R	Amplitude of rated AC voltage	Amplitude der Nenn-Wechselspannung
V_{RMS}	(Sinusoidal) alternating voltage,	(Sinusförmige) Wechselspannung
	root-mean-square value	
V_{SC}	S-correction voltage	Spannung bei Anwendung "S-correction"
V_{sn}	Snubber capacitor voltage	Spannung bei Anwendung
		"Beschaltung"
Z	Impedance	Scheinwiderstand
е	Lead spacing	Rastermaß



Important notes

The following applies to all products named in this publication:

- 1. Some parts of this publication contain statements about the suitability of our products for certain areas of application. These statements are based on our knowledge of typical requirements that are often placed on our products in the areas of application concerned. We nevertheless expressly point out that such statements cannot be regarded as binding statements about the suitability of our products for a particular customer application. As a rule, EPCOS is either unfamiliar with individual customer applications or less familiar with them than the customers themselves. For these reasons, it is always ultimately incumbent on the customer to check and decide whether an EPCOS product with the properties described in the product specification is suitable for use in a particular customer application.
- 2. We also point out that in individual cases, a malfunction of electronic components or failure before the end of their usual service life cannot be completely ruled out in the current state of the art, even if they are operated as specified. In customer applications requiring a very high level of operational safety and especially in customer applications in which the malfunction or failure of an electronic component could endanger human life or health (e.g. in accident prevention or lifesaving systems), it must therefore be ensured by means of suitable design of the customer application or other action taken by the customer (e.g. installation of protective circuitry or redundancy) that no injury or damage is sustained by third parties in the event of malfunction or failure of an electronic component.
- 3. The warnings, cautions and product-specific notes must be observed.
- 4. In order to satisfy certain technical requirements, some of the products described in this publication may contain substances subject to restrictions in certain jurisdictions (e.g. because they are classed as hazardous). Useful information on this will be found in our Material Data Sheets on the Internet (www.epcos.com/material). Should you have any more detailed questions, please contact our sales offices.
- 5. We constantly strive to improve our products. Consequently, the products described in this publication may change from time to time. The same is true of the corresponding product specifications. Please check therefore to what extent product descriptions and specifications contained in this publication are still applicable before or when you place an order. We also reserve the right to discontinue production and delivery of products. Consequently, we cannot guarantee that all products named in this publication will always be available. The aforementioned does not apply in the case of individual agreements deviating from the foregoing for customer-specific products.
- Unless otherwise agreed in individual contracts, all orders are subject to the current version of the "General Terms of Delivery for Products and Services in the Electrical Industry" published by the German Electrical and Electronics Industry Association (ZVEI).
- 7. The trade names EPCOS, BAOKE, Alu-X, CeraDiode, CeraLink, CSMP, CSSP, CTVS, DeltaCap, DigiSiMic, DSSP, FilterCap, FormFit, MiniBlue, MiniCell, MKD, MKK, MLSC, MotorCap, PCC, PhaseCap, PhaseCube, PhaseMod, PhiCap, SIFERRIT, SIFI, SIKOREL, SilverCap, SIMDAD, SiMic, SIMID, SineFormer, SIOV, SIP5D, SIP5K, ThermoFuse, WindCap are trademarks registered or pending in Europe and in other countries. Further information will be found on the Internet at www.epcos.com/trademarks.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Film Capacitors category:

Click to view products by EPCOS manufacturer:

Other Similar products are found below:

F339X134748MIP2T0 F450KG153J250ALH0J 750-1018 FKP1-1500160010P15 FKP1R031007D00JYSD FKP1R031507E00JYSD FKP1U024707E00KYSD 82DC4100CK60J 82EC1100DQ50K PFR5101J100J11L16.5TA18 PME261JB5220KR19T0 A451GK223M040A A561ED221M450A QXJ2E474KTPT QXL2B333KTPT R49AN347000A1K EEC2G505HQA406 B25668A6676A375 B25673A4282E140 BFC233868148 BFC2370GC222 C3B2AD44400B20K C4ASWBU3220A3EK CB027C0473J-- CB177I0184J-- CB182K0184J-- 23PW210 950CQW5H-F SBDC3470AA10J SCD105K122A3-22 2N3155 A571EH331M450A FKP1-2202KV5P15 FKS3-680040010P10 QXL2E473KTPT 445450-1 B25669A3996J375 46KI322000M1M 46KR415050M1K 4BSNBX4100ZBFJ MKP383510063JKP2T0 MKPY2-.02230020P15 MKT 1813-368-015 4055292001 46KN410000N1K EEC2E106HQA405 EEC2G205HQA402 EEC2G805HQA415 P409CP224M250AH470 82EC2150DQ50K