


Data sheet


Features

- 1) Conductive polymer used at the cathode for ultra-low ESR.
- 2) Conductive polymer has a self-healing function that prevents failure, resulting in safe, high reliability operation.
- 3) Screening by thermal shock.

Dimensions



Part No. Explanation



*This specification has possibility of charge, due to underdevelopment product. Please ask for latest specification to our sales.

Rated table

Capacitance	Rated voltage (V.DC)										
(μF)	2.5	4	6.3	10	16	25					
15 (156)						☆100					
33 (336)				150	☆100						
47 (476)			70/150	150							
100 (107)			35/45/150								
150 (157)		150	☆25 35/45/150								
220 (227)	35/45/150		☆ 25 35/70/150								
330 (337)	35/45										

☆ Under development

Marking

The indications listed below should be given on the surface of a capacitor.

- (1) Polarity : The polarity should be shown by \Box bar. (on the anode side)
- (2) Rated DC voltage : A voltage code is shown as below table.
- (3) Capacitance : A capacitance code is shown as below table.

Voltage Code	Rated DC Voltage (V)			
е	2.5			
g	4			
j	6.3			
A	10			
С	16			
D	20			
E	25			

Nominal Capacitance (F) 15					
47 100					
					150
220					
330					

Visual typical example


voltage code and capacitance code are variable with parts number.

[B case]

EX.)
$$\frac{J}{(1)}$$

(.)
$$\frac{j}{(1)} \frac{s}{(2)}$$

(1) voltage code (2) capacitance code



Characteristics

Ite	Performance								Test conditions (based on JIS C 5101–1 and JIS C 5101–3)						
Operating Temperature			-55°C to +105°C								ge	reduction whe	en temperature	exceeds+85°C	
Maximum operating temperature with no voltage derating		+85°C													
Rated voltage (V.DC)		2.5	4	6.3	10	16	20	25		at 85°C					
Category voltag (V.DC)	e	2	3.2	5	8	12.8	16	22		at 105°C					
Surge voltage (V.DC)		3.2	5	8	13	20	26	32		at 85	°C				
DC Leakage cu	rrent			1CV " Sta				eatei		Rate	d v	oltage for 5m	in		
Capacitance tolerance			±20% Shall be satisfied allowance range.								Measuring frequency : 120±12Hz Measuring voltage : 0.5Vrms +1.5 to 2V.DC Measuring circuit : DC Equivalent series circuit				
Tangent of loss (Df, tan δ)	Shall be satisfied the voltage on " Standard list "							list "	Measuring frequency : 120±12Hz Measuring voltage : 0.5Vrms +1.5 to 2V.DC Measuring circuit : DC Equivalent series circuit						
ESR	Shall be satisfied the voltage on " Standard list "						list "	Measuring frequency : 100±10kHz Measuring voltage : 0.5Vrms or less							
Resistance to Soldering heat	Appearance	There should be no significant abnormality. The indications should be clear.								Dip in the solder bath Solder temp : 240±5°C					
	L.C.	Less than 150% of initial limit (TCOB1E156M8R : Less than 300% of initial limit)								Duration : 10±0.5s Repetition : 1 After the specimens, leave it at room temperature for					
	⊿C / C	Within±20% of initial value									over 24h and then measure the sample.				
	$tan \ \delta$	Less	s thai	n 150	% of	initia	l limit								
Temperature cycle	Appearance	There should be no significant abnormality.								Repetition : 5 cycles (1 cycle : steps 1 to 4) without discontinuation.					
	L.C	Less than 500% of initial limit										Temp.	Time		
	⊿C/C	Within 20% of intial value						1		–55±3°C	30±3min				
										2		Room temp.	3min.or less		
	D(1	Less than 150% of initial limit							3		105±2°C	30±3min		
	Df (tan δ)	Less	s thai	1 150	% of	initia	i limit			4		Room temp.	3min.or less		
									After the specimens, leave it at room temperature for over 24h and then measure the sample.						
Moisture resistance	Appearance			ould I ation				nt abr		After leaving the sample under such atmospheric condition that the temperature and humidity are 40±2°C and 90 to 95% RH,respectively,for 500±12h leave it at room temperature for over 24h and then measure the					
	L.C			n 150 E156N					limit)						
	⊿C / C	+30	% / –	20%						samp					
	Df (tan δ)	Less	s thai	า 150	% of	initia	l limit								

Item		Performance	Test conditions (based on JIS C 5101–1 and JIS C 5101–3)				
Temperature	Temp.	–55°C					
Stebility	⊿C/C	Within 0/–20% of initial value					
	Df (tan δ)	Shall be satisfied the voltage on " Standard list "					
	L.C	-					
	Temp.	+105°C					
	⊿C / C	Within +50/0% of initial value					
	Df (tan δ)	Shall be satisfied the voltage on " Standard list "					
	L.C	Less than 1CV					
Surge	Appearance	There should be no significant abnormality.	Apply the specified serge voltage every 5±0.5 min.				
voltage	L.C ⊿C/C	Less than initial limit (TCOB1E156M8R : Less than 300% of initial limit) Within±20% of initial value	 for 30±5 s. each time in the atmospheric condition of 85±2°C. Repeat this rocedure 1,000 times. After the specimens, leave it at room temperature for 				
	Df (tan δ)	Less than initial limit	over 24h and then measure the sample.				
Loading at High temperature	Appearance	There should be nonsignificant abnormality.	After applying the rated voltage for 1000 ⁺⁷² h without discontinuation via the serial resistance				
	L.C	Less than 200% of initial limit	of 3Ω or less at a temperature of $85\pm2^{\circ}$ C, leave				
	⊿C/C	Within±20% of initial value	the sample at room temperature / humidity for over 24h and measure the value.				
	Df	150% of initial limit less than					
	(tan δ)						
Terminal strength	Capacitance Appearance	The measured value should be stable. There should nonsignificant abnormality.	A force is applied to the terminal until it bends to 1mm and by a perscribed tool maintain the				
			thickness=1.6mm				
Adhesiveness		The terminal should not come off.	Apply force of 5N in the two directions shown in the figure below for 10±1s after mounting the terminal on a circuit board.				
Dimensions		Refer to "External dimensions"	Measure using a caliper of JISB 7507 Class 2 or higher grade.				
Resistance to solv	ents	The indication should be clear	Dip in the isopropyl alcohol for 30±5s, at room temperature.				
Solderability		3/4 or more surface area of the solder coated terminal dipped in the soldering bath should be covered with the new solder.	Dip speed=25±2.5mm / sPre-treatment(accelerated aging): Leavethe sample on the boiling distilled water for 1 h.Solder temp.: 245±5°CDuration: 3±0.5sSolder: M705Flux: Rosin25%IPA75%				
Vibration	Capacitance	Measure value should not fluctuate during the measurement.	Frequency : 10 to 55 to 10Hz/min. Amplitude : 1.5mm Time : 2h each in X and Y directions				
	Appearance	There should no significant abnormality.	Mounting : The terminal is soldered on a print circuit board.				


•Standard products list

Part No.	Rated voltage 85°C	Category voltage 105°C	Surge voltage 85°C	Cap. 120Hz	Tolerance	Leakage current 25°C		Df 120Hz (%)		ESR 100kHz
	(V)	(V)	(V)	(μF)	(%)	1WV.5min (μA)	–55°C	25°C	105°C	(mΩ)
TCO B 0E 227 M8R-EN	2.5	2	3.2	220	± 20	55	8	8	12	35
TCO B 0E 227 M8R-ES	2.5	2	3.2	220	± 20	55	8	8	12	45
TCO B 0E 227 M8R	2.5	2	3.2	220	± 20	55	8	8	12	150
TCO B 0E 337 M8R-EN	2.5	2	3.2	330	± 20	82.5	30	15	20	35
TCO B 0E 337 M8R-ES	2.5	2	3.2	330	± 20	82.5	30	15	20	45
TCO B 0G 157 M8R	4	3.2	5	150	± 20	60	8	8	12	150
*TCO B 0J 476 M8R-EW	6.3	5	8	47	± 20	30	8	8	12	70
TCO B 0J 476 M8R	6.3	5	8	47	± 20	30	8	8	12	150
TCO B 0J 107 M8R-EN	6.3	5	8	100	± 20	63	8	8	12	35
TCO B 0J 107 M8R-ES	6.3	5	8	100	± 20	63	8	8	12	45
TCO B 0J 107 M8R	6.3	5	8	100	± 20	63	8	8	12	150
* TCO B 0J 157 M8R-EK	6.3	5	8	150	± 20	94.5	30	15	20	25
TCO B 0J 157 M8R-EN	6.3	5	8	150	± 20	94.5	30	15	20	35
TCO B 0J 157 M8R-ES	6.3	5	8	150	± 20	94.5	30	15	20	45
TCO B 0J 157 M8R	6.3	5	8	150	± 20	94.5	30	15	20	150
* TCO B 0J 227 M8R-EK	6.3	5	8	220	± 20	139	30	15	20	25
TCO B 0J 227 M8R-EN	6.3	5	8	220	± 20	139	30	15	20	35
TCO B 0J 227 M8R-ES	6.3	5	8	220	± 20	139	30	15	20	45
TCO B 0J 227 M8R	6.3	5	8	220	± 20	139	30	15	20	150
TCO B 1A 336 M8R	10	8	13	33	± 20	33	8	8	12	150
TCO B 1A 476 M8R	10	8	13	47	± 20	47	8	8	12	150
* TCO B 1C 336 M8R	16	12.8	20	33	± 20	158	10	10	15	100
* TCO B 1E 156 M8R	25	20	29	15	± 20	113	10	10	20	100


* = Under development

Please consult a ROHM representative for additional details.

Packaging specifications




Reel dimensions



(Unit : mm) EIAJ ET-7200A

•Damp proof package

- ① One reel is packed in aluminum bag. The size of aluminum bag is 240(a) x 250(b)mm. The size up to 230(c)mm is to zipper.
- 2 A desiccant is packed with a reel.
- ③ The aluminum bag is heat-sealed.
- $\overset{\circ}{4}$ The label of the same as the label on the reel is placed on the aluminum bag.



Notice

Precaution on using ROHM Products

1. Our Products are designed and manufactured for application in ordinary electronic equipments (such as AV equipment, OA equipment, telecommunication equipment, home electronic appliances, amusement equipment, etc.). If you intend to use our Products in devices requiring extremely high reliability (such as medical equipment ^(Note 1), transport equipment, traffic equipment, aircraft/spacecraft, nuclear power controllers, fuel controllers, car equipment including car accessories, safety devices, etc.) and whose malfunction or failure may cause loss of human life, bodily injury or serious damage to property ("Specific Applications"), please consult with the ROHM sales representative in advance. Unless otherwise agreed in writing by ROHM in advance, ROHM shall not be in any way responsible or liable for any damages, expenses or losses incurred by you or third parties arising from the use of any ROHM's Products for Specific Applications.

(Note1) Medical Equipment Classification of the Specific Applications

JAPAN	USA	EU	CHINA
CLASSⅢ	CLASSⅢ	CLASS II b	
CLASSⅣ	CLASSII	CLASSⅢ	CLASSII

- 2. ROHM designs and manufactures its Products subject to strict quality control system. However, semiconductor products can fail or malfunction at a certain rate. Please be sure to implement, at your own responsibilities, adequate safety measures including but not limited to fail-safe design against the physical injury, damage to any property, which a failure or malfunction of our Products may cause. The following are examples of safety measures:
 - [a] Installation of protection circuits or other protective devices to improve system safety
 - [b] Installation of redundant circuits to reduce the impact of single or multiple circuit failure
- 3. Our Products are designed and manufactured for use under standard conditions and not under any special or extraordinary environments or conditions, as exemplified below. Accordingly, ROHM shall not be in any way responsible or liable for any damages, expenses or losses arising from the use of any ROHM's Products under any special or extraordinary environments or conditions. If you intend to use our Products under any special or extraordinary environments or conditions (as exemplified below), your independent verification and confirmation of product performance, reliability, etc, prior to use, must be necessary:
 - [a] Use of our Products in any types of liquid, including water, oils, chemicals, and organic solvents
 - [b] Use of our Products outdoors or in places where the Products are exposed to direct sunlight or dust
 - [C] Use of our Products in places where the Products are exposed to sea wind or corrosive gases, including Cl₂, H₂S, NH₃, SO₂, and NO₂
 - [d] Use of our Products in places where the Products are exposed to static electricity or electromagnetic waves
 - [e] Use of our Products in proximity to heat-producing components, plastic cords, or other flammable items
 - [f] Sealing or coating our Products with resin or other coating materials
 - [g] Use of our Products without cleaning residue of flux (even if you use no-clean type fluxes, cleaning residue of flux is recommended); or Washing our Products by using water or water-soluble cleaning agents for cleaning residue after soldering
 - [h] Use of the Products in places subject to dew condensation
- 4. The Products are not subject to radiation-proof design.
- 5. Please verify and confirm characteristics of the final or mounted products in using the Products.
- 6. In particular, if a transient load (a large amount of load applied in a short period of time, such as pulse. is applied, confirmation of performance characteristics after on-board mounting is strongly recommended. Avoid applying power exceeding normal rated power; exceeding the power rating under steady-state loading condition may negatively affect product performance and reliability.
- 7. De-rate Power Dissipation (Pd) depending on Ambient temperature (Ta). When used in sealed area, confirm the actual ambient temperature.
- 8. Confirm that operation temperature is within the specified range described in the product specification.
- 9. ROHM shall not be in any way responsible or liable for failure induced under deviant condition from what is defined in this document.

Precaution for Mounting / Circuit board design

- 1. When a highly active halogenous (chlorine, bromine, etc.) flux is used, the residue of flux may negatively affect product performance and reliability.
- 2. In principle, the reflow soldering method must be used on a surface-mount products, the flow soldering method must be used on a through hole mount products. If the flow soldering method is preferred on a surface-mount products, please consult with the ROHM representative in advance.

For details, please refer to ROHM Mounting specification

Precautions Regarding Application Examples and External Circuits

- 1. If change is made to the constant of an external circuit, please allow a sufficient margin considering variations of the characteristics of the Products and external components, including transient characteristics, as well as static characteristics.
- 2. You agree that application notes, reference designs, and associated data and information contained in this document are presented only as guidance for Products use. Therefore, in case you use such information, you are solely responsible for it and you must exercise your own independent verification and judgment in the use of such information contained in this document. ROHM shall not be in any way responsible or liable for any damages, expenses or losses incurred by you or third parties arising from the use of such information.

Precaution for Electrostatic

This Product is electrostatic sensitive product, which may be damaged due to electrostatic discharge. Please take proper caution in your manufacturing process and storage so that voltage exceeding the Products maximum rating will not be applied to Products. Please take special care under dry condition (e.g. Grounding of human body / equipment / solder iron, isolation from charged objects, setting of lonizer, friction prevention and temperature / humidity control).

Precaution for Storage / Transportation

- 1. Product performance and soldered connections may deteriorate if the Products are stored in the places where:
 - [a] the Products are exposed to sea winds or corrosive gases, including Cl2, H2S, NH3, SO2, and NO2
 - [b] the temperature or humidity exceeds those recommended by ROHM
 - [c] the Products are exposed to direct sunshine or condensation
 - [d] the Products are exposed to high Electrostatic
- 2. Even under ROHM recommended storage condition, solderability of products out of recommended storage time period may be degraded. It is strongly recommended to confirm solderability before using Products of which storage time is exceeding the recommended storage time period.
- 3. Store / transport cartons in the correct direction, which is indicated on a carton with a symbol. Otherwise bent leads may occur due to excessive stress applied when dropping of a carton.
- 4. Use Products within the specified time after opening a humidity barrier bag. Baking is required before using Products of which storage time is exceeding the recommended storage time period.

Precaution for Product Label

QR code printed on ROHM Products label is for ROHM's internal use only.

Precaution for Disposition

When disposing Products please dispose them properly using an authorized industry waste company.

Precaution for Foreign Exchange and Foreign Trade act

Since concerned goods might be fallen under listed items of export control prescribed by Foreign exchange and Foreign trade act, please consult with ROHM in case of export.

Precaution Regarding Intellectual Property Rights

- All information and data including but not limited to application example contained in this document is for reference only. ROHM does not warrant that foregoing information or data will not infringe any intellectual property rights or any other rights of any third party regarding such information or data.
- 2. ROHM shall not have any obligations where the claims, actions or demands arising from the combination of the Products with other articles such as components, circuits, systems or external equipment (including software).
- 3. No license, expressly or implied, is granted hereby under any intellectual property rights or other rights of ROHM or any third parties with respect to the Products or the information contained in this document. Provided, however, that ROHM will not assert its intellectual property rights or other rights against you or your customers to the extent necessary to manufacture or sell products containing the Products, subject to the terms and conditions herein.

Other Precaution

- 1. This document may not be reprinted or reproduced, in whole or in part, without prior written consent of ROHM.
- 2. The Products may not be disassembled, converted, modified, reproduced or otherwise changed without prior written consent of ROHM.
- 3. In no event shall you use in any way whatsoever the Products and the related technical information contained in the Products or this document for any military purposes, including but not limited to, the development of mass-destruction weapons.
- 4. The proper names of companies or products described in this document are trademarks or registered trademarks of ROHM, its affiliated companies or third parties.

General Precaution

- 1. Before you use our Products, you are requested to care fully read this document and fully understand its contents. ROHM shall not be in an y way responsible or liable for failure, malfunction or accident arising from the use of a ny ROHM's Products against warning, caution or note contained in this document.
- 2. All information contained in this docume nt is current as of the issuing date and subject to change without any prior notice. Before purchasing or using ROHM's Products, please confirm the latest information with a ROHM sale s representative.
- 3. The information contained in this document is provided on an "as is" basis and ROHM does not warrant that all information contained in this document is accurate an d/or error-free. ROHM shall not be in an y way responsible or liable for any damages, expenses or losses incurred by you or third parties resulting from inaccuracy or errors of or concerning such information.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Tantalum Capacitors - Solid Leaded category:

Click to view products by ROHM manufacturer:

Other Similar products are found below :

CA55-C025M106T CA55-H6R3M337T CA55-D6R3M477T CA55-H004M477T CA55-H6R3M227T CA55-D6R3M337T CA55-B010M476T CA55-B016M226T CA55-D025M336T CA55-H2R5M477T 749DX335X9016A2 F920J226MPA M39003/01-6081 CWR29JC476KCHC TAP105K035BRS TC-100/16 TC-22/6.3 TC-4.7/35 TC-68/25 TCA1E475M8R TCTU1D334M8R 07016-092MCCA 550D476X9035S2T 16TQS33MED 173D336X0025Y 489D226X0016D6VE3 489D105X0025A6VE3 489D106X0016C6VE3 489D106X0025D6VE3 489D106X0035F1VE3 489D224X0035A1VE3 489D224X0035A6VE3 489D475X0035D1VE3 489D475X0035D6VE3 489D105X0025A1VE3 489D106X0010B1VE3 489D225X0025B1VE3 790D686X9016C2BE3 790D226X9040C2BE3 790D105X9040A2BE3 790D106X9025B2BE3 T110A105K050AS T110D227K010AS T351C106K010AS T353L336K035AS T355F336M010AT T356L686K025AS T370F106K035AS TAP225K010CRW TC-0.1/35