

## SPECIFICATION

Page 1, Total 30 Pages



# **OLED SPECIFICATION**

#### Model No:

# REC001602HRPP5N00000

## **CUSTOMER:**

APPROVED BY

PCB VERSION

DATE

FOR CUSTOMER USE ONLY

SALES BY	APPROVED BY	CHECKED BY	PREPARED BY	
Release DATE:				



## 1. Revision History

VERSION	DATE	REVISED PAGE NO.	Note
0	2015/01/30		First release
A	2015/04/21		Correct Contour
			Drawing
В	2016/06/01		Modify Static
			electricity test



# Contents

- 1.General Specification
- 2.Module Classification Information
- 3.Interface Pin Function
- 4.Contour Drawing & Block Diagram
- 5. Absolute Maximum Ratings
- 6.Electrical Characteristics
- 7.Optical Characteristics
- 8.OLED Lifetime
- 9.Reliability
- 10.Inspection specification
- 11.Precautions in use of OLED Modules



### **1.General Specification**

The Features is described as follow:

- Module dimension: 122.0 x 44.0 x 10.0(MAX) mm
- View area: 98.0 x 21.0 mm
- Active area: 91.14 x 18.98 mm
- Number of Characters: 16 Character x 2 Lines
- Dot size: 0.90 x 1.06 mm
- Dot pitch: 0.96x 1.12 mm
- Character size: 4.74 x 8.90 mm
- Character pitch: 5.76 x 10.08 mm
- Duty: 1/16
- Emitting Color: OLED ,Red



## 2.Module Coding System

1	2	3	4	5	6	7	8	9	10	11	12	13	14
R	E	С	001602	Н	R	Р	Р	5	Ν	0	0	0	00

1	Brand : Raystar Opt	ronics Inc.		$\left( \right)$				
2	E : OLED							
3 4	Number of Characte		nic_, T→TAB ,X→COG . 2Lines.	. H→COG (with Frame)				
5	Series	T		7				
		A : Amber	R : Red	C : Full Color				
6	6 Emitting Color	B : Blue	W : White					
0		G : Green	Y : Yellow					
		S : Sky Blue	X : Dual Color					
7	Dalarizar	P : With Polarizer;	P : With Polarizer; N: Without Polarizer					
7	Polarizer	A : Anti-glare Polarizer						
8	Display Mode	P : Passive Matrix	P : Passive Matrix ; N : Active Matrix					
9	Driver Voltage	3:3.0~3.3V;5	3:3.0~3.3V ; 5:5.0V					
10	Touch Panel	N : Without touch	N : Without touch panel; T: With touch panel					
		0 : Standard						
		1 : Sunlight Reada	able					
11	Product type	2 : Transparent Ol	LED (TOLED)					
		3 : Flexible OLED	(FOLED)					
		4 : OLED Lighting						
		0 : Standard						
10		2 : B grade						
12	Inspection Grade	C : Automotive gra	ade	_				
		Y : Consumer grad	de	100000				
13	Interface	0 : Default ; F : FF	PC ; H:Hot bar ; D:De	emo Kit				
14	Serial No.	Serial number(00~						
	*	*						



Page 7, Total 30 Pages




### **3.Interface Pin Function**

Pin No.	Symbol	Level	Description
1	VSS	0V	Ground
2	VDD	5.0V	Supply Voltage for logic
3	NC	-	No Connection
4	RS	H/L	H: DATA, L: Instruction code
5	R/W	H/L	H: Read(Module→MPU) L: Write(MPU→Module)
6	E	H,H→L	Chip enable signal
7	DB0	H/L	Data bit 0
8	DB1	H/L	Data bit 1
9	DB2	H/L	Data bit 2
10	DB3	H/L	Data bit 3
11	DB4	H/L	Data bit 4
12	DB5	H/L	Data bit 5
13	DB6	H/L	Data bit 6
14	DB7	H/L	Data bit 7
15	NC	-	No Connection
16	NC		No Connection




### 4.Counter Drawing & Block Diagram





MPU 68 Series	RS R/W E DB0~DB7		RS001 Controll		COM1~1		16X2	OLED	
Address	┛ s Format	DB7	DB6	DB5	DB4	DB3	DB2	DB1	DB0
CA (Charac	ter Address)	1	ADD6	ADD5	ADD4	ADD3	ADD2	ADD1	ADD0

1	2	3	4	 	13	14	15	16
CA=1000000b	CA=10000001b	CA=10000010b	CA=10000011b	 	CA=10001100b	CA=10001101b	CA=10001110b	CA=10001111b
CA=1100000b	CA=11000001b	CA=11000010b	CA=11000011b	3	CA=11001100b	CA=11001101b	CA=11001110b	CA=11001111b





## **5.Absolute Maximum Ratings**

Item	Symbol	Min	Max	Unit	Notes
Operating Temperature	T <sub>OP</sub>	-40	+80	°C	
Storage Temperature	T <sub>ST</sub>	-40	+80	°C	S
Supply Voltage For Logic	VDD-V <sub>SS</sub>	-0.3	5.3	V	

Page 11, Total 30 Pages



### **6.Electrical Characteristics**

Item	Symbol	Condition	Min	Тур	Max	Unit
Supply Voltage For Logic	VDD-VSS	-	4.8	5.0	5.3	V
Input High Volt.	VIH	-	0.8 VDD	-	VDD	V
Input Low Volt.	VIL	-	GND	-	0.2 VDD	V
Output High Volt.	VOH	IOH=-0.5mA	0.8 VDD		VDD	V
Output Low Volt.	VOL	IOL=0.5mA	GND	- ) '	0.2 VDD	V
50% Check Board Operating Current	IDD	VDD=5V	56	62	65	mA


Note: In order to avoid any possible damages, 3V or 3.3V logic I/O for VDD 5V OLED module is not recommended.

Page 12, Total 30 Pages



## **7.Optical Characteristics**

ltem	Symbol	Condition	Min	Тур	Max	Unit
View Angle	(V)θ	-	160	-	- 2	deg
	(H)φ	-	160	-	-	deg
Contrast Ratio	CR	Dark	2000:1	-	-	-
Response Time	T rise	-	-	10	-	μs
Response nine	T fall	-	-	10	-	μs
Display with 50% check I	aoard Brightness		60	70	-	cd/m2
CIEx(Red)		(CIE1931)	0.63	0.67	0.71	-
CIEy(Red)		(CIE1931)	0.29	0.33	0.37	-





Page 13, Total 30 Pages



### 8.OLED Lifetime

ITEM	Conditions	Min	Тур	Remark
Operating Life Time	Ta=25℃ / Initial 50% check Board Typical Brightness Value	40,000 Hrs	50,000 Hrs	Note

Note:

- 1. Life time is defined the amount of time when the luminance has decayed to <50% of the initial value.
- 2. This analysis method uses life data obtained under accelerated conditions to extrapolate an estimated probability density function (*pdf*) for the product under normal use conditions.
- 3. Screen saving mode will extend OLED lifetime.



### 9.Reliability

#### Content of Reliability Test

Environmenta	l Test		
Test Item	Content of Test	Test Condition	Applicable Standard
High Temperature storage	Endurance test applying the high storage temperature for a long time.	80 □ 240hrs	- (
Low Temperature storage	Endurance test applying the low storage temperature for a long time.	-40⊡ 240hrs	
High Temperature Operation	Endurance test applying the electric stress (Voltage & Current) and the thermal stress to the element for a long time.	80□ 240hrs	
Low Temperature Operation	Endurance test applying the electric stress under low temperature for a long time.	-40□ 240hrs	
High Temperature/ Humidity Storage	Endurance test applying the high temperature and high humidity storage for a long time.	60□,90%RH 240hrs	
Temperature Cycle	Endurance test applying the low and high temperature cycle. -40 25 80 30min 5min 30min 1 cycle	-40□/80□ 100 cycles	
Mechanical Tes	st		
Vibration test	Endurance test applying the vibration during transportation and using.	10~22Hz→1.5mmp-p 22~500Hz→1.5G Total 0.5hr	50
Shock test	Constructional and mechanical endurance test applying the shock during transportation.	50G Half sin wave 11 ms 3 times of each direction	
Atmospheric pressure test	Endurance test applying the atmospheric pressure during transportation by air.	115mbar 40hrs	
Others			
Static electricity test	Endurance test applying the electric stress to the terminal.	VS=±600V(contact), ±800v(air), RS=330Ω CS=150pF 10 times	

\*\*\* Supply voltage for OLED system =Operating voltage at 25°C



#### Test and measurement conditions

- 1. All measurements shall not be started until the specimens attain to temperature stability. After the completion of the described reliability test, the samples were left at room temperature for 2 hrs prior to conducting the failure test at 23±5°C; 55±15% RH.
- 2. All-pixels-on is used as operation test pattern.
- 3. The degradation of Polarizer are ignored for High Temperature storage, High Temperature/ Humidity Storage, Temperature Cycle


#### Evaluation criteria

- 1. The function test is OK.
- 2. No observable defects.
- 3. Luminance: > 50% of initial value.
- 4. Current consumption: within ± 50% of initial value.

#### **APPENDIX:**

#### **RESIDUE IMAGE**

Because the pixels are lighted in different time, the luminance of active pixels may reduce or differ from inactive pixels. Therefore, the residue image will occur. To avoid the residue image, every pixel needs to be lighted up uniformly.





## **10.Inspection specification**

01       Electrical Testing       1.1 Missing vertical, horizontal segment, segment contrast defect.         1.2 Missing character , dot or icon.       1.3 Display malfunction.         1.4 No function or no display.       1.5 Current consumption exceeds product specifications.         1.6 OLED viewing angle defect.       1.7 Mixed product types.         1.8 Contrast defect.       1.8 Contrast defect.         02       Black or white spots on OLED (display only)       2.1 White and black spots on display □0.25mm, no more than three white or black spots present.         03       OLED (display only)       3.1 Round type : As following drawing Φ=(x + y ) / 2       SIZE       Acceptable Q TY         04       Polarizer bubbles       3.2 Line type : (As following drawing ay)       SIZE       0.02 < W≦0.03 L ≦2.5       0.03 < W≦0.05 04       Polarizer bubbles       If bubbles are visible, judge using black spot specifications, not easy to find, must check in specify direction.       Size Φ       Acceptable Q TY 0.4       Polarizer bubbles       If bubbles are visible, judge using black spot specify direction.       Size Φ       Acceptable Q TY 	AQL
1.3 Display malfunction.       1.4 No function or no display.         1.5 Current consumption exceeds product specifications.       1.6 OLED viewing angle defect.         1.7 Mixed product types.       1.8 Contrast defect.         1.7 Mixed product types.       1.8 Contrast defect.         1.8 Contrast defect.       2.1 White and black spots on display □0.25mm, no more than three white or black spots present.         2.2 Densely spaced: No more than two spots or lines within 3mm.       3mm.         03       OLED black spots, white spots, contamina tion (non-display)       3.1 Round type : As following drawing Φ=(x + y ) / 2         Φ≤0.10       Acceptable Q TY         Φ≤0.10       Accept no dense         0.10 < Φ≤0.20	
1.5 Current consumption exceeds product specifications.         1.6 OLED viewing angle defect.         1.7 Mixed product types.         1.8 Contrast defect.         02       Black or white spots on on OLED (display only)         03       OLED 3.1 Round type : As following drawing \$	
1.6 OLED viewing angle defect.         1.7 Mixed product types.         1.8 Contrast defect.         02       Black or white spots on OLED (display only)         03       OLED (display only)         03       OLED black spots, contamination (non-displ ay)         ay)       3.1 Round type : As following drawing Φ=(x + y) / 2         04       Polarizer bubbles         04       Polarizer bubbles         04       Polarizer bubbles	0.65
1.8 Contrast defect.02Black or white spots on OLED (display only)2.1 White and black spots on display $\Box 0.25$ mm, no more than three white or black spots present. 2.2 Densely spaced: No more than two spots or lines within 3mm.03OLED black spots, white spots, contamination (non-displ ay)3.1 Round type : As following drawing $\Phi=(x + y) / 2$ SIZE $\Phi \le 0.10$ Acceptable Q TY $\Phi \le 0.10$ 0.10 < $\Phi \le 0.20$ 20.10 < $\Phi \le 0.20$ 20.10 < $\Phi \le 0.20$ 10.10 < $\Phi \le 0.20$ 20.20 < $\Phi \le 0.25$ 10.20 < $\Phi \le 0.25$ 10.25 < $\Phi$ 03.2 Line type : (As following drawing) $\Delta cceptable Q TY$ $\frac{1 \le 3.0}{1 \le 2.5}$ $0.02 < W \le 0.03$ $L \le 3.0$ $0.02 < W \le 0.03$ $L \le 3.0$ $0.02 < W \le 0.03$ $L \le 2.5$ $0.03 < W \le 0.05$ $1 \le 0.05 < W$ As round type04Polarizer bubblesIf bubbles are visible, judge using black spot specifications, not easy to find, must check in specify direction.Size $\Phi$ Accept able Q TY $\Phi \le 0.20$ 0.20 < $\Phi \le 0.50$ 30.20 < $\Phi \le 0.50$ 30.50 < $\Phi \le 1.00$ 2	
02Black or white spots on OLED (display only)2.1 White and black spots on display $\Box 0.25$ mm, no more than three white or black spots present. 2.2 Densely spaced: No more than two spots or lines within 3mm.03OLED (display only)3.1 Round type : As following drawing $\Phi=(x + y) / 2$ SIZEAcceptable Q TY $\Phi \le 0.10$ 03OLED black spots, white spots, contamina tion (non-displ ay)3.1 Round type : As following drawing $\Phi=(x + y) / 2$ SIZEAcceptable Q TY $\Phi \le 0.10$ 04Polarizer bubblesIf bubbles are visible, judge using black spot specifications, not easy to find, must check in specify direction.Size $\Phi$ Acceptable Q TY TY $\Phi \le 0.20$ 04Polarizer bubblesIf bubbles are visible, judge using black spot specifications, not easy to find, must check in specify direction.Size $\Phi$ Acceptable Q TY TY $\Phi \le 0.20$ 04Polarizer bubblesIf bubbles are visible, judge using black spot specifications, not easy to find, must check in specify direction.Size $\Phi$ Acceptable Q TY $\Phi \le 0.20$ 04Polarizer bubblesIf bubbles are visible, judge using black spot specifications, not easy to find, must check in specify direction.Size $\Phi$ Acceptable Q TY $\Phi \le 0.20$ 0.20 < $\Phi \le 0.50$ 3 $0.50 < \Phi \le 1.00$ 2	
white spots on OLED (display only)three white or black spots present. 2.2 Densely spaced: No more than two spots or lines within 3mm.03OLED black spots, white spots, contamina tion (non-displ ay)3.1 Round type : As following drawing $\Phi=(x + y) / 2$ SIZE $\Phi \le 0.10$ Acceptable Q TY $\Phi \le 0.10$ 03OLED black spots, contamina tion (non-displ ay)3.1 Round type : As following drawing $\Phi=(x + y) / 2$ SIZE $\Phi \le 0.10$ Acceptable Q TY $\Phi \le 0.20$ 04Polarizer bubblesIf bubbles are visible, judge using black spot specifications, not easy to find, must check in specify direction.Size $\Phi$ Acceptable Q TY 204Polarizer bubblesIf bubbles are visible, judge using black spot specifications, not easy to find, must check in specify direction.Size $\Phi$ Acceptable Q TY 2	
spots on OLED (display only)2.2 Densely spaced: No more than two spots or lines within 3mm.03OLED black spots, contamina tion (non-displ ay)3.1 Round type : As following drawing $\Phi=(x + y)/2$ SIZE Acceptable Q TY $\Phi \le 0.10$ 0.10 < $\Phi \le 0.20$ 2 0.20 < $\Phi \le 0.25$ 1 0.20 < $\Phi \le 0.25$ 0.20 < $\Phi \le 0.25$ 1 0.25 < $\Phi$ 03.2 Line type : (As following drawing)Length Width $$ Width Acceptable Q TY $$ 0.20 < $\Phi \le 0.25$ 1 0.25 < $\Phi$ 021 0.25 < $\Phi$ 03.2 Line type : (As following drawing)2 LengthLength $U \le 0.02$ Accept no dense L $\le 3.0$ 0.02 < W $\le 0.03$ L $\le 2.5$ 2 0.03 < W $\le 0.03$ 204Polarizer bubblesIf bubbles are visible, judge using black spot specifications, not easy to find, must check in specify direction.Size $\Phi$ Acceptable Q TY $\Phi \le 0.20$ 0.20 < $\Phi \le 0.50$ 3 0.50 < $\Phi \le 1.00$ 2	
(display only)3.1 Round type : As following drawing $\Phi=(x + y)/2$ SIZEAcceptable Q TY $\Phi=(x + y)/2$ $\Phi=(0.10)$ Accept no dense $\Phi=(x + y)/2$ $\Phi=(0.10)$ Accept no dense $\Phi=0.10$ Accept no dense $0.10 < \Phi \le 0.20$ 2 $0.10 < \Phi \le 0.20$ 2 $0.20 < \Phi \le 0.25$ 1 $0.20 < \Phi \le 0.25$ 1 $0.25 < \Phi$ 0 $0.25 < \Phi$ 0 $0.25 < \Phi$ 0 $0.25 < \Phi$ 0 $2 < \Delta < 0.25$ 1 $2 < \Delta < 0.25$ 0.02 $\Delta < \Delta < 0.25$ 0 $\Delta < 0.25$ <	2.5
only)03OLED black spots, white spots, contamination (non-displ ay)3.1 Round type : As following drawing $\Phi=(x + y) / 2$ SIZEAcceptable Q TY $\Phi \le 0.10$ Accept no dense0.10 < $\Phi \le 0.20$ 20.20 < $\Phi \le 0.25$ 10.25 < $\Phi$ 03.2 Line type : (As following drawing)LengthWidthAcceptable Q TYW $\le 0.02$ Accept no denseLengthWidthAcceptable Q TYW $\le 0.02$ L $\le 3.0$ 0.02 < W $\le 0.03$ L $\le 2.5$ 0.03 < W $\le 0.03$ L $\le 2.5$ 0.03 < W $\le 0.05$ 0.05 < W	2.0
black spots, white spots, contamina tion (non-displ ay)following drawing $\Phi=(x + y) / 2$ SIZEAcceptable Q TY $\Phi \le 0.10$ Accept no dense $0.10 < \Phi \le 0.20$ 2 $0.20 < \Phi \le 0.25$ 1 $0.20 < \Phi \le 0.25$ 1 $0.25 < \Phi$ 0 $0.25 < \Phi$ 0 $10 < \Phi \le 0.20$ 2 $10 < \Phi \le 0.20$ 2 $0.20 < \Phi \le 0.25$ 1 $0.25 < \Phi$ 0 $10 < \Phi \le 0.20$ Acceptable Q TY $$ W $\le 0.02$ $10 < 2 < W \le 0.03$ 2 $10 < 2 < W \le 0.03$ 3 $10 < 2 < W \le 0.03$ 3 $10 < 2 < W \le 0.05$ 3 $10 < 0 < W \le 0.05$ 3 <td></td>	
spots, white spots, contamina tion (non-displ ay) $\Phi=(x + y)/2$ TY $\Phi \le 0.10$ TY Accept no dense0.10 < $\Phi \le 0.20$ 20.20 < $\Phi \le 0.25$ 10.20 < $\Phi \le 0.25$ 10.25 < $\Phi$ 03.2 Line type : (As following drawing)LengthWidthAcceptable Q TYW $\le 0.02$ Accept no denseL $\le 3.0$ 0.02 < W $\le 0.03$ L $\le 2.5$ 0.03 < W $\le 0.03$ L $\le 2.5$ 0.03 < W $\le 0.05$ 0.05 < W	
spots, contamina tion (non-displ ay) 3.2 Line type : (As following drawing) Length Width Acceptable Q TY W≦0.02 Accept no dense L≦3.0 $0.02 < W \le 0.03$ L≤2.5 $0.03 < W \le 0.05$ $0.05 < W$ As round type 04 Polarizer bubbles If bubbles are visible, judge using black spot specifications, not easy to find, must check in specify direction. $\psi = 0.10$ dense $0.10 < \Phi \le 0.20$ 2 $0.20 < \Phi \le 0.25$ 1 $0.25 < \Phi$ 0 $0.20 < \Phi \le 0.25$ 2 0.20 < Accept no dense 2 0.05 < W As round type $0.20 < \Phi \le 0.50$ 3 $0.50 < \Phi \le 1.00$ 2	
contamina tion (non-displ ay) $0.10 < \Phi \le 0.20$ 2 $0.10 < \Phi \le 0.25$ 1 $0.20 < \Phi \le 0.25$ 1 $0.25 < \Phi$ 0 $0.25 < \Phi$ 0 $0.25 < \Phi$ 0 $1.25 < \Phi$ 0.02 $1.25 < \Phi$ 0.02 $1.25 < \Phi$ 0.02 $1.25 < \Phi$ 0.02 $1.25 < \Phi$ 0.03 $1.25 < \Phi$ 0.05 $1.25 < \Phi$ 0.05 $1.25 < \Phi$ 0.05 $1.25 < \Phi$ 0.20 <td></td>	
tion (non-displ ay) $3.2$ Line type : (As following drawing) $0.20 < \Phi \le 0.25$ 1 $0.25 < \Phi$ 0 $0.25 < \Phi$ 0 $1.25 < \Phi$ 0 $0.25 < \Phi$ 0 $1.25 < \Phi$ $0.25 < \Phi$ 0 $1.25 < \Phi$ $0.20 < \Phi \le 0.25$ $Acceptable Q TY$ $1.25 < 0.02 < W \le 0.03$ $Accept no dense$ $L \le 2.5$ $0.03 < W \le 0.05$ $2$ $1.25 < 0.03 < W \le 0.05$ $2$ $1.25 < 0.05 < W$ $As round type$ $1.25 < 0.05 < W$ $As round type$ $1.25 < 0.20 $ $Acceptable Q TY$ $1.25 < 0.20 $ $Acceptable Q TY$ $1.25 < 0.20 $ $Accept no dense$ $0.20 < \Phi \le 0.50 $ $3$ $0.50 < \Phi \le 1.00 $ $2$	2.5
ay) $0.25 < \Phi$ $0$ 3.2 Line type : (As following drawing) $Length$ WidthAcceptable Q TYW $\leq 0.02$ Accept no denseL $\leq 3.0$ $0.02 < W \leq 0.03$ $2$ L $\leq 2.5$ $0.03 < W \leq 0.05$ $2$ $0.05 < W$ As round type04Polarizer bubblesIf bubbles are visible, judge using black spot specifications, not easy to find, must check in specify direction.Size $\Phi$ Acceptable Q TY $0.20 < \Phi \leq 0.50$ $3$ $0.20 < \Phi \leq 0.50$ $3$	
04Polarizer bubblesIf bubbles are visible, judge using black spot specifications, not easy to find, must check in specify direction.Size $\Phi$ Acceptable Q TY Accept no dense $Accept no dense$ $Accept no denseAccept no denseAccept no denseAccept no denseAccept no denseAccept no dense04PolarizerbubblesIf bubbles are visible,judge using black spotspecifications, not easyto find, must check inspecify direction.Size \PhiAccept no denseAccept no denseAccept no dense$	
04Polarizer bubblesIf bubbles are visible, judge using black spot specifications, not easy to find, must check in specify direction.Size $\Phi$ Acceptable Q TY $\Phi \le 0.50$ Acceptable Q TY $\Phi \le 0.50$ 0.00 $\Theta \ge 0.03$ $\Theta \ge 0.03$ $\Theta \ge 0.03$ 0.05 < W	
L≤3.0 $0.02 < W \le 0.03$ 2L≤2.5 $0.03 < W \le 0.05$ 2 $0.05 < W$ As round type04Polarizer bubblesIf bubbles are visible, judge using black spot specifications, not easy to find, must check in specify direction.Size $\Phi$ Acceptable Q TY $\Phi \le 0.20$ 0.20 < $\Phi \le 0.50$ 30.50 < $\Phi \le 1.00$ 2	
04Polarizer bubblesIf bubbles are visible, judge using black spot specifications, not easy to find, must check in specify direction.Size $\Phi$ Acceptable Q TY $\Phi \le 0.20$ 0.05 < W	
$L \leq 2.5$ $0.03 < W \leq 0.05$ 0.04Polarizer bubblesIf bubbles are visible, judge using black spot specifications, not easy to find, must check in specify direction.Size $\Phi$ Acceptable Q TY $0.20 < \Phi \leq 0.50$ 3 $0.20 < \Phi \leq 0.50$ 3 $0.50 < \Phi \leq 1.00$ 2 $0.50 < \Phi \leq 1.00$ 2	2.5
04Polarizer bubblesIf bubbles are visible, judge using black spot specifications, not easy to find, must check in specify direction.Size $\Phi$ Acceptable Q TY $\Phi \le 0.20$ 0.20 < $\Phi \le 0.50$ 30.50 < $\Phi \le 1.00$ 2	
bubblesIf bubbles are visible, judge using black spot specifications, not easy to find, must check in specify direction.Size $\Phi$ Acceptable Q TY $\Phi \leq 0.20$ Accept no dense $0.20 < \Phi \leq 0.50$ 3 $0.50 < \Phi \leq 1.00$ 2	
judge using black spot specifications, not easy to find, must check in specify direction. $\Delta ccept$ no dense $0.20 < \Phi \le 0.50$ 3 $0.50 < \Phi \le 1.00$ 2	
specifications, not easy to find, must check in specify direction. $0.20 < \Phi \le 0.50$ 3 $0.50 < \Phi \le 1.00$ 2	
specify direction. $0.50 < \Phi \le 1.00$ 2	2.5
	2.5
Total Q TY 3	
Page 17 , Total 30 Pages	



Page 18, Total 30 Pages



NO	Item	Criterion			AQL
05	Scratches	Follow NO.3 OLED black spots, white spots, contamination			
		k: Seal width L: Electrode pad leng	t: Glass thickness a gth:	Chip thickness : OLED side length	
		6.1 General glass ch 6.1.1 Chip on panel s	ιρ : surface and crack bet	ween panels:	P
		z: Chip thickness	y: Chip width	x: Chip length	
	Chinned	Z≦1/2t	Not over viewing area	x≦1/8a	
06	Chipped glass	1/2t < z≦2t	Not exceed 1/3k	x≦1/8a	2.5
	<ul> <li>⊙If there are 2 or more chips, x is total length of each cl</li> <li>6.1.2 Corner crack:</li> </ul>		gth of each chip.		
		z: Chip thickness	y: Chip width	x: Chip length	
		Z≦1/2t	Not over viewing area	x≦1/8a	
	h ()	1/2t < z≦2t	Not exceed 1/3k	x≦1/8a	
		⊙If there are 2 or mo	re chips, x is the total	length of each chip.	



NO	Item	Criterion					AQ	<u>P</u> L
		Symbols :	v: Chin	width 7: (	hin	thicknoss		
		x: Chip lengthy: Chip widthz: Chip thicknessk: Seal widtht: Glass thicknessa: OLED side length						
		L: Electrode pad leng	gth			-		
		6.2 Protrusion over te 6.2.1 Chip on electro						
		y: Chip width	x: Chi	o length	z: (	Chip thickness		
		y≦0.5mm	x≦1/8a			< z ≦ t		
		6.2.2 Non-conductive	e portior	:				
						/ / / / / / / / / / / / / / / / / / /		
					<i></i>			
06	Glass						2.5	
00	crack						2.5	
		y: Chip width	x:	Chip length		z: Chip		
						thickness		
		y≦ L	X≦	1/8a		0 < z≦t		
		$\odot$ If the chipped area	touches	the ITO term	inal,	over 2/3 of the ITO		
		must remain and be inspected according to electrode terminal						
		<ul> <li>Specifications.</li> <li>⊙If the product will be heat sealed by the customer, the alignment</li> </ul>						
		mark not be damaged.						
		6.2.3 Substrate protuberance and internal crack.						
		<i>y</i>		y: width		x: length		
				y≦1/3L		x≦a		
						1000		




NO	Item	Criterion	AQL		
07	Cracked glass	The OLED with extensive crack is not acceptable.	2.5		
08	Backlight elements	<ul> <li>8.1 Illumination source flickers when lit.</li> <li>8.2 Spots or scratched that appear when lit must be judged. Using OLED spot, lines and contamination standards.</li> <li>8.3 Backlight doesn't light or color wrong.</li> </ul>			
09	Bezel	<ul><li>9.1 Bezel may not have rust, be deformed or have fingerprints, stains or other contamination.</li><li>9.2 Bezel must comply with job specifications.</li></ul>	2.5 0.65		
10	PCB、COB	<ul> <li>10.1 COB seal may not have pinholes larger than 0.2mm or contamination.</li> <li>10.2 COB seal surface may not have pinholes through to the IC.</li> <li>10.3 The height of the COB should not exceed the height indicated in the assembly diagram.</li> <li>10.4 There may not be more than 2mm of sealant outside the seal area on the PCB. And there should be no more than three places.</li> <li>10.5 No oxidation or contamination PCB terminals.</li> <li>10.6 Parts on PCB must be the same as on the production characteristic chart. There should be no wrong parts, missing parts or excess parts.</li> <li>10.7 The jumper on the PCB should conform to the product characteristic chart.</li> <li>10.8 If solder gets on bezel tab pads, OLED pad, zebra pad or screw hold pad, make sure it is smoothed down.</li> </ul>	<ul> <li>2.5</li> <li>2.5</li> <li>0.65</li> <li>2.5</li> <li>0.65</li> <li>0.65</li> <li>2.5</li> </ul>		
11	Soldering	<ul> <li>11.1 No un-melted solder paste may be present on the PCB.</li> <li>11.2 No cold solder joints, missing solder connections, oxidation or icicle.</li> <li>11.3 No residue or solder balls on PCB.</li> <li>11.4 No short circuits in components on PCB.</li> </ul>	2.5 2.5 2.5 0.65		



NO	Item	Criterion	AQL
	General appearance	<ul> <li>12.1 No oxidation, contamination, curves or, bends on interface Pin (OLB) of TCP.</li> <li>12.2 No cracks on interface pin (OLB) of TCP.</li> </ul>	2.5 0.65
		12.3 No contamination, solder residue or solder balls on product.	2.5 2.5
12		12.4 The IC on the TCP may not be damaged, circuits.	2.5
		12.5 The uppermost edge of the protective strip on the	
		interface pin must be present or look as if it cause the interface pin to sever.	2.5
		12.6 The residual rosin or tin oil of soldering (component or	2.5
		chip component) is not burned into brown or black color.	0.65
		12.7 Sealant on top of the ITO circuit has not hardened.	0.65
		12.8 Pin type must match type in specification sheet. 12.9 OLED pin loose or missing pins.	0.65
		<ul><li>12.10 Product packaging must the same as specified on packaging specification sheet.</li><li>12.11 Product dimension and structure must conform to</li></ul>	0.65
		product specification sheet.	





Page 23, Total 30 Pages



### **11.Precautions in use of OLED Modules**

- (1) Avoid applying excessive shocks to module or making any alterations or modifications to it.
- (2) Don't make extra holes on the printed circuit board, modify its shape or change the components of OLED display module.
- (3) Don't disassemble the OLED display module.
- (4) Don't operate it above the absolute maximum rating.
- (5) Don't drop, bend or twist OLED display module.
- (6) Soldering: only to the I/O terminals.
- (7) Storage: please storage in anti-static electricity container and clean environment.
- (8) It's pretty common to use "Screen Saver" to extend the lifetime and Don't use fix information for long time in real application.
- (9) Don't use fixed information in OLED panel for long time, that will extend "screen burn" effect time..
- (10) Raystar has the right to change the passive components, including R2and R3 adjust resistors. (Resistors, capacitors and other passive components will have different appearance and color caused by the different supplier.)

(11) Raystar have the right to change the PCB Rev. (In order to satisfy the supplying stability, management optimization and the best product performance...etc, under the premise of not affecting the electrical characteristics and external dimensions, Raystar have the right to modify the version.)

#### 11.1 Handling Precautions

- (1) Since the display panel is being made of glass, do not apply mechanical impacts such us dropping from a high position.
- (2) If the display panel is broken by some accident and the internal organic substance leaks out, be careful not to inhale nor lick the organic substance.
- (3) If pressure is applied to the display surface or its neighborhood of the OLED display module, the cell structure may be damaged and be careful not to apply pressure to these sections.
- (4) The polarizer covering the surface of the OLED display module is soft and easily scratched. Please be careful when handling the OLED display module.
- (5) When the surface of the polarizer of the OLED display module has soil, clean the surface. It takes advantage of by using following adhesion tape.
- \* Scotch Mending Tape No. 810 or an equivalent


Never try to breathe upon the soiled surface nor wipe the surface using cloth containing solvent Also, pay attention that the following liquid and solvent may spoil the polarizer:

\* Water

\* Ketone

- \* Aromatic Solvents
- (6) Hold OLED display module very carefully when placing OLED display module into the System housing. Do not apply excessive stress or pressure to OLED display module. And, do not over bend the film with electrode pattern layouts. These stresses will influence the display performance. Also, secure sufficient rigidity for the outer cases.






- (7) Do not apply stress to the LSI chips and the surrounding molded sections.
- (8) Do not disassemble nor modify the OLED display module.
- (9) Do not apply input signals while the logic power is off.
- (10) Pay sufficient attention to the working environments when handing OLED display modules to prevent occurrence of element breakage accidents by static electricity.
- \* Be sure to make human body grounding when handling OLED display modules.
- \* Be sure to ground tools to use or assembly such as soldering irons.
- \* To suppress generation of static electricity, avoid carrying out assembly work under dry environments.
- \* Protective film is being applied to the surface of the display panel of the OLED display module. Be careful since static electricity may be generated when exfoliating the protective film.
- (11) Protection film is being applied to the surface of the display panel and removes the protection film before assembling it. At this time, if the OLED display module has been stored surface of the display panel after removed of the film. In such case, remove the residue material by the method introduced in the above Section 5.
- (12) If electric current is applied when the OLED display module is being dewed or when it is placed under high humidity environments, the electrodes may be corroded and be careful to avoid the above.

#### **11.2 Storage Precautions**

- (1) When storing OLED display modules, put them in static electricity preventive bags avoiding exposure to direct sun light nor to lights of fluorescent lamps. And, also, avoiding high temperature and high humidity environment or low temperature (less than 0°C) environments.(We recommend you to store these modules in the packaged state when they were shipped from Raystar Optronics Inc. At that time, be careful not to let water drops adhere to the packages or bags nor let dewing occur with them.
- (2) If electric current is applied when water drops are adhering to the surface of the OLED display module, when the OLED display module is being dewed or when it is placed under high humidity environments, the electrodes may be corroded and be careful about the above.





#### **11.3 Designing Precautions**

- (1) The absolute maximum ratings are the ratings which cannot be exceeded for OLED display module, and if these values are exceeded, panel damage may be happen.
- (2) To prevent occurrence of malfunctioning by noise, pay attention to satisfy the VIL and VIH specifications and, at the same time, to make the signal line cable as short as possible.
- (3) We recommend you to install excess current preventive unit (fuses, etc.) to the power circuit (VDD). (Recommend value: 0.5A)
- (4) Pay sufficient attention to avoid occurrence of mutual noise interference with the neighboring devices.
- (5) As for EMI, take necessary measures on the equipment side basically.
- (6) When fastening the OLED display module, fasten the external plastic housing section.
- (7) If power supply to the OLED display module is forcibly shut down by such errors as taking out the main battery while the OLED display panel is in operation, we cannot guarantee the quality of this OLED display module. Connection (contact) to any other potential than the above may lead to rupture of the IC.



		Page: 1
<u>Modu</u>	le Sample	e Estimate Feedback Sheet
Module Number :		
1、Panel Specification :		
1. Panel Type:	Pass	□NG ,
2. Numbers of Pixel :	Pass	□NG ,
3. View Area:	Pass	□NG ,
4. Active Area :	Pass	□NG ,
5.Emitting Color:	Pass	□NG ,
6.Uniformity :	□Pass	□NG ,
7.Operating	Pass	□NG ,
Temperature :		
8.Storage Temperature :	Pass	□NG ,
9.Others :		
2. Mechanical Specificati	on :	
1. PCB Size :	□Pass	□NG ,
2.Frame Size :	□Pass	□NG ,
3.Materal of Frame :	□Pass	□NG ,
4.Connector Position :	□Pass	□NG ,
5.Fix Hole Position :	□Pass	□NG ,
6. Thickness of PCB :	□Pass	□NG ,
7. Height of Frame to	□Pass	□NG ,
PCB :		
8.Height of Module :	□Pass	□NG ,
9.Others :	□Pass	□NG ,
3、Relative Hole Size:		
1.Pitch of Connector :	□Pass	□NG ,
2.Hole size of	□Pass	□NG ,
Connector :		1200000
3.Mounting Hole size :	□Pass	□NG ,
4.Mounting Hole Type :	□Pass	□NG ,
•	•	



> > Go to page 2 < <

Page 28 , Total 30 Pages



Module Number : \_\_\_\_

Pa	g	e	:	2

#### 4、Electronic Characteristics of Module :

□Pass	□NG ,
□Pass	□NG ,
□Pass	□NG ,
□Pass	□NG ,
□Pass	□NG ,
□Pass	□NG ,
□Pass	□NG ,
□Pass	□NG ,
	<ul> <li>Pass</li> <li>Pass</li> <li>Pass</li> <li>Pass</li> <li>Pass</li> <li>Pass</li> </ul>

5、<u>Summary</u>:

Sales signature : \_\_\_\_\_ Customer Signature : \_\_\_\_\_

Date : 1

Page 29, Total 30 Pages



Page 30, Total 30 Pages

#### **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for LED Displays & Accessories category:

Click to view products by Raystar manufacturer:

Other Similar products are found below :

LTC-2721WC LTC-4624JD LTC-4627G LTC-4627WC LTD-5021AWC LTM-8522G LTP-4323P LTP-747G LTS-3361JG-06 F416SYGWA/S530-E3 EADST040RA2 1668 HT-F196NB-5323 IPD2131-27 SA03-12EWA LDD-E2802RD LDD-E306MI LDQ-N514RI LDS-A3506RD LDS-A3926RI LDT-M516RI SC03-12HDB SI-B9T151550WW SI-B9V171550WW SLC-3PF-WL 1624 LTC-2621JD LTC-2623WC LTC-4624P LTC-4627JD LTD-2601E LTD-322G LTD-482PC LTP-1457AKR LTP-3784G-01 LTS-313AP LTS-4812SKR-P LTS-547AE LTS-6780P 446010401-3 HV-7W30-6829 CA12240\_MINNIE-WWW-MTG-ASSY DA43-11GWA LDD-A516RI-17 LDD-E305RI LDQ-M513RI LDQ-M5204RI-SI LDQ-N3402RI LDQ-N3606RI LDS-A3924RI-SI