| NUMBER | GS-12-547 | PRODUCT SPECIFICATION | | Amphenol FCi |
|--------|---------------------------------------|-----------------------|-----------------------------|-------------------|
| TITLE | 0.8mm BergStak® Product Specification | | PAGE 1 of 8 | REVISION G |
| | , | | AUTHORIZED BY Bob Gu | 27 Feb 17 |
| | | | CLASSIFICATION UNRESTRICTED | |

1.0 OBJECTIVE

This specification defines the performance, test, quality and reliability requirements of 0.8mm pitch BergStak® product.

2.0 SCOPE

This specification is applicable to the termination characteristics of 0.8mm pitch BergStak® family of products (receptacle with plug mating height 5.0mm to 20.0mm), with 30u" Palladium-Nickel plating and 8u"/15u"/30u" Au plating, which provides electrical connections between parallel mounted boards.

3.0 GENERAL

This document is composed of the following sections:

| PARAGRAPH | <u>TITLE</u> |
|-----------------------------|------------------------------|
| 1.0 | OBJECTIVE |
| 2.0 | SCOPE |
| 3.0 | GENERAL |
| 4.0 | APPLICABLE DOCUMENTS |
| 4.1 | Standards and Specifications |
| 5.0 | REQUIREMENTS |
| 5.1 | Qualification |
| 5.2 | Material |
| 5.3 | Finish |
| 5.4 Design and Construction | |
| 5.5 | Rating |
| 6.0 | PERFORMANCE |
| 6.1 | Performance |
| 6.2 | Test Methods |
| 6.3 | Test Sequence |

4.0 APPLICABLE DOCUMENTS

- 4.1 Standards and Specifications
 - 4.1.1MIL-STD-202: Test methods for electronic and electrical component parts.
 - 4.1.2MIL-STD-1344: Test methods for electronic connectors.
 - 4.1.3EIA 364: Electronic connector/socket test procedures including environmental classifications.
 - 4.1.4QQ-N-290: Nickel plating.
 - 4.1.5QQ-N-533: BeCu strip.
 - 4.1.6MIL-G-45204: Gold plating electrodeposited
 - 4.1.7MIL-C-45662: Calibration system requirements

| NUMBER | GS-12-547 | PRODUCT SPECIFICATION | | Amphenol FCi |
|--------|---------------------------------------|-----------------------|--------------------------|-------------------|
| TITLE | 0.8mm BergStak® Product Specification | | PAGE 2 of 8 | REVISION G |
| | , | | AUTHORIZED BY Bob Gu | 27 Feb 17 |
| | | | CLASSIFICATION UNRESTRIC | TED |

5.0 REQUIREMENTS

5.1 Qualification

Connectors furnished under this specification shall be capable of meeting the qualification test requirements specified herein.

5.2 Material

- 5.2.1 Housing: All housing materials shall be high temperature plastic, rated flame retardant 94V-0 in accordance with UL-94.
- 5.2.2 Receptacle Terminal: Nickel Copper
- 5.2.3Plug Terminal: Brass.
- 5.2.4Metal Cap: Stainless steel.
- 5.2.5Hold Down: Brass.

5.3 Finish

The finish for applicable components shall be specified in product drawings with plating area, plating material and plating thickness.

5.4 The thickness of the PCB solder paste

Below data is FCI recommended dimension, For some customer's process are different (such as, PCB thickness, solder temperature, solder paste type, etc.), customer can according to the actual application environment adjust the solder paste thickness.

- 5.4.1 The position less than 120pin, recommend using solder paste thickness 0.15mm Min.
- 5.4.2 The position greater than or equal to 120pin,recommend using solder paste thickness 0.18mm Min.

5.5 Design and Construction

The connector shall be a multi-piece assembly having two rows of contacts with surface mount soldertail terminations for installation on printed wiring board.

5.6 Rating

| Voltage Rating | 100V AC |
|--------------------|---------------|
| Current Rating | 0.8A Max. |
| Temperature Rating | -40°C ~ 125°C |

6.0 PERFORMANCE

Unless otherwise specified, the performance of connectors given in the attached list shall satisfy the values specified in Table 6.1. The performance test shall follow the test method and the test sequence given in Table 6.2 & 6.3 under the environmental conditions listed below. All connectors to be tested shall be free of defects such as burr, flaw, void, blister etc. which will affect the life and application of connectors.

- Temperature ----- 15°C ~ 35°C
- Humidity ----- 25% ~ 85%
- Pressure ------ 86 ~ 106KPa

| NUMBER | GS-12-547 | PRODUCT SPECIFICATION | | Amphenol FCi |
|--------|---------------------------------------|-----------------------|-----------------------------|-------------------|
| TITLE | 0.8mm BergStak® Product Specification | | PAGE 3 of 8 | REVISION G |
| | | | AUTHORIZED BY Bob Gu | 27 Feb 17 |
| | | | CLASSIFICATION UNRESTRICTED | |

6.1 Performance

TABLE 6.1

| | Test Item | Requirements |
|--------|------------------------------------|---|
| 6.1.1 | Visual Examination | Product shall meet the requirements of product drawings. Visual Examination performed under 10X magnification. Parts should be free from blistering, discoloration, cracks, etc |
| | Electric Requirements | |
| 6.1.2 | Low Level Contact Resistance(LLCR) | Initial 30 m Ω Maximum After test 50 m Ω Maximum |
| 6.1.3 | Dielectric Withstanding Voltage | No evidence of arc-cover, insulation breakdown or leakage current in excess of 1 mA. |
| 6.1.4 | Insulation Resistance | 1000 MΩ Minimum |
| 6.1.5 | Current Rating | Temperature rise above ambient shall not exceed 30°C with all contacts powered at 0.8A |
| | Mechanical Requirement | ts |
| 6.1.6 | Vibration | No discontinuity greater than 1 microsecond |
| 6.1.7 | Shock | No discontinuity greater than 1 microsecond |
| 6.1.8 | Mating Force | 0.9N (90 gramf) Maximum per contact. |
| 6.1.9 | Un-mating Force | 0.1N (10 gramf) Minimum per contact. |
| 6.1.10 | Durability | Initial 30 m Ω Maximum After test 50 m Ω Maximum |
| 6.1.11 | Solderability | Solder coverage 95% Minimum |
| 6.1.12 | Resistance to Solder Heat | No evidence of physical or mechanical damage. |
| 6.1.13 | Contact Retention Force | 1N Minimum per contact. |
| 6.1.14 | Reseating | Manually unplug/replug the mated connector assembly. |
| | Environmental Requirem | nents |
| 6.1.15 | Thermal Shock | Initial 30 m Ω Maximum After test 50 m Ω Maximum |
| 6.1.16 | Temperature Life | Initial 30 m Ω Maximum After test 50 m Ω Maximum |
| 6.1.17 | Cyclical Humidity & Temperature | Initial 30 m Ω Maximum After test 50 m Ω Maximum |
| 6.1.18 | Mixed Flow Gas | Initial 30 m Ω Maximum After test 50 m Ω Maximum |
| 6.1.19 | Thermal Disturbance | Initial 30 m Ω Maximum After test 50 m Ω Maximum |

| NUMBER | GS-12-547 | PRODUCT SPECIFICATION | | Amphenol FCi |
|--------|---------------------------------------|-----------------------|-----------------------------|-------------------|
| TITLE | 0.8mm BergStak® Product Specification | | PAGE 4 of 8 | REVISION G |
| | | | AUTHORIZED BY Bob Gu | 27 Feb 17 |
| | | | CLASSIFICATION UNRESTRICTED | |

6.2 Test Methods


TABLE 6.2

| | Test Item | Test Methods | |
|-------|---------------------------------------|---|--|
| 6.2.1 | Visual Examination | Visually and functionally inspected. Under 10X magnification. | |
| 6.2.2 | Low Level Contact Resistance(LLCR) | Receptacle connector Figure 1 EIA-364-23 Test method of connection as Figure 1. Test current | |
| 6.2.3 | Dielectric Withstanding Voltage | Open circuit | |
| 6.2.4 | Insulation Resistance | EIA-364-21 Test voltage 500 V DC Duration 1 minute Measure between adjacent terminals of mated connectors. Number of readings 30 (10 readings per connector set) | |
| 6.2.5 | Current Rating | EIA-364-70 Ambient still air 25°C All contact powered 0.8A | |
| 6.2.6 | Vibration | EIA-364-28 Test Condition V, Letter D Frequency 50 to 2000 Hz Power spectral Density 0.1 g²/Hz Overall rms g 11.95 Duration 1 1/2 hours in each of three mutually perpendicular axes (4 1/2 hours total). | |

| NUMBER | GS-12-547 | PRODUCT SPECIFICATION | | Amphenol FCi |
|--------|---------------------------------------|-----------------------|-----------------------------|--------------|
| TITLE | TITLE | | PAGE | REVISION |
| | 0.8mm BergStak® Product Specification | | 5 of 8 | G |
| | | | AUTHORIZED BY Bob Gu | 27 Feb 17 |
| | | | CLASSIFICATION UNRESTRICTED | |

| 6.2.7 | Shock | EIA-364-27, Test Condition A Accelerated velocity 490 m/s² (50G). Waveform |
|--------|---------------------------|--|
| 6.2.8 | Mating Force | EIA-364-13 Operating speed 25 mm/minute No lubrication and utilize free-floating fixture. Number of connectors 5 mated pair |
| 6.2.9 | Un-mating Force | EIA-364-13 Operating speed 25 mm/minute No lubrication and utilize free-floating fixture. Number of connectors 5 mated pair |
| 6.2.10 | Durability | EIA-364-09 Operating speed 25 mm/minute Number of cycles 100 Pre-Conditioning cycles 25 |
| 6.2.11 | Solderability | For leaded: Solder temperature $230 \pm 5^{\circ}$ C. Immersion duration 3 ± 0.5 seconds Flux immersion 5 to 10 seconds Flux and solder material are defined in MIL-STD-202, method 208 For Non- leaded: Solder temperature $260 \pm 5^{\circ}$ C. Immersion duration 3 ± 0.5 seconds Flux immersion 5 to 10 seconds Flux and solder material are defined in MIL-STD-202, method 208 |
| 6.2.12 | Resistance to Solder Heat | For leaded: Peak temperature 240 ± 5°C. Duration 10 seconds For Non- leaded: Peak temperature 260 ± 5°C. Duration 30 seconds |
| 6.2.13 | Contact Retention Force | Operating speed 25 mm/minute Number of readings 30 (10 readings per connector set) |
| 6.2.14 | Reseating | Perform 3 cycles mate/unmate |
| 6.2.15 | Thermal Shock | EIA-364-32 Method A Temperature range40 +0/-5°C to 125 +5/-0°C Time at temperature extremes 30 minutes Test Duration (A-4) 10 cycles Transfer Time 5 minutes maximum |

| NUMBER | GS-12-547 | PRODUCT SPECIFICATION | | Amphenol FCi |
|--------|--|-----------------------|--------------------------|-------------------|
| TITLE | ппле 0.8mm BergStak® Product Specification | | PAGE 6 of 8 | REVISION G |
| | | | AUTHORIZED BY Bob Gu | 27 Feb 17 |
| | | | CLASSIFICATION UNRESTRIC | CTED |



| NUMBER | GS-12-547 | PRODUCT SPECIFICATION | | Amphenol FCi |
|--------|--|-----------------------|-----------------------------|-------------------|
| TITLE | ппье 0.8mm BergStak® Product Specification | | PAGE 7 of 8 | REVISION G |
| | | | AUTHORIZED BY Bob Gu | 27 Feb 17 |
| | | | CLASSIFICATION UNRESTRICTED | |

| | Perform 10 cy | /cles. |
|--|---------------|--------|

7.0 QUALIFICATION TEST MATRIX

Table 7.1

| TEST ITEM | TEST GROUP | | | | | | | | | | | |
|--|------------|-----------|------------------|---------|---|---|-----|------------------|------------|------------------------|---------------------------|----|
| TEOT TIEM | Section | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9a | 9b | 10 |
| Visual Examination | 6.2.1 | 1,10 | 1,11 | 1, 9 | 1 | 1 | 1 3 | 1 | 1 | 1 | 1,13 | 1 |
| Low Level Contact Resistance (LLCR) | 6.2.2 | | 2 4 6 8 10 | 2 8 | | | | 2 4 6 8 10 | 2 4 6 8 | 2 4 6 8 10 12 | 2 4 6 8 10 12 14 | |
| Dielectric Withstanding Voltage | 6.2.3 | 2,5, 8 | | | | | | | | | | |
| Insulation Resistance | 6.2.4 | 3,6, 9 | | | | | | | | | | |
| Current Rating | 6.2.5 | | | | | | | | | | | 2 |
| Vibration | 6.2.6 | | 7 | | | | | | | | | |
| Shock | 6.2.7 | | 9 | | | | | | | | | |
| Mating Force | 6.2.8 | | | 3,6 | | | | | | | | |
| Un-mating Force | 6.2.9 | | | 4,7 | | | | | | | | |
| Durability Pre-conditioning | 6.2.10 | 4 | 3 | | | | | 3 | 3 | 3 | 3 | |
| Durability | 6.2.10 | | | 5 | | | | | | | | |
| Solderability | 6.2.11 | | | | | 2 | | | | | | |
| Resistance To Solder Heat | 6.2.12 | | | | | | 2 | | | | | |
| Contact Retention Force | 6.2.13 | | | | 2 | | | | | | | |
| Reseating | 6.2.14 | | | | | | | 9 | 7 | 11 | 13 | |
| Thermal Shock | 6.2.15 | | | | | | | 5 | | | | |
| Temperature Life Pre- Conditioning | 6.2.16 | | 5 | | | | | | | 5 | 5 | |
| Temperature Life | 6.2.16 | | | | | | | | 5 | | | |
| Cyclical Humidity & Temperature | 6.2.17 | 7 | | | | | | 7 | | | | |
| Mixed Flowing Gas 7 days unmated | 6.2.18 | | | | | | | | | | 7 | |
| Mixed Flowing Gas 7 days mated | 6.2.18 | | | | | | | | | | 9 | |
| Mixed Flowing Gas 14 days mated | 6.2.18 | | | | | | | | | 7 | | |
| Thermal Disturbance | 6.2.19 | | | | | | | | | 9 | 11 | |
| Number of Samples | | 3 | 3 | 5 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |

Printed: Mar 07, 2017

| NUMBER | GS-12-547 | PRODUCT SPECIFICATION | | Amphenol FCi | |
|--------|----------------|-----------------------|-----------------------------|-----------------|--|
| TITLE | 0.8mm BergStal | PAGE 8 of 8 | REVISION G | | |
| | | | AUTHORIZED BY Bob Gu | 27 Feb 17 | |
| | | | CLASSIFICATION UNRESTRICTED | | |

8.0 RECORD RETENTION

| REVISION RECORD |
|-----------------|
|-----------------|

| REV | PAGE | DESCRIPTION | ECR# | DATE |
|-----|-------|---|-------------|-----------|
| 1 | ALL | INITIAL PRELIMINARY | | 12 Feb 08 |
| 2 | | Change test sequence Group I adding Cyclical Humidity & Temp/ren Temp Life Pre-conditioning | noving | 12 Feb 08 |
| Α | ALL | INITIAL RELEASE | S08-0033 | 1 Apr 08 |
| В | 5 | Addition of temperature for LF parts to Section 6.2.11 & 6.2.12 | S08-0332 | 8 Oct 08 |
| С | 3-4 | Current Rating, change to 0.8A, Section 6.1.5 & 6.2.5 | S09-0329 | 28 Oct 09 |
| D | 2 | Update Section 5.5, Temperature Rating -40°C ~ 125°C | S10-0070 | 30 Mar 10 |
| Е | 2 | Add solder paste thickness recommended dimension | ELX-N-15808 | 11 Spe 13 |
| F | 1/2/5 | Add mating height information, change terminal material | ELX-N-20663 | 9 Apr 15 |
| G | 7 | and change the resistance to solder Heat time to 30sec. Divide group1 to be two groups. | ELX-N-26194 | 27 Feb 17 |

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Board to Board & Mezzanine Connectors category:

Click to view products by FCT Electronics manufacturer:

Other Similar products are found below:

10135583-642402LF 89885-310LF 589158040000018 6-1393048-0 68683-613 MDF7-12DP-2.54DSA MDF7-18P-2.54DSA(01) MDF7-20DP-2.54DSA MDF7-26D-2.54DSA(55) MDF7-3P-2.54DSA(01) MDF7B-3P-2.54DSA(55) MDF7C-11P-2.54DSA(55) MDF7C-18P-2.54DSA(55) MDF7C-5P-2.54DSA(01) MDF7P-5P-2.54DSA(55) 75234-0516 FCN-230C068-11 FCN-268F012-G/BD FCN-268F036-G/BD FCN-268M012-G/0D FCN-268M024-G/1D FCN-360C008-C FCN-360C040-C FCN-723J004/1 MIS-048-01-F-D-DP-K 832-10-034-10-001000 93696-325LF 11828-1FA AXK630345P 18097-0013 ICA-328STT 2007042-2 304400-2 FCN-214Q030-G/0 FCN-215Q040-G/0 FCN-230C068-ESA FCN-234P048-G/0 FCN-235D050-G/C FCN-360A3 FCN-360C040-B 210-93-314-41-105000 2-22603-0 379-064-521-202 MDF7-12P-2.54DSA(01) MDF7-16P-2.54DS(56) MDF7-40DP-2.54DSA(55) MDF7-8P-2.54DSA(55) MDF7B-16P-2.54DSA(55) AXG720047 5031084030