### 乾坤科技股份有限公司

DOCUMENT: SM060000NH

REVISION : A2
PAGE : 1 OF 9

### 1W, 3720, Low Resistance Chip Resistor (Lead free / Halogen Free)

#### 1. Scope

This specification applies to 3.75mm x 2.0mm size 1W, fixed metal film low resistance value chip resistors rectangular type.

#### 2. Type Designation

Where

- (1) Type and size
- (2) Nominal Resistance value:

Four digits of number

Refer to paragraph 4-1

The "R" shall be used as a decimal point.

(3) Resistance tolerance:

Refer to paragraph 4-1

(4) NH = Sn plating (Lead free / Halogen free)

#### 3. Construction and Physical Dimensions




Figure 1. Construction and Dimensions

Code Letter	Dimensions (mm)	
	3720	
L	$2.00 \pm 0.20$	
W	$3.75 \pm 0.30$	
t	$(1 \text{ m}\Omega)$ : $1.0 \pm 0.2$ $(3\sim12 \text{ m}\Omega)$ : $0.8 \pm 0.2$	
a	$0.40 \pm 0.2$	
d	$0.40 \pm 0.2$	

① Resistive element : Metal film (Under protection film)

② Electrode : Solder Sn (on Cu) Sn 100% (Lead free)

③ Protection film: Epoxy resin

4 Substrate : Alumina

### 乾坤科技股份有限公司

DOCUMENT: SM060000NH

REVISION : A2
PAGE : 2 OF 9

#### 4. Ratings

4-1 Nominal Resistance Value and Temperature Coefficient of Resistance

Power Rating*	1 W	
Resistance Value	$0.001\Omega$	$0.003\Omega \sim 0.012\Omega$
Resistance Tolerance	$\pm 1\%(F), \pm 2\%(G), \pm 5\%(J)$	
Temperature Coefficient of Resistance	0~500ppm/°C	±100ppm/°C

#### 4-2 Rated Voltage

The rated voltage shall be determined by the following expression.

$$V = \sqrt{P \times R}$$

Where V: Rated voltage (V)

R: Nominal resistance value  $(\Omega)$ 

P: Rated dissipation (W)

4-3 Operating and Storage Temperature Range

#### 5. Marking

Resistance value mark on a top surface use four or three digits by JIS.

White bars are Cyntec internal use only.

Example

 $0.01\,\Omega$ 

R010

R010

## 乾坤科技股份有限公司

DOCUMENT: SM060000NH

REVISION : A2
PAGE : 3 OF 9

#### 6. Characteristics

Characteristics	1	T
Test Item	Condition of Test	Requirements
Short Time Overload	2.5 * rated power for 5 seconds Refer to JIS C 5201-1 4.13	$\begin{split} \Delta R: &\pm (0.5\% + 0.0005\Omega) \\ Without significant damage by \\ flashover ( spark, arching ), burning \\ or breakdown etc. \end{split}$
Insulation Resistance	The resistor shall be cramped in the metal block and tested , as shown below. Test voltage : $100 \pm 15 V_{DC}$ for 1 minute Refer to JIS C 5201-1 4.6 Mounting condition G.	Between Electrode and Protection Film $100M\Omega$ or over Between Electrode and Substrate $1{,}000M\Omega$ or over
Voltage Proof	The voltage : 100V <sub>AC</sub> (rms.) for 1 minute Refer to JIS C 5201-1 4.7	$\Delta R: \pm (0.5\% + 0.0005\Omega)$ Without damage by flashover, fire or breakdown, as shown below.
Thermal Shock	-55 ~125°C 5 cycles, 15 min at each extreme condition Refer to JIS C 5201-1 4.19	$\Delta R: \pm (1.0\% + 0.0005\Omega)$ Without distinct damage in appearance
Low Temperature Storage	Kept at -55°C, 1,000 hours Refer to JIS C 5201-1 4.23.4	$\Delta R: \pm (1.0\% + 0.0005\Omega)$ Without distinct damage in appearance
High Temperature Exposure	Kept at 125°C for 1,000 hours Refer to JIS C 5201-1 4.23.2	$\Delta R: \pm (1.0\% + 0.0005\Omega)$ Without distinct damage in appearance
Solderability	Temperature of Solder : $245 \pm 5^{\circ}$ C Immersion Duration : $3 \pm 0.5$ second Refer to JIS C 5201-1 4.17	Uniform coating of solder cover minimum of 95% surface being immersed
Resistance to Soldering Heat	Dipped into solder at $270 \pm 5^{\circ}$ C for $10 \pm 1$ seconds Refer to JIS C 5201-1 4.18	$\Delta R: \pm (0.5\% + 0.0005\Omega)$ Without distinct deformation in appearance

# CYNTEC CO., LTD. 乾坤科技股份有限公司

DOCUMENT: SM060000NH

REVISION : A2
PAGE : 4 OF 9

Test Item	Condition of Test	Requirements
Load Life	Rated voltage for 1.5 hours followed by a pause 0.5 hour at $70 \pm 2^{\circ}$ C.  Cycle repeated 1000 hours  Refer to JIS C 5201-1 4.25	$\Delta R: \pm (1.0\% + 0.0005\Omega)$ Without distinct damage in appearance
Damp Heat with Load	$40 \pm 2^{\circ}$ C with relative humidity 90% to 95%. D.C. rated voltage for 1.5 hours ON and 30 minutes OFF. Cycle repeated 1,000 hours Refer to JIS C 5201-1 4.24	$\Delta R: \pm (1.0\% + 0.0005\Omega)$ Without distinct damage in appearance
Mechanical Shock	100 G's for 6milliseconds. 5 pulses Refer to JIS C 5201-1 4.21	$\Delta R: \pm (0.5\% + 0.0005\Omega)$ Without mechanical damage such as break
Bending Test	Glass-Epoxy board thickness: 1.6mm Bending width: 2mm Between the fulcrums: 90mm Refer to JIS C 5201-1 4.33	$\Delta R: \pm (0.5\% + 0.0005\Omega)$ Without mechanical damage such as break

## 乾坤科技股份有限公司

DOCUMENT: SM060000NH

REVISION : A2
PAGE : 5 OF 9


### 7. Recommended Solder Pad Dimensions

	W	L	D
3720	4.2	4.0	1.4

 $\%0.001\,\Omega$  Copper foil thickness of PCB is 105  $\mu$  m.

Unit: mm

Note: We recommend there is no circuit design between pads to avoid circuit short



### 乾坤科技股份有限公司

DOCUMENT: SM060000NH

REVISION : A2
PAGE : 6 OF 9

Mounting of the test sample onto the test board shall be either of following methods.

#### (1) Mounting by solder dipping

Epoxy based glue shall be applied in the middle of two lands of the test board. The resistor shall be mounted in such a way that the electrodes of resistors will be evenly placed in the land area and then adhesive resin shall be cured. After applying the Resin Flux with 25 weight % Methyl Alcohol, the board shall be soldered by dipping into a molten solder bath with  $260 \pm 5^{\circ}$ C for 3 to 5 seconds

#### (2) Mounting by reflow soldering

Solder paste with approximate 300 $\mu$ m thickness shall be applied to the land of test board. The resistor shall be mounted in such way that the electrodes of resistors will be evenly placed in the land area and then shall be soldered under the circumstance that the surface temperature of the board shall be raised  $245 \pm 5^{\circ}$ C (peak) for 3 to 5 seconds in an upper-heater oven.


#### **Test Board**

Material: Glass Fabric Epoxy Resin

Board thickness: 1.6mm

Copper foil thickness: 0.035mm

Solder Resist Coating



Unit: mm

### 乾坤科技股份有限公司


DOCUMENT: SM060000NH

REVISION : A2
PAGE : 7 OF 9

### 8. Packaging

#### 8-1 Dimensions

8-1-1 Tape packaging dimensions




A	$2.6 \pm 0.2$	D0	$\phi \ 1.55 \pm 0.05$
A0	$2.33 \pm 0.1$	K	$1.1 \pm 0.1$
В	$4.3 \pm 0.2$	Т	$0.3 \pm 0.05$
В0	$4.1 \pm 0.2$	P0	$4.0 \pm 0.1$
Е	$1.75 \pm 0.1$	P1	$4.0 \pm 0.1$
F	$5.5 \pm 0.1$	P2	$2.0 \pm 0.2$
W	$12.0 \pm 0.2$		

Unit: mm

# CYNTEC CO., LTD. 乾坤科技股份有限公司

DOCUMENT: SM060000NH

REVISION : A2
PAGE : 8 OF 9



### 乾坤科技股份有限公司


DOCUMENT: SM060000NH

REVISION : A2
PAGE : 9 OF 9

### 8-2 Peel force of top cover tape

The peel speed shall be about 300 mm/min.

The peel force of top cover tape shall be between 0.1 to 0.7 N



#### 8-3 Numbers of taping

4,000 pieces/reel

#### 8-4 Making

The following items shall be marked on the reel.

- (1) Type designation.
- (2) Quantity
- (3) Manufacturing date code
- (4) Manufacturer's name
- (5) The country of origin

### **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Thick Film Resistors category:

Click to view products by Cyntech manufacturer:

Other Similar products are found below:

MCR03EZPFX3162 MCR004YZPJ332 201007J022KT4E 201007F1653T4E 201007F6652T4E 0603WAF137KT5E RTT204702FTE RTT203000FTE RTT2056R0FTE CR2010F470KE04Z RTT018451FTH RTT021802DTH 0402WGF510LTCE 0201WMJ0200TEE TR0603B26K7P0550Z 0201WMF5102TEE 1210W2J047KT5E YLR12-2-4F-W YLR12-2-30F-W HOT(0.25x1.3)-3.2-0R-I HOT(0.4x1.5)-5.2-0R-I HoT(0.45x1.5)-8.2-0R-I 0201WMF1103TEE 0201WMF7152TEE 1210W2J0124T5E 201007J010LT4E 201007J0360T4E 201007J0430T4E 1206W4F5231T5E 1210W2J0620T5E 201007J0822T4E 0201WMF1005TCE 0201WMF1212TCE 0201WMF1373TCE 0201WMF1400TCE 0201WMF2000TEE 0201WMF2672TCE 0201WMF2803TCE 0201WMF357JTCE 0201WMF3743TCE 0201WMF430JTCE 0201WMF490TCE 0201WMF5104TCE 0201WMF510JTEE 0201WMF5110TCE 0201WMF6652TEE 0201WMF6812TCE 0201WMF8200TCE 0201WMF9093TCE