F1772 X2



Vishay Roederstein

Interference Suppression Film Capacitor - Class X2 Radial MKT 310 V_{AC} - High Stability Grade



FEATURES

- 15 mm to 37.5 mm lead pitch
- Internal series construction
- AEC-Q200 gualified for C ≤ 470 nF
- Material categorization: for definitions of compliance please see www.vishay.com/doc?99912

APPLICATIONS


High stability grade for continuous across the line X2 applications.

See also application note: www.vishay.com/doc?28153

QUICK REFERENCE DATA		
Capacitance range (E12 series)	0.01 μF to 2.2 μF (preferred values acc. to E6)	
Capacitance tolerance	± 10 %, ± 20 % (± 5 % on request)	
Rated AC voltage	310 V _{AC} ; 50 Hz to 60 Hz	
Permissible DC voltage	800 V _{DC} at 85 °C 630 V _{DC} at 110 °C	
Climatic testing class according to IEC 60068-1	40/110/56/C	
Maximum application temperature	110 °C	
Reference standards	IEC 60384-14 and EN 60384-14 IEC 60065 pass. flamm. class C CSA-E384-14 UL 60384-14	
Dielectric	Polyester film	
Electrodes	Metallized	
Construction	Series construction	
Encapsulation	Plastic case, epoxy resin sealed, flame retardant UL-class 94 V-0	
Leads	Tinned wire	
Marking	C-value; tolerance; rated voltage; sub-class; manufacturer's type; code for dielectric material; manufacturer location, year and week; manufacturer's logo or name; safety approvals	

Note

· For more detailed data and test requirements, contact rfi@vishay.com



For technical questions, contact: rfi@vishay.com

Document Number: 28161



RoHS

COMPLIANT


1

THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. THE PRODUCTS DESCRIBED HEREIN AND THIS DOCUMENT ARE SUBJECT TO SPECIFIC DISCLAIMERS, SET FORTH AT www.vishav.com/doc?91000



Vishay Roederstein

COMPOSITION OF CATALOG NUMBER



P	ACKAGIN	IG (Loose)	PACK	AGING (T	aped on r	eel) ⁽¹⁾
	Toler	rance	Lead length		Toler	rance	Taping height
	± 10 %	± 20 %	(mm)		± 10 %	± 20 %	(mm)
Standard pitch size and dimension	2004 2000 2015 2030	2204 2200 2215 2230	4 - 1 6 - 1 15 - 1 30 + 5	Standard pitch size and dimension	2900 2901	2290 2291	16.5 18.5
Reduced pitch size and dimension ⁽²⁾	2164 2160 2165 2163	2264 2260 2265 2263	4 - 1 6 - 1 15 - 1 30 + 5	Reduced pitch size and dimension ⁽²⁾	2970 2971	2960 2961	16.5 18.5

Example: F1772415**2215** means 0.15 μ F, ± 20 %; standard pitch 22.5 mm; lead length 15 mm - 1 mm; F1772415**2265** means 0.15 μ F, ± 20 %; reduced pitch 15.0 mm; lead length 15 mm - 1 mm

Notes

• For detailed tape specifications refer to packaging information <u>www.vishay.com/doc?28139</u>

⁽¹⁾ Taped on reel pitch \ge 27.5 mm is not available

 $^{(2)}$ Same capacitance values \geq 0.15 μF are available in two different pitch sizes and dimensions

SPECIFIC REFERENCE DATA			
DESCRIPTION	VALUE		
Rated AC voltage (U _{RAC})	310 V		
Permissible DC voltage (U _{RDC})	630 V		
Tangent of loss angle	\leq 100 x 10 ⁻⁴ at 1 kHz		
Rated voltage pulse slope at $(dU/dt)_R$ 435 V _{DC}	100 V/µs		
R between leads, for C \leq 0.33 μF at 100 V; 1 min	> 15 000 MΩ		
RC between leads, C > 0.33 μ F at 100 V; 1 min	> 5000 s		
R between leads and case; 100 V; 1 min	> 30 000 M Ω		
Withstanding (DC) voltage (cut off current 10 mA) $^{(1)}$; rise time \leq 1000 V/s			
$C \le 0.47 \ \mu F$	2200 V; for 1 min		
C > 0.47 μF	2150 V; for 1 min		
Withstanding (AC) voltage between leads and case	2120 V; 1 min		
Maximum application temperature	110 °C		

Note

See "Voltage Proof Test for Metalized Film Capacitors": <u>www.vishay.com/doc?28169</u>

Revision: 22-May-15

Rev

$310 \begin{array}{ c c c c c c c c c c c c c c c c c c c$		0.000	15	5.0 × 11.0 × 17.5	1.4	150	111120002000
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$		0.039	15	6.0 x 12.0 x 17.5	2.0	500	F17723392000
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$		0.047	15	6.0 x 12.0 x 17.5	2.0	500	F17723472000
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$		0.056	15	6.0 x 12.0 x 17.5	2.0	500	F17723562000
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$				d _t = 0.80 mm ± 0.08 mm	n; C-TOL. = ± 10 %		
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$		0.068	15	7.0 x 13.5 x 17.5	2.4	450	F17723682000
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$		0.082	15	8.5 x 15.0 x 17.5	2.7	300	F17723822000
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$		0.10	15	8.5 x 15.0 x 17.5	2.7	325	F17724102000
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$		0.12	15	8.5 x 15.0 x 17.5	2.7	300	F17724122000
0.18 22.5 7.0 x 16.5 x 26.0 4.1 235 F177241820 0.22 15 10.0 x 16.5 x 17.5 3.0 235 F177242221 0.22 22.5 8.5 x 16.5 x 26.5 4.6 200 F177242220 0.33 15 13.5 x 22.5 x 18.0 6.7 170 F177243220 0.33 22.5 10.0 x 19.5 x 26.0 6.7 170 F177243220 0.33 22.5 10.0 x 19.5 x 26.0 6.7 170 F17724320 0.39 27.5 11.0 x 21.0 x 31.0 9.1 125 F177244720 0.47 22.5 12.0 x 21.0 x 31.0 9.1 125 F177244720 0.47 27.5 11.0 x 21.0 x 31.0 9.1 125 F17724620 0.56 27.5 13.0 x 23.0 x 31.0 12.9 110 F17724620 0.68 27.5 13.0 x 23.0 x 31.0 12.9 110 F17724620 1.0 22.5 15.5 x 26.5 x 26.5 13.5 110 F177251621 1.1		0.15	15	8.5 x 15.0 x 17.5	2.7	300	F17724152160
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$		0.15	22.5	7.0 x 16.5 x 26.0	4.1	235	F17724152000
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$		0.18	22.5	7.0 x 16.5 x 26.0	4.1	235	F17724182000
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$		0.22	15	10.0 x 16.5 x 17.5	3.0	235	F17724222160
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$		0.22	22.5	8.5 x 16.5 x 26.5	4.6	200	F17724222000
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$		0.27	22.5	10.0 x 19.5 x 26.0	6.7	170	F17724272000
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$		0.33	15	13.5 x 22.5 x 18.0	5.5	185	F17724332160
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$	310	0.33	22.5	10.0 x 19.5 x 26.0	6.7	170	F17724332000
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$		0.39	27.5	11.0 x 21.0 x 31.0	9.1	125	F17724392000
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$		0.47	22.5	12.0 x 22.0 x 26.0	13.0	110	F17724472160
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$		0.47	27.5	11.0 x 21.0 x 31.0	9.1	125	F17724472000
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$		0.56	27.5	11.0 x 21.0 x 31.0	9.1	125	F17724562000
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$		0.68	22.5	15.5 x 26.5 x 26.5	13.5	110	F17724682160
1.022.5 $15.5 \times 26.5 \times 26.5$ 13.5 110 $F177251021$ 1.027.5 $15.0 \times 25.0 \times 31.5$ 15.0 100 $F177251020$ 1.2 37.5 $14.5 \times 24.5 \times 41.5$ 18.9 80 $F177251220$ 1.527.5 $18.0 \times 28.0 \times 31.0$ 19.0 85 $F177251521$ 1.5 37.5 $15.5 \times 28.5 \times 41.5$ 24.0 70 $F177251520$ 1.8 37.5 $15.5 \times 28.5 \times 41.5$ 24.0 70 $F177251520$ 2.2 27.5 $21.0 \times 31.0 \times 31.0$ 28.0 70 $F177252221$ 2.2 37.5 $18.0 \times 32.5 \times 41.5$ 31.6 60 $F177252220$ 2.2 37.5 $18.0 \times 32.5 \times 41.5$ 31.6 60 $F177251220$ 2.2 37.5 $18.0 \times 32.5 \times 41.5$ 31.6 60 $F177251220$ 2.2 37.5 $18.0 \times 32.5 \times 41.5$ 31.6 60 $F177251220$ 0.10 15 $5.0 \times 11.0 \times 17.5$ 1.4 750 $F177231022$ 0.015 15 $5.0 \times 11.0 \times 17.5$ 1.4 750 $F177233222$ 0.033 15 $5.0 \times 11.0 \times 17.5$ 1.4 750 $F177234722$ 0.068 15 $6.0 \times 12.0 \times 17.5$ 2.0 600 $F177241022$ 0.10 15 $6.0 \times 12.0 \times 17.5$ 2.0 600 $F177241022$		0.68	27.5	13.0 x 23.0 x 31.0	12.9	110	F17724682000
1.027.5 $15.0 \times 25.0 \times 31.5$ 15.0 100 $F177251020$ 1.2 37.5 $14.5 \times 24.5 \times 41.5$ 18.9 80 $F177251220$ 1.5 27.5 $18.0 \times 28.0 \times 31.0$ 19.0 85 $F177251521$ 1.5 37.5 $15.5 \times 28.5 \times 41.5$ 24.0 70 $F177251520$ 1.8 37.5 $15.5 \times 28.5 \times 41.5$ 24.0 70 $F177251520$ 2.2 27.5 $21.0 \times 31.0 \times 31.0$ 28.0 70 $F177252221$ 2.2 37.5 $18.0 \times 32.5 \times 41.5$ 31.6 60 $F177252220$ 2.2 37.5 $18.0 \times 32.5 \times 41.5$ 31.6 60 $F177252220$ 2.2 37.5 $18.0 \times 32.5 \times 41.5$ 31.6 60 $F177251220$ 0.010 15 $5.0 \times 11.0 \times 17.5$ 1.4 750 $F177231022$ 0.015 15 $5.0 \times 11.0 \times 17.5$ 1.4 750 $F177233222$ 0.022 15 $5.0 \times 11.0 \times 17.5$ 1.4 750 $F177233222$ 0.033 15 $5.0 \times 11.0 \times 17.5$ 1.4 750 $F177233222$ 0.068 15 $6.0 \times 12.0 \times 17.5$ 2.0 600 $F177241022$ 0.10 15 $6.0 \times 12.0 \times 17.5$ 2.0 600 $F177241022$		0.82	27.5	13.0 x 23.0 x 31.0	12.9	110	F17724822000
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$		1.0	22.5	15.5 x 26.5 x 26.5	13.5	110	F17725102160
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$		1.0	27.5	15.0 x 25.0 x 31.5	15.0	100	F17725102000
1.5 37.5 $15.5 \times 28.5 \times 41.5$ 24.0 70 $F177251520$ 1.8 37.5 $15.5 \times 28.5 \times 41.5$ 24.0 70 $F177251820$ 2.2 27.5 $21.0 \times 31.0 \times 31.0$ 28.0 70 $F177252221$ 2.2 37.5 $18.0 \times 32.5 \times 41.5$ 31.6 60 $F177252220$ 2.2 37.5 $18.0 \times 32.5 \times 41.5$ 31.6 60 $F177252220$ dt = $0.60 \text{ mm} \pm 0.06 \text{ mm}; C-TOL. = \pm 20 \%0.010155.0 \times 11.0 \times 17.51.4750F1772310220.015155.0 \times 11.0 \times 17.51.4750F1772332220.033155.0 \times 11.0 \times 17.51.4750F1772332220.047155.0 \times 11.0 \times 17.51.4750F1772347220.068156.0 \times 12.0 \times 17.52.0600F1772368220.10156.0 \times 12.0 \times 17.52.0600F177241022$		1.2	37.5	14.5 x 24.5 x 41.5	18.9	80	F17725122000
1.8 37.5 $15.5 \times 28.5 \times 41.5$ 24.0 70 $F177251820$ 2.2 27.5 $21.0 \times 31.0 \times 31.0$ 28.0 70 $F177252221$ 2.2 37.5 $18.0 \times 32.5 \times 41.5$ 31.6 60 $F177252220$ $d_t = 0.60 \text{ mm} \pm 0.06 \text{ mm}; C-TOL. = \pm 20 \%$ 0.010 15 $5.0 \times 11.0 \times 17.5$ 1.4 750 $F177231022$ 0.015 15 $5.0 \times 11.0 \times 17.5$ 1.4 750 $F177231522$ 0.022 15 $5.0 \times 11.0 \times 17.5$ 1.4 750 $F177233222$ 0.033 15 $5.0 \times 11.0 \times 17.5$ 1.4 750 $F177233222$ 0.047 15 $5.0 \times 11.0 \times 17.5$ 1.4 750 $F177234722$ 0.068 15 $6.0 \times 12.0 \times 17.5$ 2.0 600 $F177236822$ 0.10 15 $6.0 \times 12.0 \times 17.5$ 2.0 600 $F177241022$		1.5	27.5	18.0 x 28.0 x 31.0	19.0	85	F17725152160
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$		1.5	37.5	15.5 x 28.5 x 41.5	24.0	70	F17725152000
2.237.5 $18.0 \times 32.5 \times 41.5$ 31.660F177252220dt = 0.60 mm ± 0.06 mm; C-TOL. = ± 20 %0.01015 $5.0 \times 11.0 \times 17.5$ 1.4750F1772310220.01515 $5.0 \times 11.0 \times 17.5$ 1.4750F1772315220.02215 $5.0 \times 11.0 \times 17.5$ 1.4750F1772332220.03315 $5.0 \times 11.0 \times 17.5$ 1.4750F177233220.04715 $5.0 \times 11.0 \times 17.5$ 1.4750F1772347220.06815 $6.0 \times 12.0 \times 17.5$ 2.0600F177246220.1015 $6.0 \times 12.0 \times 17.5$ 2.0600F177241022		1.8	37.5	15.5 x 28.5 x 41.5	24.0	70	F17725182000
dt = 0.60 mm ± 0.06 mm; C-TOL. = ± 20 %0.01015 $5.0 \times 11.0 \times 17.5$ 1.4 750F1772310220.01515 $5.0 \times 11.0 \times 17.5$ 1.4 750F1772315220.02215 $5.0 \times 11.0 \times 17.5$ 1.4 750F1772322220.03315 $5.0 \times 11.0 \times 17.5$ 1.4 750F177233220.04715 $5.0 \times 11.0 \times 17.5$ 1.4 750F1772347220.06815 $6.0 \times 12.0 \times 17.5$ 2.0 600 F1772368220.1015 $6.0 \times 12.0 \times 17.5$ 2.0 600 F177241022		2.2	27.5	21.0 x 31.0 x 31.0	28.0	70	F17725222160
0.010 15 5.0 x 11.0 x 17.5 1.4 750 F177231022 0.015 15 5.0 x 11.0 x 17.5 1.4 750 F177231522 0.022 15 5.0 x 11.0 x 17.5 1.4 750 F177232222 0.033 15 5.0 x 11.0 x 17.5 1.4 750 F177233222 0.047 15 5.0 x 11.0 x 17.5 1.4 750 F177234722 0.068 15 6.0 x 12.0 x 17.5 2.0 600 F177236822 0.10 15 6.0 x 12.0 x 17.5 2.0 600 F177241022		2.2	37.5	18.0 x 32.5 x 41.5	31.6	60	F17725222000
0.015 15 5.0 x 11.0 x 17.5 1.4 750 F177231522 0.022 15 5.0 x 11.0 x 17.5 1.4 750 F177232222 0.033 15 5.0 x 11.0 x 17.5 1.4 750 F177233222 0.047 15 5.0 x 11.0 x 17.5 1.4 750 F177234722 0.068 15 6.0 x 12.0 x 17.5 2.0 600 F177236822 0.10 15 6.0 x 12.0 x 17.5 2.0 600 F177241022				d _t = 0.60 mm ± 0.06 mm	n; C-TOL. = ± 20 %		
0.022 15 5.0 x 11.0 x 17.5 1.4 750 F177232222 0.033 15 5.0 x 11.0 x 17.5 1.4 750 F177233322 0.047 15 5.0 x 11.0 x 17.5 1.4 750 F177234722 0.068 15 6.0 x 12.0 x 17.5 2.0 600 F177236822 0.10 15 6.0 x 12.0 x 17.5 2.0 600 F177241022		0.010	15	5.0 x 11.0 x 17.5	1.4	750	F17723102200
0.033 15 5.0 x 11.0 x 17.5 1.4 750 F17723322 0.047 15 5.0 x 11.0 x 17.5 1.4 750 F177234722 0.068 15 6.0 x 12.0 x 17.5 2.0 600 F177236822 0.10 15 6.0 x 12.0 x 17.5 2.0 600 F177241022		0.015	15	5.0 x 11.0 x 17.5	1.4	750	F17723152200
0.047 15 5.0 x 11.0 x 17.5 1.4 750 F177234722 0.068 15 6.0 x 12.0 x 17.5 2.0 600 F177236822 0.10 15 6.0 x 12.0 x 17.5 2.0 600 F177241022		0.022	15	5.0 x 11.0 x 17.5	1.4	750	F17723222200
0.068 15 6.0 x 12.0 x 17.5 2.0 600 F177236822 0.10 15 6.0 x 12.0 x 17.5 2.0 600 F177241022		0.033	15	5.0 x 11.0 x 17.5	1.4	750	F17723332200
0.10 15 6.0 x 12.0 x 17.5 2.0 600 F177241022		0.047	15	5.0 x 11.0 x 17.5	1.4	750	F17723472200
		0.068	15	6.0 x 12.0 x 17.5	2.0	600	F17723682200
		0.10	15	6.0 x 12.0 x 17.5	2.0	600	F17724102200
		10 May 15					oursent Number 00101
evision: 22-May-15 3 Document Number: 2 For technical questions, contact: <u>rfi@vishay.com</u>	evision: 2	z-may-15	Fort	-	t: rfi@vishav.com	Do	ocument Number: 28161
THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. THE PRODUCTS DESCRIBED HEREIN AND THIS DOCUMENT	THIS	DOCUMENT IS SUR		•		BED HEREIN AND	THIS DOCUMENT
ARE SUBJECT TO SPECIFIC DISCLAIMERS, SET FORTH AT <u>www.vishay.com/doc?91000</u>	1110	ARE SI	UBJECT TO SPECI	FIC DISCLAIMERS, SET FO	DRTH AT www.vishay	<u>v.com/doc?91000</u>	

www.vishay.com

CAP.

(µF)

0.010

0.012

0.015

0.018

0.022

0.027

0.033

ELECTRICAL DATA AND ORDERING INFORMATION

PITCH

(mm)

15

15

15

15

15

15

15

DIMENSIONS

w x h x l MAX. (mm)

5.0 x 11.0 x 17.5

 d_t = 0.60 mm \pm 0.06 mm; C-TOL. = \pm 10 %

MASS (3)

(g)

1.4

1.4

1.4

1.4

1.4

1.4

1.4

Vishay Roederstein

SPQ

(pieces) SHORT LEAD

750

750

750

750

750

750

750

ORDERING CODE

BULK

LEAD LENGTH

6 mm - 1 mm (1)(2)

F17723102000

F17723122000

F17723152000

F17723182000

F17723222000

F17723272000 F17723332000



URAC

(V)

www.vishay.com

Vishay Roederstein

F1772 X2

ELECT	ELECTRICAL DATA AND ORDERING INFORMATION					
U _{RAC} (V)	CAP. (μF)	PITCH (mm)	DIMENSIONS w x h x l MAX. (mm)	MASS ⁽³⁾ (g)	SPQ (pieces) SHORT LEAD	ORDERING CODE BULK LEAD LENGTH 6 mm - 1 mm ⁽¹⁾⁽²⁾
			d _t = 0.80 mm ± 0.08 r	nm; C-TOL. = ± 20 %		
	0.15	15	8.5 x 15.0 x 17.5	2.7	325	F17724152260
	0.15	22.5	6.0 x 15.5 x 26.0	3.3	260	F17724152200
	0.22	15	10.0 x 16.5 x 17.5	4.5	300	F17724222260
	0.22	22.5	7.0 x 16.5 x 26.0	4.1	235	F17724222200
	0.33	15	13.5 x 22.5 x 18.0	5.5	185	F17724332260
	0.33	22.5	8.5 x 18.0 x 26.0	5.3	190	F17724332200
	0.47	22.5	10.0 x 19.5 x 26.0	6.7	170	F17724472260
310	0.47	27.5	9.0 x 19.0 x 31.5	6.8	160	F17724472200
	0.68	22.5	12.0 x 22.0 x 26.0	13.4	110	F17724682260
	0.68	27.5	11.0 x 21.0 x 31.0	12.9	125	F17724682200
	1.0	22.5	15.5 x 26.5 x 26.5	13.5	110	F17725102260
	1.0	27.5	15.0 x 25.0 x 31.5	15.0	100	F17725102200
	1.5	27.5	18.0 x 28.0 x 31.5	19.0	85	F17725152260
	1.5	37.5	14.5 x 24.5 x 41.5	18.9	80	F17725152200
	2.2	27.5	21.0 x 31.0 x 31.0	28.0	70	F17725222260
	2.2	37.5	15.5 x 28.5 x 41.5	24.0	70	F17725222200

Notes

• SPQ = Standard Packing Quantity

For detailed tape specifications refer to packaging information: <u>www.vishay.com/doc?28139</u>

⁽¹⁾ For further packaging see table "Composition of Catalog Number".

⁽²⁾ Further information about packaging quantities with different lead length and/or taped versions, see document "Packing Quantities" www.vishay.com/doc?27608

⁽³⁾ Weight for short lead product only

APPROVALS				
SAFETY APPROVALS X2	VOLTAGE	VALUE	FILE NUMBERS	LINK
EN 60384-14 (ENEC) (= IEC 60384-14 ed-3)	310 V _{AC}	0.01 µF to 2.2 µF X2	40005079	www.vishay.com/doc?28196
UL 60384-14	310 V _{AC}	0.01 μF to 2.2 μF X2	E354331	www.vishav.com/doc?28191
CSA-E 384-14	310 V _{AC}	0.01 μF to 2.2 μF X2	E354331	www.visnay.com/doc/28191
CB test-certificate	310 V _{AC}	0.01 μF to 2.2 μF X2	DE 1-40110/A1	www.vishay.com/doc?28195

The ENEC-approval together with the CB-certificate replace all national marks of the following countries (they have already signed the ENEC-agreement): Austria; Belgium; Czech. Republic; Denmark; Finland; France; Germany; Greece; Hungary; Ireland; Italy; Luxembourg; Netherlands; Norway; Portugal; Slovenian; Spain; Sweden; Switzerland and United Kingdom.





4 For technical questions, contact: <u>rfi@vishav.com</u>



MOUNTING

Normal Use

The capacitors are designed for mounting on printed-circuit boards. The capacitors packed in bandoliers are designed for mounting in printed-circuit boards by means of automatic insertion machines.

For detailed tape specifications refer to packaging information: <u>www.vishay.com/doc?28139</u>.

Specific Method of Mounting to Withstand Vibration and Shock

In order to withstand vibration and shock tests, it must be ensured that stand-off pips are in good contact with the printed-circuit board:


- For pitches \leq 15 mm capacitors shall be mechanically fixed by the leads
- For larger pitches the capacitors shall be mounted in the same way and the body clamped

Space Requirements on Printed Circuit Board

The maximum space for length (I_{max}), width (w_{max}) and height (h_{max}) of film capacitors to take in account on the printed circuit board is shown in the drawings.

- For products with pitch \leq 15 mm, Δw = ΔI = 0.3 mm; Δh = 0.1 mm
- For products with 15 mm < pitch \leq 27.5 mm, $\Delta w = \Delta I = 0.5$ mm; $\Delta h = 0.1$ mm
- For products with pitch = 37.5 mm, $\Delta w = \Delta I = 0.7$ mm; $\Delta h = 0.5$ mm

Eccentricity defined as in drawing. The maximum eccentricity is smaller than or equal to the lead diameter of the product concerned.



SOLDERING CONDITIONS

For general soldering conditions and wave soldering profile, we refer to the application note: "Soldering Guidelines for Film Capacitors": <u>www.vishay.com/doc?28171</u>

Storage Temperature

 $T_{sta} = -25 \text{ °C to } +35 \text{ °C with RH maximum 75 \% without condensation}$

Ratings and Characteristics Reference Conditions

Unless otherwise specified, all electrical values apply to an ambient temperature of 23 °C \pm 1 °C, an atmospheric pressure of 86 kPa to 106 kPa and a relative humidity of 50 % \pm 2 %.


For reference testing, a conditioning period shall be applied over 96 h \pm 4 h by heating the products in a circulating air oven at the rated temperature and a relative humidity not exceeding 20 %.

F1772 X2


Vishay Roederstein


www.vishay.com


CHARACTERISTICS




Capacitance as a function of ambient temperature (typical curve)









Max. RMS voltage as a function of frequency



Impedance as a function of frequency (typical curve)



Resonant frequency as a function of capacitance (typical curve)



Max. RMS current as a function of frequency


Revision: 22-May-15

6 For technical questions, contact: rfi@vishay.com

Document Number: 28161

THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. THE PRODUCTS DESCRIBED HEREIN AND THIS DOCUMENT ARE SUBJECT TO SPECIFIC DISCLAIMERS, SET FORTH AT www.vishay.com/doc?91000





Insulation resistance as a function of ambient temperature (typical curve)

APPLICATION NOTES AND LIMITING CONDITIONS

- For X2 electromagnetic interference suppression where a higher stability grade is needed for continuous across the line applications (50 Hz/60 Hz) with a maximum mains voltage of 310 V_{AC}.
- These capacitors are not intended for continuous pulse application. For these situations capacitors of the AC and pulse programs must be used.
- For series impedance applications we refer to application note: www.vishay.com/doc?28153
- The maximum ambient temperature must not exceed 110 °C.
- Rated voltage pulse slope:

if the pulse voltage is lower than the rated voltage, the values of the specific reference data can be multiplied by 435 V_{DC} and divided by the applied voltage.

INSPECTION REQUIREMENTS

General Notes

Sub-clause numbers of tests and performance requirements refer to the "Sectional Specification, Publication IEC 60384-14 ed 3 and Specific Reference Data".

GROUP C INSPECTION REQUIREMENTS				
SUB-CLAUSE NUMBER AND TEST	CONDITIONS	PERFORMANCE REQUIREMENTS		
SUB-GROUP C1A PART OF SAMPLE OF SUB-GROUP C1				
4.1 Dimensions (detail)		As specified in chapter "General Data" of this specification		
Initial measurements	Capacitance Tangent of loss angle: for C \leq 1 μ F at 10 kHz for C > 1 μ F at 1 kHz			
4.3 Robustness of terminations	Tensile: load 10 N; 10 s Bending: load 5 N; 4 x 90°	No visible damage		
4.4 Resistance to soldering heat	No pre-drying Method: 1A Solder bath: 280 °C ± 5 °C Duration: 10 s			

THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. THE PRODUCTS DESCRIBED HEREIN AND THIS DOCUMENT ARE SUBJECT TO SPECIFIC DISCLAIMERS, SET FORTH AT www.vishav.com/doc?91000

WISHAY www.vishay.com

Vishay Roederstein

GROUP C INSPECTION REQUIREMENTS				
SUB-CLAUSE NUMBER AND TEST	CONDITIONS	PERFORMANCE REQUIREMENTS		
SUB-GROUP C1A PART OF SAMPLE OF SUB-GROUP C1				
4.19 Component solvent resistance	Isopropylalcohol at room temperature Method: 2 Immersion time: 5 min ± 0.5 min Recovery time: min. 1 h, max. 2 h			
4.4.2 Final measurements	Visual examination	No visible damage Legible marking		
	Capacitance	$\left \Delta C/C\right \leq 5$ % of the value measured initially		
	Tangent of loss angle	Increase of tan δ \leq 0.008 for: C \leq 1 µF or \leq 0.005 for: C > 1 µF Compared to values measured initially		
	Insulation resistance	As specified in section "Insulation Resistance" of this specification		
SUB-GROUP C1B PART OF SAMPLE OF SUB-GROUP C1				
Initial measurements	Capacitance Tangent of loss angle: for C \leq 1 μ F at 10 kHz for C $>$ 1 μ F at 1 kHz			
4.20 Solvent resistance of the marking	Isopropylalcohol at room temperature Method: 1 Rubbing material: cotton wool Immersion time: 5 min ± 0.5 min	No visible damage Legible marking		
4.6 Rapid change of temperature	$\theta A = -40 \ ^{\circ}C$ $\theta B = +110 \ ^{\circ}C$ 5 cycles Duration t = 30 min			
4.6.1 Inspection	Visual examination	No visible damage		
4.7 Vibration	Mounting: see section "Mounting" of this specification Procedure B4 Frequency range: 10 Hz to 55 Hz Amplitude: 0.75 mm or Acceleration 98 m/s ² (whichever is less severe) Total duration 6 h			
4.7.2 Final inspection	Visual examination	No visible damage		
4.9 Shock	Mounting: See section "Mounting" for more information Pulse shape: half sine Acceleration: 490 m/s ² Duration of pulse: 11 ms			
4.9.2 Final measurements	Visual examination	No visible damage		
	Capacitance	$ \Delta C/C \le 5$ % of the value measured initally		
	Tangent of loss angle	Increase of tan δ \leq 0.008 for: C \leq 1 μ F or \leq 0.005 for: C > 1 μ F Compared to values measured initially		
	Insulation resistance	As specified in section "Specific Reference" of this specification		

Revision: 22-May-15

8 For technical questions, contact: <u>rfi@vishay.com</u> Document Number: 28161

THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. THE PRODUCTS DESCRIBED HEREIN AND THIS DOCUMENT ARE SUBJECT TO SPECIFIC DISCLAIMERS, SET FORTH AT <u>www.vishay.com/doc?91000</u> VISHAY www.vishay.com

Vishay Roederstein

GROUP C INSPECTION REQUIREMENTS				
SUB-CLAUSE NUMBER AND TEST	CONDITIONS	PERFORMANCE REQUIREMENTS		
SUB-GROUP C1 COMBINED SAMPLE OF SPECIMENS OF SUB-GROUPS C1A AND C1B				
4.11 Climatic sequence	Capacitance			
4.11.1 Initial measurements	Measured in 4.4.2 and 4.9.2 Tangent of loss angle Measured initally in C1A and C1B			
4.11.2 Dry heat	Temperature: 110 °C Duration: 16 h			
4.11.3 Damp heat cyclic Test Db, first cycle				
4.11.4 Cold	Temperature: -40 °C Duration: 2 h			
4.11.5 Damp heat cyclic Test Db, remaining cycles				
4.11.6 Final measurements	Visual examination	No visible damage Legible marking		
	Capacitance	$ \Delta C/C \leq 5$ % of the value measured in 4.11.1		
	Tangent of loss angle	Increase of tan δ \leq 0.008 for: C \leq 1 μF or \leq 0.005 for: C $>$ 1 μF Compared to values measured in 4.11.1		
	Voltage proof 1350 V_{DC} 1 min between terminations	No permanent breakdown or flash-over		
	Insulation resistance	\geq 50 % of values specified in section "Insulation Resistance" of this specification		
SUB-GROUP C2				
4.12 Damp heat steady state	56 days, 40 °C, 90 % to 95 % RH No load			
4.12.1 Initial measurements	Capacitance Tangent of loss angle: 1 kHz			
4.12.3 Final measurements	Visual examination	No visible damage Legible marking		
	Capacitance	$\left \Delta C/C \right \leq 5$ % of the value measured in 4.12.1		
	Tangent of loss angle	Increase of tan δ \leq 0.008 for: C \leq 1 μF or \leq 0.005 for: C $>$ 1 μF Compared to values measured in 4.12.1		
	Voltage proof 1350 V _{DC} ; 1 min between terminations	No permanent breakdown or flash-over		
	Insulation resistance	\geq 50 % of values specified in section "Insulation Resistance" of this specification		

Revision: 22-May-15

9 For technical questions, contact: <u>rfi@vishay.com</u> Document Number: 28161

THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. THE PRODUCTS DESCRIBED HEREIN AND THIS DOCUMENT ARE SUBJECT TO SPECIFIC DISCLAIMERS, SET FORTH AT www.vishay.com/doc?91000 www.vishay.com

VISHAY

Vishay Roederstein

GROUP C INSPECTION REQUIREMENTS				
SUB-CLAUSE NUMBER AND TEST	CONDITIONS	PERFORMANCE REQUIREMENTS		
SUB-GROUP C3				
4.13.1 Initial measurements4.13 Impulse voltage	Capacitance Tangent of loss angle: for $C \le 1 \ \mu F$ at 10 kHz for $C > 1 \ \mu F$ at 1 kHz 3 successive impulses, full wave, peak	No self healing breakdowns or flash-over		
	voltage: X2: 2.5 kV for C \leq 1 µF X2: 2.5 kV/ \sqrt{C} for C > 1 µF Max. 24 pulses			
4.14 Endurance	Duration: 1000 h 1.25 x U _{RAC} at 110 °C Once in every hour the voltage is increased to 1000 V (RMS) for 0.1 s via resistor of 47 $\Omega \pm 5$ %			
4.14.7 Final measurements	Visual examination	No visible damage Legible marking		
	Capacitance	$ \Delta C/C \leq 5$ % compared to values measured in 4.13.1		
	Tangent of loss angle	Increase of tan δ \leq 0.008 for: C \leq 1 μF or \leq 0.005 for: C $>$ 1 μF Compared to values measured in 4.13.1		
	Voltage proof 1350 $V_{DC};1$ min between terminations 2120 $V_{AC};1$ min between terminations and case	No permanent breakdown or flash-over		
	Insulation resistance	\geq 50 % of values specified in section "Insulation Resistance" of this specification		
SUB-GROUP C4				
4.15 Charge and discharge	10 000 cycles Charged to 435 V _{DC} Discharge resistance: $R = \frac{435 V_{DC}}{1.5 \times C(dU/dt)}$			
	1.5 x C(dU/dt)			
4.15.1 Initial measurements	Capacitance Tangent of loss angle: for C \leq 1 μ F at 10 kHz for C > 1 μ F at 1 kHz			
4.13.3 Final measurements	Capacitance	$ \Delta C/C \le 10$ % compared to values measured in 4.15.1		
	Tangent of loss angle	Increase of tan δ \leq 0.008 for: C \leq 1 μF or \leq 0.005 for: C $>$ 1 μF Compared to values measured in 4.15.1		
	Insulation resistance	\geq 50 % of values specified in section "Insulation Resistance" of this specification		

Revision: 22-May-15

10 For technical questions, contact: <u>rfi@vishay.com</u> Document Number: 28161

THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. THE PRODUCTS DESCRIBED HEREIN AND THIS DOCUMENT ARE SUBJECT TO SPECIFIC DISCLAIMERS, SET FORTH AT www.vishay.com/doc?91000 www.vishay.com

VISHAY

Vishay Roederstein

GROUP C INSPECTION REQU	JIREMENTS	
SUB-CLAUSE NUMBER AND TEST	CONDITIONS	PERFORMANCE REQUIREMENTS
SUB-GROUP C5		
4.16 Radio frequency characteristic	Resonance frequency	\geq 0.9 times the value as specified in section "Resonant Frequency" of this specification.
SUB-GROUP C6		
4.17 Passive flammability Class C	Bore of gas jet: Ø 0.5 mm Fuel: butane Test duration for actual volume V in mm ³ : $V \le 250: 5 \text{ s}$ $250 < V \le 500: 10 \text{ s}$ $500 < V \le 1750: 20 \text{ s}$ V > 1750: 30 s One flame application V = 12 mm 45.0°	After removing test flame from capacitor, the capacitor must not continue to burn for more than 30 s. No burning particle must drop from the sample.
SUB-GROUP C7		
4.18 Active flammability	20 cycles of 2.5 kV discharges on the test capacitor connected to U_{RAC} .	The cheese cloth around the capacitors shall not burn with a flame. No electrical measurements are required.

For technical questions, contact: <u>rfi@vishay.com</u> THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. THE PRODUCTS DESCRIBED HEREIN AND THIS DOCUMENT ARE SUBJECT TO SPECIFIC DISCLAIMERS, SET FORTH AT <u>www.vishay.com/doc?91000</u>



Vishay

Disclaimer

ALL PRODUCT, PRODUCT SPECIFICATIONS AND DATA ARE SUBJECT TO CHANGE WITHOUT NOTICE TO IMPROVE RELIABILITY, FUNCTION OR DESIGN OR OTHERWISE.

Vishay Intertechnology, Inc., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Vishay"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any datasheet or in any other disclosure relating to any product.

Vishay makes no warranty, representation or guarantee regarding the suitability of the products for any particular purpose or the continuing production of any product. To the maximum extent permitted by applicable law, Vishay disclaims (i) any and all liability arising out of the application or use of any product, (ii) any and all liability, including without limitation special, consequential or incidental damages, and (iii) any and all implied warranties, including warranties of fitness for particular purpose, non-infringement and merchantability.

Statements regarding the suitability of products for certain types of applications are based on Vishay's knowledge of typical requirements that are often placed on Vishay products in generic applications. Such statements are not binding statements about the suitability of products for a particular application. It is the customer's responsibility to validate that a particular product with the properties described in the product specification is suitable for use in a particular application. Parameters provided in datasheets and/or specifications may vary in different applications and performance may vary over time. All operating parameters, including typical parameters, must be validated for each customer application by the customer's technical experts. Product specifications do not expand or otherwise modify Vishay's terms and conditions of purchase, including but not limited to the warranty expressed therein.

Except as expressly indicated in writing, Vishay products are not designed for use in medical, life-saving, or life-sustaining applications or for any other application in which the failure of the Vishay product could result in personal injury or death. Customers using or selling Vishay products not expressly indicated for use in such applications do so at their own risk. Please contact authorized Vishay personnel to obtain written terms and conditions regarding products designed for such applications.

No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Vishay. Product names and markings noted herein may be trademarks of their respective owners.

Material Category Policy

Vishay Intertechnology, Inc. hereby certifies that all its products that are identified as RoHS-Compliant fulfill the definitions and restrictions defined under Directive 2011/65/EU of The European Parliament and of the Council of June 8, 2011 on the restriction of the use of certain hazardous substances in electrical and electronic equipment (EEE) - recast, unless otherwise specified as non-compliant.

Please note that some Vishay documentation may still make reference to RoHS Directive 2002/95/EC. We confirm that all the products identified as being compliant to Directive 2002/95/EC conform to Directive 2011/65/EU.

Vishay Intertechnology, Inc. hereby certifies that all its products that are identified as Halogen-Free follow Halogen-Free requirements as per JEDEC JS709A standards. Please note that some Vishay documentation may still make reference to the IEC 61249-2-21 definition. We confirm that all the products identified as being compliant to IEC 61249-2-21 conform to JEDEC JS709A standards.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for vishay manufacturer:

Other Similar products are found below :

 M39006/22-0577H
 Y00892K49000BR13L
 VS-12CWQ10FNPBF
 RER60F2430RC02
 M8340109M6801GGD03
 VS-MBRB1545CTPBF

 1KAB100E
 VSMF4720-GS08
 CRCW040210M0FKTDBC
 CRCW06030000Z0TABC
 001789X
 CRCW0603510RFKTABC

 CRCW060351R0FKTABC
 CRCW0805510KFKEA
 CRCW120612R0FKTABC
 LVR10R0200FE03
 CRCW12063K30FKEAHP
 009923A

 CRCW25120000Z0THBC
 CS6600552K000B8768
 M39003/01-2784
 M39006/25-0133
 M39006/25-0228
 M64W101KB40
 M64Z501KB40

 CW001R5000JS73
 CW0055R000JE12
 CW0056K800JB12
 CW0106K000JE73
 672D826H075EK5C
 MAL202118471E3
 MAL219699001E3

 MBA02040C1002FC100
 MCRL007035R00JHB00
 PTF56100K00QYEK
 PTN0805H1502BBTR1K
 RCWL1210R130JNEA

 RH005220R0FE02
 RH005330R0FC02
 RH010R0500FC02
 132B20103
 RH1007R000FJ01
 RH2503R500FE01
 RH254R220FS03
 RH-50

 40R2-1%-C02
 134D336X9075C6
 134D686X0050C6E3
 132B00301
 135D277X0025F6
 DG202BDY