P278, Metallized Impregnated Paper, Class X1, 480 VAC



Overview

The P278 is constructed of multilayer metallized paper encapsulated and impregnated in self-extinguishing material, meeting the requirements of UL 94 V-0.

Applications

Typical applications include worldwide use as an electromagnetic interference suppressor in all X1 and across-the-line applications.

Benefits

· Approvals: ENEC, UL, cUL

Rated voltage: 480 VAC 50/60 Hz
 Capacitance range: 0.001 μF – 0.15 μF
 Lead Spacing: 10.2 mm – 25.4 mm

• Capacitance tolerance: ±20%

• Climatic category: 40/110/56, IEC 60068-1

Tape and reel in accordance with IEC 60286-2

· RoHS compliance and lead-free terminations

• Operating temperature range of -40°C to +110°C

100% screening factory test at 2,700 VDC

 Highest possible safety regarding active and passive flammability

 Excellent self-healing properties which ensure long life even when subjected to frequent overvoltages

Good resistance to ionization due to impregnated paper dielectric

 Impregnated paper ensures excellent stability and reliability properties, particularly in applications with continuous operation



Part Number System

Р	278	Н	E	102	M	480	Α
Capacitor Class	Series	Lead Spacing (mm)	Size Code	Capacitance Code (pF)	Capacitance Tolerance	Rated Voltage (VAC)	Packaging
P = Paper	X1, Metallized Paper	H = 10.2 Q = 15.2 C = 20.3 S = 22.5 E = 25.4	See Dimension Table	First two digits represent significant figures. Third digit specifies number of zeros.	M = ±20%	480 = 480	See Ordering Options Table




Ordering Options Table

Lead Spacing Nominal (mm)	Type of Leads and Packaging	Lead Length (mm)	KEMET Lead and Packaging Code	Legacy Lead and Packaging Code
	Standard Lead and Packaging Options			
	Bulk (Bag) – short leads	6 +0/-1	С	R06
10.2	Bulk (Bag) – maximum length leads	30 +5/-0	Α	R30
10.2	Tape & Reel (standard reel)	$H_0 = 18.5 \pm 0.5$	L	R19T0
	Other Lead and Packaging Options			
	Tape & Reel (large reel)	$H_0 = 18.5 \pm 0.5$	Р	R19T1
Native 10.2 formed to 7.5	Ammo Pack	H ₀ = 18.5 ±0.5	LAF3	R30XA
	Ctandard Land and Dackasing Outions			
	Standard Lead and Packaging Options	6 10/ 1	С	R06
	Bulk (Bag) – short leads Bulk (Bag) – maximum length leads	6+0/-1		
15.2	· •/	30 +5/-0	A L	R30 R19T0
	Tape & Reel (standard reel) Other Lead and Packaging Options	$H_0 = 18.5 \pm 0.5$	L	RIGIU
	Tape & Reel (Large Reel)	H _o = 18.5 ±0.5	P	R19T1
	Tupe a neer (Earge neer)	110 10.0 20.0		1(1)11
	Standard Lead and Packaging Options			
	Bulk (Tray) – short leads	6 +0/-1	С	R06
20.3	Bulk (Bag) – maximum length leads	30 +5/-0	Α	R30
20.3	Tape & Reel (standard reel)	$H_0 = 18.5 \pm 0.5$	L	R19T0
	Other Lead and Packaging Options			
	Tape & Reel (large reel)	$H_0 = 18.5 \pm 0.5$	Р	R19T1
	Standard Lead and Packaging Options			
	Bulk (Tray) – short leads	6 +0/-1	С	R06
	Bulk (Bag) – maximum length leads	30 +5/-0	Α	R30
22.5	Tape & Reel (standard reel)	H ₀ = 18.5 ±0.5	L	R19T0
	Other Lead and Packaging Options	U		
	Tape & Reel (large reel)	H ₀ = 18.5 ±0.5	Р	R19T1
	Ohandard Land Barbarin C.			
25.4	Standard Lead and Packaging Options Pulk (Troy) — short leads	6 10/ 1	C	DO4
25.4	Bulk (Tray) - short leads	6+0/-1	C	R06
	Bulk (Bag) – maximum length leads	30 +5/-0	A	R30



Dimensions - Millimeters



Cina Cada		p		В	H L		L		d	
Size Code	Nominal	Tolerance	Nominal	Tolerance	Nominal	Tolerance	Nominal	Tolerance	Nominal	Tolerance
HE	10.2	±0.4	3.9	Maximum	7.5	Maximum	13.5	Maximum	0.6	±0.05
НН	10.2	±0.4	4.1	Maximum	8.2	Maximum	13.5	Maximum	0.6	±0.05
HL	10.2	±0.4	5.1	Maximum	10.5	Maximum	13.5	Maximum	0.6	±0.05
QE	15.2	±0.4	5.2	Maximum	10.5	Maximum	18.5	Maximum	0.8	±0.05
QJ	15.2	±0.4	5.5	Maximum	11.1	Maximum	18.5	Maximum	0.8	±0.05
QS	15.2	±0.4	8.5	Maximum	14.3	Maximum	18.5	Maximum	0.8	±0.05
CE	20.3	±0.4	7.6	Maximum	14.0	Maximum	24.0	Maximum	0.8	±0.05
CJ	20.3	±0.4	9.0	Maximum	15.0	Maximum	24.0	Maximum	0.8	±0.05
CP	20.3	±0.4	11.3	Maximum	16.5	Maximum	24.0	Maximum	0.8	±0.05
SJ	22.5	±0.4	8.0	Maximum	17.0	Maximum	27.0	Maximum	0.8	±0.05
SP	22.5	±0.4	10.0	Maximum	19.0	Maximum	27.0	Maximum	0.8	±0.05
SU	22.5	±0.4	12.0	Maximum	22.0	Maximum	27.0	Maximum	0.8	±0.05
EJ	25.4	±0.4	12.1	Maximum	19.0	Maximum	30.5	Maximum	1.0	±0.05
EL	25.4	±0.4	15.3	Maximum	22.0	Maximum	30.5	Maximum	1.0	±0.05
		ı	lote: See Ord	ering Options 1	able for lead	length (LL) opt	ions.			



Performance Characteristics

Rated voltage	480 VAC 50/60Hz				
Capacitance range	0.001 - 0.15 μF				
Capacitance tolerance	±20%				
Temperature range	-40°C to +110°C				
Climatic category	40/110/56/B				
Approvals	ENEC, UL, cUL				
Disable of sales	Maximum va	lues at +23°C			
Dissipation factor	1 kHz	1.3%			
Test voltage between terminals	The 100% screening factory test i voltage level is selected to meet t equipment standards. All electric after the test. It is not permitted t risk to damage the capacitor. KEN any failures.	he requirements in applicable al characteristics are checked o repeat this test as there is a			
luculation vaciateuro	Between terminals:				
Insulation resistance	≥ 12,000 MΩ				
In DC applications	Recommended voltage ≤ 1,000 VDC				
Resonance frequency	Tabulated self-resonance freque length	encies (f ₀), refer to 5 mm lead			

Environmental Test Data

Test	IEC Publication	Procedure
Vibration	IEC 60068-2-6 Test Fc	3 directions at 2 hours each 10 – 500 Hz at 0.75 mm or 98 m/seconds ²
Bump	IEC 60068-2-29 Test Eb	4,000 bumps at 390 m/seconds ²
Change of temperature	IEC 60068-2-14 Test Na	Upper and lower rated temperature 5 cycles
Active flammability	IEC 60384-14	V _R + 20 surge pulses at 4.0 kV (pulse every 5 seconds)
Passive flammability	IEC 60384-14	IEC 60384-1, IEC 60695-11-5 Needle-flame test
Damp heat steady state	IEC 60068-2-78 Test Cab	+40°C and 93% RH, 56 days



Approvals

Certification Body	Mark	Specification	File Number	
Intertek Semko AB		EN/IEC 60384-14	SE/0140-35A	
UL	c Al us	UL 60384-14 CAN/CSA-E60384-14-09	E73869	

Environmental Compliance

All KEMET EMI capacitors are RoHS Compliant.

Table 1 - Ratings & Part Number Reference

Capacitance	Maximu	m Dimensior	ns in mm	Lead Spacing	f	dV/dt	KEMET
Value (µF)	В	Н	L	(p)	(MHz)	(V/µs)	Part Number
0.001	3.9	7.5	13.5	10.2	53	2,000	P278HE102M480(1)
0.0015	3.9	7.5	13.5	10.2	44	2,000	P278HE152M480(1)
0.0022	3.9	7.5	13.5	10.2	37	2,000	P278HE222M480(1)
0.0033	4.1	8.2	13.5	10.2	30	2,000	P278HH332M480(1)
0.0047	5.1	10.5	13.5	10.2	24	2,000	P278HL472M480(1)
0.0068	5.2	10.5	18.5	15.2	18.5	1,400	P278QE682M480(1)
0.010	5.2	10.5	18.5	15.2	15.5	1,400	P278QE103M480(1)
0.015	5.5	11.1	18.5	15.2	13	1,400	P278QJ153M480(1)
0.022	8.5	14.3	18.5	15.2	9.6	1,400	P278QS223M480(1)
0.033	7.6	14.0	24.0	20.3	9.6	1,000	P278CE333M480(1)
0.047	9.0	15.0	24.0	20.3	7.5	1,000	P278CJ473M480(1)
0.068	11.3	16.5	24.0	20.3	6.2	1,000	P278CP683M480(1)
0.033	8.0	17.0	27.0	22.5	7.2	1,000	P278SJ333M480(1)
0.047	8.0	17.0	27.0	22.5	6	1,000	P278SJ473M480(1)
0.068	10.0	19.0	27.0	22.5	4.8	1,000	P278SP683M480(1)
0.1	12.0	22.0	27.0	22.5	3.6	600	P278SU104M480(1)
0.1	12.1	19.0	30.5	25.4	3.9	600	P278EJ104M480(1)
0.15	15.3	22.0	30.5	25.4	3.2	600	P278EL154M480(1)
Capacitance Value (µF)	B (mm)	H (mm)	L (mm)	Lead Spacing (p)	f° (MHz)	dV/dt (V/μs)	KEMET Part Number

⁽¹⁾ Insert ordering code for lead type and packaging. See Ordering Options Table for available options.



Soldering Process


The implementation of the RoHS directive has resulted in the selection of SnAuCu (SAC) alloys or SnCu alloys as primary solder. This has increased the liquidus temperature from 183°C for SnPb eutectic alloy to 217 – 221°C for the new alloys. As a result, the heat stress to the components, even in wave soldering, has increased considerably due to higher pre-heat and wave temperatures. Polypropylene capacitors are especially sensitive to heat (the melting point of polypropylene is 160 – 170°C). Wave soldering can be destructive, especially for mechanically small polypropylene capacitors (with lead spacing of 5 mm to 15 mm). Great care has to be taken during soldering. The recommended solder profiles from KEMET should be used. Please consult KEMET with any questions. In general, the wave soldering curve from IEC Publication 61760-1 Edition 2, serves as a solid guideline for a successful soldering. Please see Figure 1.

Reflow soldering is not recommended for through-hole film capacitors. Exposing capacitors to a soldering profile in excess of the above the recommended limits may result in degradation or permanent damage to the capacitors.

Do not place the polypropylene capacitor through an adhesive curing oven to cure resin for surface mount components. Insert through-hole parts after the curing of surface mount parts. Consult KEMET to discuss the actual temperature profile in the oven if through-hole components must pass through the adhesive curing process. A maximum two soldering cycles are recommended. Please allow time for the capacitor surface temperature to return to a normal before the second soldering cycle.


Manual Soldering Recommendations

Following is the recommendation for manual soldering with a soldering iron.



The soldering iron tip temperature should be set at 350°C (+10°C maximum) with the soldering duration not to exceed more than 3 seconds.

Wave Soldering Recommendations





Soldering Process cont'd

Wave Soldering Recommendations cont'd


1. The table indicates the maximum set-up temperature of the soldering process Figure 1

Dielectric film	Maximun	nperature		eak Soldering erature	
material	Capacitor Pitch ≤ 10 mm	Capacitor Capacit Pitch = 15 mm Pitch > 15		Capacitor Pitch ≤ 15 mm	Capacitor Pitch > 15 mm
Polyester	130°C	130°C	130°C	270°C	270°C
Polypropylene	100°C	110°C	130°C	260°C	270°C
Paper	130°C	130°C	140°C	270°C	270°C
Polyphenylene sulphide	150°C	150°C	160°C	270°C	270°C

2. The maximum temperature measured inside the capacitor:

Set the temperature so that the maximum temperature inside the element is below the limit:

Dielectric Film Material	Maximum temperature measured inside the element
Polyester	160°C
Polypropylene	110°C
Paper	160°C
Polyphenylene sulphide	160°C



Temperature monitored inside the capacitor.


Selective Soldering Recommendations

Selective dip soldering is a variation of reflow soldering. In this method, the printed circuit board with through-hole components to be soldered is preheated and transported over the solder bath as in normal flow soldering, without touching the solder. When the board is over the bath, it is stopped and pre-designed solder pots are lifted from the bath with molten solder only at the places of the selected components, and pressed against the lower surface of the board to solder the components.


The temperature profile for selective soldering is similar to the double wave flow soldering outlined in this document. **However, instead of two baths, there is only one with a time from 3 to 10 seconds.** In selective soldering, the risk of overheating is greater than in double wave flow soldering. Great care must be taken so that the parts are not overheated.



Construction




Winding Scheme





Marking





Packaging Quantities


Lead Spacing (mm)	Thickness (mm)	Height (mm)	Length (mm)	Bulk Short Leads	Bulk Long Leads	Standard Reel 360 mm	Large Reel 500 mm	Ammo Formed
	3.9	7.5	13.5	2,000	1,000	700	1,400	800
10.2	4.1	8.2	13.5	2,000	1,000	600		780
	5.1	10.5	13.5	1,600	800	600	1,200	630
	5.5	12.5	18.0	1,000	500	600	<u> </u>	
				·				
	6.5	12.5	18.0	600	400	400		
	7.5	14.5	18.0	600	400	400		
	8.5	16.0	18.0	400	250	400		
15.2	5.2	10.5	18.5	1000	500	600		
10.2	5.5	11.1	18.5	1,000	500	500		
	6.0	12.5	18.5	600	400	400		
	7.3	13.0	18.5	600	400	400	800	
	7.8	13.5	18.5	600	400	400		
	8.5	14.3	18.5	500	300	350		
		110	212					
	7.6	14.0	24.0	1,500	250	250	500	
20.3	8.4	14.0	24.0	1,200	200	250	500	
20.0	9.0	15.0	24.0	1,500	200	250		
	11.3	16.5	24.0	1,000	150	180	400	
	8.0	17.0	27.0	1,200	200			
22.5	10.0	19.0	27.0	1,000	150	200		
22.0	12.0	22.0	27.0	800	100	180	350	
	10.6	16.1	30.5	1,000	150			
25.4	10.5	17.3	30.5	1,000	100			
23.4	12.1	19.0	30.5	800	100			
	15.3	22.0	30.5	600	75			




Lead Taping & Packaging (IEC 60286-2)

Lead Spacing 10.2 - 15.2 mm

Lead Spacing 20.3 - 22.5 mm



Formed Leads from 10.2 to 7.5 mm



Taping Specification

	Dimensions in mm									
Lead spacing	+6/-0.1	F	Formed 7.5	10.2	15.2	20.3	22.5	F		
Carrier tape width	+/-0.5	W	18	18	18	18	18	18+1/-0.5		
Hold-down tape width	+/-0.3	W _o	9	12	12	12	12			
Position of sprocket hole	+/-0.5	W ₁	9	9	9	9	9	9+0.75/-0.5		
Distance between tapes	Maximum	W ₂	3	3	3	3	3	3		
Sprocket hole diameter	+/-0.2	D ₀	4	4	4	4	4	4		
Feed hole lead spacing	+/-0.3	P ₀ ⁽¹⁾	12.7(4)	12.7	12.7	12.7	12.7	12.7		
Distance lead – feed hole	+/-0.7	P ₁	3.75	7.6	5.1	8.9	5.3	P ¹		
Deviation tape – plane	Maximum	Δр	1.3	1.3	1.3	1.3	1.3	1.3		
Lateral deviation	Maximum	Δh	2	2	2	2	2	2		
Total thickness	+/-0.2	t	0.7	0.7	0.7	0.7	0.9 ^{MAX}	0.9 ^{MAX}		
Sprocket hole/cap body	Nominal	H ₀ ⁽²⁾	18+2/-0	18+2/-0	18+2/-0	18+2/-0	18.5+/-0.5	18+2/-0		
Sprocket hole/top of cap body	Maximum	H ₁ ⁽³⁾	35	35	35	35	58	58 ^{MAX}		

⁽¹⁾ Maximum cumulative feed hole error, 1 mm per 20 parts.

^{(2) 16.5} mm available on request.

⁽³⁾ Depending on case size.

^{(4) 15} mm available on request.




Lead Taping & Packaging (IEC 60286-2) cont'd


Ammo Specifications


Carias	Dimensions (mm)				
Series	H W T				
P278	330	330	50		

Reel Specifications

Series	Dimensions (mm)		
	D	Н	W
P278	360 500	30	46 (Max)







Manufacturing Date Code (IEC-60062)

Y = Year, Z = Month				
Year	Code	Month	Code	
2000	M	January	1	
2001	N	February	2	
2002	Р	March	3	
2003	R	April	4	
2004	S	May	5	
2005	Т	June	6	
2006	U	July	7	
2007	V	August	8	
2008	W	September	9	
2009	X	October	0	
2010	Α	November	N	
2011	В	December	D	
2012	С			
2013	D			
2014	E			
2015	F			
2016	Н			
2017	J			
2018	K			
2019	L			
2020	М			



KEMET Electronics Corporation Sales Offices

For a complete list of our global sales offices, please visit www.kemet.com/sales.

Disclaimer

All product specifications, statements, information and data (collectively, the "Information") in this datasheet are subject to change. The customer is responsible for checking and verifying the extent to which the Information contained in this publication is applicable to an order at the time the order is placed.

All Information given herein is believed to be accurate and reliable, but it is presented without guarantee, warranty, or responsibility of any kind, expressed or implied.

Statements of suitability for certain applications are based on KEMET Electronics Corporation's ("KEMET") knowledge of typical operating conditions for such applications, but are not intended to constitute – and KEMET specifically disclaims – any warranty concerning suitability for a specific customer application or use. The Information is intended for use only by customers who have the requisite experience and capability to determine the correct products for their application. Any technical advice inferred from this Information or otherwise provided by KEMET with reference to the use of KEMET's products is given gratis, and KEMET assumes no obligation or liability for the advice given or results obtained.

Although KEMET designs and manufactures its products to the most stringent quality and safety standards, given the current state of the art, isolated component failures may still occur. Accordingly, customer applications which require a high degree of reliability or safety should employ suitable designs or other safeguards (such as installation of protective circuitry or redundancies) in order to ensure that the failure of an electrical component does not result in a risk of personal injury or property damage.

Although all product-related warnings, cautions and notes must be observed, the customer should not assume that all safety measures are indicted or that other measures may not be required.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Film Capacitors category:

Click to view products by Kemet manufacturer:

Other Similar products are found below:

F339X134748MIP2T0 F450KG153J250ALH0J 750-1018 FKP1-1500160010P15 FKP1R031007D00JYSD FKP1R031507E00JYSD FKP1U024707E00KYSD 82DC4100CK60J 82EC1100DQ50K PFR5101J100J11L16.5TA18 PME261JB5220KR19T0 A451GK223M040A A561ED221M450A QXJ2E474KTPT QXL2B333KTPT R49AN347000A1K EEC2G505HQA406 B25668A6676A375 B25673A4282E140 BFC233868148 BFC2370GC222 C3B2AD44400B20K C4ASWBU3220A3EK CB027C0473J-- CB177I0184J-- CB182K0184J-- 23PW210 950CQW5H-F SBDC3470AA10J SCD105K122A3-22 2N3155 A571EH331M450A FKP1-2202KV5P15 FKS3-680040010P10 QXL2E473KTPT 445450-1 B25669A3996J375 46KI322000M1M 46KR415050M1K 4BSNBX4100ZBFJ MKP383510063JKP2T0 MKPY2-.02230020P15 MKT 1813-368-015 4055292001 46KN410000N1K EEC2E106HQA405 EEC2G205HQA402 EEC2G805HQA415 P409CP224M250AH470 82EC2150DQ50K