P409 Series, Integrated Resistor, Metallized Impregnated Paper, Class X2, 275 VAC



Overview

The P409 Series is constructed of multilayer metallized paper encapsulated and impregnated in self-extinguishing material meeting the requirements of UL 94 V-0.

Applications

Typical applications include worldwide use in contact protection, contact interference suppression and transient suppression.

Benefits

· Approvals: ENEC, UL, cUL

Rated voltage: 275 VAC 50/60 Hz
Capacitance range: 0.047 - 0.47 µF
Capacitance tolerance: ±20%

Resistance range: 22 - 470 Ω
Resistance tolerance: ±30%
Lead spacing: 15.2 - 25.4 mm

Climatic category: 40/085/56/B, IEC 60068-1

• Tape and reel packaging in accordance with IEC 60286-2

· RoHS Compliant and lead-free terminations

• Operating temperature range of -40°C to +85°C

• Excellent self-healing properties which ensure long life even when subjected to frequent over voltages

Good resistance to ionization due to impregnated paper dielectric

· High dV/dt capability

 Impregnated paper ensures excellent stability and reliability properties, particularly in applications with continuous operation



Part Number System

| Р | 409 | Q | M | 473 | M | 275 | Α | H470 |
|------------------------|------------|----------------------------------|---------------------------|--|--------------------------|------------------------|-------------------------------|--|
| Capacitor Class | Series | Lead Spacing (mm) | Size Code | Capacitance Code (pF) | Capacitance Tolerance | Rated Voltage (VAC) | Packaging | Resistance (Ω) |
| P= Metallized Paper | RC Snubber | Q = 15.2 C = 20.3 E = 25.4 | See Dimension Table | First two digits represent significant figures. Third digit specifies number of zeros. | M = ±20% | 275 = 275 | See Ordering Options Table | H plus first two digits represent significant figures. Third digit specifies number of zeros. |


One world. One KEMET



Ordering Options Table

| Lead Spacing Nominal (mm) | Type of Leads and Packaging | Lead Length (mm) | Part Number (Insert at 14th character) |
|------------------------------------|-------------------------------------|-----------------------------|--|
| | Standard Lead and Packaging Options | | |
| | Bulk – Short Leads | 6+0/-1 | С |
| 15.0 | Bulk – Maximum Length Leads | 30+5/-0 | Α |
| 15.2 | Tape & Reel (Standard Reel) | $H_0 = 18.5 + / -0.5$ | L |
| | Other Lead and Packaging Options | | |
| | Tape & Reel (Large Reel) | H ₀ = 18.5+/-0.5 | Р |
| | | | |
| | Standard Lead and Packaging Options | | |
| | Tray – Short Leads | 6+0/-1 | С |
| 20.3 | Bulk – Maximum Length Leads | 30+5/-0 | Α |
| 20.3 | Tape & Reel (Standard Reel) | H ₀ = 18.5+/-0.5 | L |
| | Other Lead and Packaging Options | | |
| | Tape & Reel (Large Reel) | H ₀ = 18.5+/-0.5 | Р |
| | | | |
| | Standard Lead and Packaging Options | | |
| 25.4 | Bulk – Short Leads | 6+0/-1 | С |
| | Bulk – Maximum Length Leads | 30+5/-0 | A |

Dimensions - Millimeters



| Size Code | p | | | В | | Н | | L | | d | |
|-----------|--|-----------|---------|-----------|---------|-----------|---------|-----------|---------|-----------|--|
| | Nominal | Tolerance | Nominal | Tolerance | Nominal | Tolerance | Nominal | Tolerance | Nominal | Tolerance | |
| QM | 15.2 | +/-0.4 | 7.3 | Maximum | 13.0 | Maximum | 18.5 | Maximum | 0.8 | +/-0.05 | |
| CE | 20.3 | +/-0.4 | 7.6 | Maximum | 14.0 | Maximum | 24.0 | Maximum | 0.8 | +/-0.05 | |
| CP | 20.3 | +/-0.4 | 11.3 | Maximum | 16.5 | Maximum | 24.0 | Maximum | 0.8 | +/-0.05 | |
| EJ | 25.4 | +/-0.4 | 12.1 | Maximum | 19.0 | Maximum | 30.5 | Maximum | 1.0 | +/-0.05 | |
| EL | 25.4 | +/-0.4 | 15.3 | Maximum | 22.0 | Maximum | 30.5 | Maximum | 1.0 | +/-0.05 | |
| | Note: See Ordering Options Table for lead length (LL) options. | | | | | | | | | | |



Performance Characteristics

| i | | | | |
|---|---|--|--|--|
| 275 VAC 50/60 Hz | | | | |
| 0.047 - 0.47 μF | | | | |
| ±20% | | | | |
| 22 - 470 Ω | | | | |
| ±30% | | | | |
| -40°C to +85°C | | | | |
| 40/085/56/B | | | | |
| ENEC, UL, cUL | | | | |
| 1,000 V | | | | |
| The series resistance is defined 100 kHz for RC < 50 µs | at 1 kHz for RC ≥ 50 µs and at | | | |
| Minimum Values E | Between Terminals | | | |
| C ≤ 0.33 µF | ≥ 3,000 MΩ | | | |
| C > 0.33 μF | ≥ 1,000 MΩ • µF | | | |
| Maximum 12 A repetitive. Maximum 20 A peak for occasional transients | | | | |
| The 100% screening factory test is carried out at 1,800 VDC. The voltage level is selected to meet the requirements in applicable equipment standards. All electrical characteristics are checked | | | | |
| Recommended voltage ≤ 630 VD | C | | | |
| The average losses may reach 0 temperature does not exceed + power dissipation vs. temperatu | 85°C. For maximum permitted | | | |
| power dissipation vs. temperature, see Derating Curves. Maximum Allowable Power Dissipation vs. Ambient Temperature and Case Sizes. O.5 Pmax W 1 2 3 4 Tamb O40 50 60 70 80 85 IC Curve Dimension B (mm) 7.3 2 7.6 3 11.3 4 15.3 | | | | |
| | 0.047 − 0.47 μF ±20% 22 − 470 Ω ±30% −40°C to +85°C 40/085/56/B ENEC, UL, cUL 1,000 V The series resistance is defined 100 kHz for RC < 50 μs Minimum Values E C ≤ 0.33 μF C > 0.33 μF Maximum 12 A repetitive. Maxim transients. The 100% screening factory test voltage level is selected to meet equipment standards. All electriafter the test. Recommended voltage ≤ 630 VD The average losses may reach 0 temperature does not exceed + 6 power dissipation vs. temperature Maximum Allowable Power Diss Temperature and Case Sizes. O.5 P _{max} W 1 2 O 40 50 60 Curve | | | |



Environmental Test Data

| Test | IEC Publication | Procedure |
|------------------------|-------------------------|---|
| Endurance | IEC 60384-14 | $1.25~x~V_{_{\rm R}}$ Vac 50Hz, once every hour increase to 1,000 Vac for 0.1 second, 1,000 hours at upper rated temperature. |
| Vibration | IEC 60068-2-6 Test Fc | 3 directions at 2 hours each, 10 – 500 Hz at 0.75 mm or 98 m/s 2 |
| Bump | IEC 60068-2-29 Test Eb | 4,000 bumps at 390 m/s ² |
| Change of Temperature | IEC 60068-2-14 Test Na | Upper and lower temperature 5 cycles |
| Active Flammability | IEC 60384-14 | V _R + 20 surge pulses at 2.5 kV (pulse every 5 seconds) |
| Passive Flammability | IEC 60384-14 | IEC 60384-1, IEC 60695-11-5 Needle-flame test |
| Damp Heat Steady State | IEC 60068-2-78 Test Cab | +40°C and 93% RH, 56 days |

Approvals

| Certification Body | Mark | Specification | File Number |
|--------------------|----------------|-------------------------------------|-------------|
| Intertek Semko AB | | EN/IEC 60384-14 | SE/0140-33A |
| UL | c Al us | UL 60384-14 CAN/CSA-E60384-14-09 | E73869 |

Environmental Compliance

All KEMET EMI capacitors are RoHS Compliant.



Table 1 – Ratings & Part Number Reference

| Lead Capacitance Pasi | | Decistance (0) | Maximu | KEMET | | |
|-----------------------|---------------------------|----------------|--------|--------|--------|----------------------|
| Spacing (p) | Value (µF) | Resistance (Ω) | В | Н | L | Part Number |
| 15.2 | 0.047 | 47 | 7.3 | 13.0 | 18.5 | P409QM473M275(1)H470 |
| 15.2 | 0.047 | 100 | 7.3 | 13.0 | 18.5 | P409QM473M275(1)H101 |
| 20.3 | 0.1 | 22 | 7.6 | 14.0 | 24.0 | P409CE104M275(1)H220 |
| 20.3 | 0.1 | 33 | 7.6 | 14.0 | 24.0 | P409CE104M275(1)H330 |
| 20.3 | 0.1 | 47 | 7.6 | 14.0 | 24.0 | P409CE104M275(1)H470 |
| 20.3 | 0.1 | 68 | 7.6 | 14.0 | 24.0 | P409CE104M275(1)H680 |
| 20.3 | 0.1 | 100 | 7.6 | 14.0 | 24.0 | P409CE104M275(1)H101 |
| 20.3 | 0.1 | 150 | 11.3 | 16.5 | 24.0 | P409CP104M275(1)H151 |
| 20.3 | 0.1 | 220 | 11.3 | 16.5 | 24.0 | P409CP104M275(1)H221 |
| 20.3 | 0.1 | 330 | 11.3 | 16.5 | 24.0 | P409CP104M275(1)H331 |
| 20.3 | 0.1 | 470 | 11.3 | 16.5 | 24.0 | P409CP104M275(1)H471 |
| 20.3 | 0.22 | 22 | 11.3 | 16.5 | 24.0 | P409CP224M275(1)H220 |
| 20.3 | 0.22 | 33 | 11.3 | 16.5 | 24.0 | P409CP224M275(1)H330 |
| 20.3 | 0.22 | 47 | 11.3 | 16.5 | 24.0 | P409CP224M275(1)H470 |
| 20.3 | 0.22 | 68 | 11.3 | 16.5 | 24.0 | P409CP224M275(1)H680 |
| 20.3 | 0.22 | 100 | 11.3 | 16.5 | 24.0 | P409CP224M275(1)H101 |
| 20.3 | 0.22 | 150 | 11.3 | 16.5 | 24.0 | P409CP224M275(1)H151 |
| 20.3 | 0.22 | 220 | 11.3 | 16.5 | 24.0 | P409CP224M275(1)H221 |
| 25.4 | 0.22 | 330 | 12.1 | 19.0 | 30.5 | P409EJ224M275(1)H331 |
| 25.4 | 0.22 | 470 | 15.3 | 22.0 | 30.5 | P409EL224M275(1)H471 |
| 25.4 | 0.47 | 33 | 15.3 | 22.0 | 30.5 | P409EL474M275(1)H330 |
| 25.4 | 0.47 | 47 | 15.3 | 22.0 | 30.5 | P409EL474M275(1)H470 |
| 25.4 | 0.47 | 68 | 15.3 | 22.0 | 30.5 | P409EL474M275(1)H680 |
| 25.4 | 0.47 | 100 | 15.3 | 22.0 | 30.5 | P409EL474M275(1)H101 |
| 25.4 | 0.47 | 150 | 15.3 | 22.0 | 30.5 | P409EL474M275(1)H151 |
| 25.4 | 0.47 | 220 | 15.3 | 22.0 | 30.5 | P409EL474M275(1)H221 |
| Lead Spacing (p) | Capacitance Value (µF) | Resistance Ω | B (mm) | H (mm) | L (mm) | KEMET Part Number |

⁽¹⁾ Insert lead and packaging code. See Ordering Options Table for available options.



Soldering Process


The implementation of the RoHS directive has resulted in the selection of SnAgCu (SAC) alloys or SnCu alloys as primary solder. This has increased the liquidus temperature from that of 183°C for SnPb eutectic alloy to 217 – 221°C for the new alloys. As a result, the heat stress to the components, even in wave soldering, has increased considerably due to higher pre-heat and wave temperatures. Polypropylene capacitors are especially sensitive to heat (the melting point of polypropylene is 160 – 170°C). Wave soldering can be destructive, especially for mechanically small polypropylene capacitors (with lead spacing of 5 mm to 15 mm), and great care has to be taken during soldering. The recommended solder profiles from KEMET should be used. Please consult KEMET with any questions. In general, the wave soldering curve from IEC Publication 61760–1 Edition 2 serves as a solid quideline for successful soldering. Please see Figure 1.

Reflow soldering is not recommended for through-hole film capacitors. Exposing capacitors to a soldering profile in excess of the above the recommended limits may result to degradation or permanent damage to the capacitors.

Do not place the polypropylene capacitor through an adhesive curing oven to cure resin for surface mount components. Insert through-hole parts after the curing of surface mount parts. Consult KEMET to discuss the actual temperature profile in the oven, if through-hole components must pass through the adhesive curing process. A maximum two soldering cycles is recommended. Please allow time for the capacitor surface temperature to return to a normal temperature before the second soldering cycle.


Manual Soldering Recommendations

Following is the recommendation for manual soldering with a soldering iron.



The soldering iron tip temperature should be set at 350°C (+10°C maximum) with the soldering duration not to exceed more than 3 seconds.

Wave Soldering Recommendations





Soldering Process cont'd

Wave Soldering Recommendations cont'd


1. The table indicates the maximum set-up temperature of the soldering process Figure 1

| Dielectric | _ | imum Pre emperatu | Maximum Peak Soldering Temperature | | |
|---------------------------|-------------------------------|-------------------------------|--|-------------------------------|-------------------------------|
| Film Material | Capacitor Pitch ≤ 10 mm | Capacitor Pitch = 15 mm | Capacitor Pitch > 15 mm | Capacitor Pitch ≤ 15 mm | Capacitor Pitch > 15 mm |
| Polyester | 130°C | 130°C | 130°C | 270°C | 270°C |
| Polypropylene | 100°C | 110°C | 130°C | 260°C | 270°C |
| Paper | 130°C | 130°C | 140°C | 270°C | 270°C |
| Polyphenylene Sulphide | 150°C | 150°C | 160°C | 270°C | 270°C |

2. The maximum temperature measured inside the capacitor:

Set the temperature so that inside the element the maximum temperature is below the limit:

| Dielectric Film Material | Maximum temperature measured inside the element |
|--------------------------|---|
| Polyester | 160°C |
| Polypropylene | 110°C |
| Paper | 160°C |
| Polyphenylene Sulphide | 160°C |



Temperature monitored inside the capacitor.


Selective Soldering Recommendations

Selective dip soldering is a variation of reflow soldering. In this method, the printed circuit board with through-hole components to be soldered is preheated and transported over the solder bath as in normal flow soldering without touching the solder. When the board is over the bath, it is stopped and pre-designed solder pots are lifted from the bath with molten solder only at the places of the selected components, and pressed against the lower surface of the board to solder the components.


The temperature profile for selective soldering is similar to the double wave flow soldering outlined in this document, however, instead of two baths, there is only one bath with a time from 3 to 10 seconds. In selective soldering, the risk of overheating is greater than in double wave flow soldering, and great care must be taken so that the parts are not overheated.



Construction





Winding Scheme



Mounting


RC units are mounted in parallel with the contacts to be protected or in parallel with the inductive load (Fig. 1 and Fig. 2). RC units are generally mounted in parallel with the contacts to suppress radio interferences (Fig. 1).







Marking



Packaging Quantities


| Lead Spacing (mm) | Thickness (mm) | Height (mm) | Length (mm) | Bulk Short Leads | Bulk Long Leads | Standard Reel ø 360 mm |
|-------------------------|-------------------|----------------|----------------|------------------------|-----------------------|------------------------------|
| 15.2 | 7.3 | 13.0 | 18.5 | 500 | 100 | 600 |
| | | | | | | |
| 20.3 | 7.6 | 14.0 | 24.0 | 250 | 1,500 | 250 |
| 20.3 | 11.3 | 16.5 | 24.0 | 150 | 1,000 | 180 |
| | | | | | | |
| 25.4 | 12.1 | 19.0 | 30.5 | 100 | 800 | |
| 25.4 | 15.3 | 22.0 | 30.5 | 75 | 600 | |




Lead Taping & Packaging (IEC 60286-2)

Lead Spacing 10.2 - 15.2 mm

Lead Spacing 20.3 - 22.5 mm



Formed Leads from 10.2 to 7.5 mm



Taping Specification

| | Dimensions in mm | | | | | | | | |
|-------------------------------|------------------|-------------------------------|---------------|---------|---------|---------|--------------------|--------------------|--|
| Lead spacing | +6/-0.1 | F | Formed 7.5 | 10.2 | 15.2 | 20.3 | 22.5 | F | |
| Carrier tape width | +/-0.5 | W | 18 | 18 | 18 | 18 | 18 | 18+1/-0.5 | |
| Hold-down tape width | +/-0.3 | W_{0} | 9 | 12 | 12 | 12 | 12 | | |
| Position of sprocket hole | +/-0.5 | W ₁ | 9 | 9 | 9 | 9 | 9 | 9+0.75/-0.5 | |
| Distance between tapes | Maximum | W ₂ | 3 | 3 | 3 | 3 | 3 | 3 | |
| Sprocket hole diameter | +/-0.2 | D ₀ | 4 | 4 | 4 | 4 | 4 | 4 | |
| Feed hole lead spacing | +/-0.3 | P ₀ ⁽¹⁾ | 12.7(4) | 12.7 | 12.7 | 12.7 | 12.7 | 12.7 | |
| Distance lead – feed hole | +/-0.7 | P ₁ | 3.75 | 7.6 | 5.1 | 8.9 | 5.3 | P ¹ | |
| Deviation tape – plane | Maximum | Δр | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | |
| Lateral deviation | Maximum | Δh | 2 | 2 | 2 | 2 | 2 | 2 | |
| Total thickness | +/-0.2 | t | 0.7 | 0.7 | 0.7 | 0.7 | 0.9 ^{MAX} | 0.9 ^{MAX} | |
| Sprocket hole/cap body | Nominal | H ₀ ⁽²⁾ | 18+2/-0 | 18+2/-0 | 18+2/-0 | 18+2/-0 | 18.5+/-0.5 | 18+2/-0 | |
| Sprocket hole/top of cap body | Maximum | H ₁ ⁽³⁾ | 35 | 35 | 35 | 35 | 58 | 58 ^{MAX} | |

⁽¹⁾ Maximum cumulative feed hole error, 1 mm per 20 parts.

^{(2) 16.5} mm available on request.

⁽³⁾ Depending on case size.

^{(4) 15} mm available on request.




Lead Taping & Packaging (IEC 60286-2) cont'd


Ammo Specifications


| Cowing | Dimensions (mm) | | | | | |
|--------|-----------------|-----|----|--|--|--|
| Series | Н | W | Т | | | |
| P409 | 330 | 330 | 50 | | | |

Reel Specifications

| Series | Dimensions (mm) | | |
|--------|-----------------|----|----------|
| | D | Н | W |
| P409 | 360 500 | 30 | 46 (Max) |







Manufacturing Date Code (IEC-60062)

| Y = Year, Z = Month | | | | | |
|---------------------|------|-----------|------|--|--|
| Year | Code | Month | Code | | |
| 2000 | M | January | 1 | | |
| 2001 | N | February | 2 | | |
| 2002 | Р | March | 3 | | |
| 2003 | R | April | 4 | | |
| 2004 | S | May | 5 | | |
| 2005 | Т | June | 6 | | |
| 2006 | U | July | 7 | | |
| 2007 | V | August | 8 | | |
| 2008 | W | September | 9 | | |
| 2009 | X | October | 0 | | |
| 2010 | Α | November | N | | |
| 2011 | В | December | D | | |
| 2012 | С | | | | |
| 2013 | D | | | | |
| 2014 | E | | | | |
| 2015 | F | | | | |
| 2016 | Н | | | | |
| 2017 | J | | | | |
| 2018 | K | | | | |
| 2019 | L | | | | |
| 2020 | М | | | | |



KEMET Electronics Corporation Sales Offices

For a complete list of our global sales offices, please visit www.kemet.com/sales.

Disclaimer

All product specifications, statements, information and data (collectively, the "Information") in this datasheet are subject to change. The customer is responsible for checking and verifying the extent to which the Information contained in this publication is applicable to an order at the time the order is placed.

All Information given herein is believed to be accurate and reliable, but it is presented without guarantee, warranty, or responsibility of any kind, expressed or implied.

Statements of suitability for certain applications are based on KEMET Electronics Corporation's ("KEMET") knowledge of typical operating conditions for such applications, but are not intended to constitute – and KEMET specifically disclaims – any warranty concerning suitability for a specific customer application or use. The Information is intended for use only by customers who have the requisite experience and capability to determine the correct products for their application. Any technical advice inferred from this Information or otherwise provided by KEMET with reference to the use of KEMET's products is given gratis, and KEMET assumes no obligation or liability for the advice given or results obtained.

Although KEMET designs and manufactures its products to the most stringent quality and safety standards, given the current state of the art, isolated component failures may still occur. Accordingly, customer applications which require a high degree of reliability or safety should employ suitable designs or other safeguards (such as installation of protective circuitry or redundancies) in order to ensure that the failure of an electrical component does not result in a risk of personal injury or property damage.

Although all product-related warnings, cautions and notes must be observed, the customer should not assume that all safety measures are indicted or that other measures may not be required.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Film Capacitors category:

Click to view products by kemet manufacturer:

Other Similar products are found below:

F339X134748MIP2T0 F450KG153J250ALH0J 750-1018 FKP1-1500160010P15 FKP1R031007D00JYSD FKP1R031507E00JYSD FKP1U024707E00KYSD 82DC4100CK60J 82EC1100DQ50K PFR5101J100J11L16.5TA18 PME261JB5220KR19T0 A451GK223M040A A561ED221M450A QXJ2E474KTPT QXL2B333KTPT R49AN347000A1K EEC2G505HQA406 B25668A6676A375 B25673A4282E140 BFC233868148 BFC2370GC222 C3B2AD44400B20K C4ASWBU3220A3EK CB027C0473J-- CB177I0184J-- CB182K0184J-- 23PW210 950CQW5H-F SBDC3470AA10J SCD105K122A3-22 2N3155 A571EH331M450A FKP1-2202KV5P15 FKS3-680040010P10 QXL2E473KTPT 445450-1 B25669A3996J375 46KI322000M1M 46KR415050M1K 4BSNBX4100ZBFJ MKP383510063JKP2T0 MKPY2-.02230020P15 MKT 1813-368-015 4055292001 46KN410000N1K EEC2E106HQA405 EEC2G205HQA402 EEC2G805HQA415 P409CP224M250AH470 82EC2150DQ50K