

# **Film Capacitors**

Metallized Polyester Film Capacitors (MKT)

Series/Type: B32560 ... B32564

Date: May 2009

© EPCOS AG 2015. Reproduction, publication and dissemination of this publication, enclosures hereto and the information contained therein without EPCOS' prior express consent is prohibited.

EPCOS AG is a TDK Group Company.

### General purpose (stacked) SilverCap™

#### **Typical applications**

- SMPS, converter
- Flectronic ballasts
- Compact fluorescent lamps (CFL)
- Ignition

#### Climatic

- Max. operating temperature: 125 °C
- Climatic category (IEC 60068-1): 55/125/56

#### **Features**

- Special dimensions available on request
- High pulse strength
- Small dimensions

#### Construction

- Dielectric: polyethylene terephthalate (polyester, PET)
- Stacked-film technology
- Uncoated

#### **Terminals**

- Parallel wire leads, lead-free tinned
- Special lead lengths available on request

## Marking

Rated capacitance (coded), rated DC voltage

#### **Delivery mode**

Bulk (untaped)

Taped (Ammo pack or reel) for lead spacing ≤15.0 mm.


For notes on taping, refer to chapter "Taping and packing".

## Notes on mounting

When mounting these capacitors, take into account creepage distances and clearances to adjacent live parts. The insulating strength of the cut surfaces to other live parts of the circuit is 1.5 times the capacitors rated DC voltage, but is always at least 300 V DC.

Capacitors with 7.5 mm lead spacing are only suitable for use with single-clad printed circuit boards.

### **Dimensional drawing**



Dimensions in mm

Lead spacing	Lead diameter	Туре
<i>e</i> ±0.4	d <sub>1</sub>	
7.5	0.5	B32560
10.0	0.5	B32561
15.0	0.6	B32562J
	0.8	B32562H
22.5	0.8	B32563
27.5	0.8	B32564





## General purpose (stacked) SilverCap™

## Overview of available types

Lead spacing	Lead spacing 7.5 mm					10.0 mm					15.0 mm				
Туре	B325	560					B32561					B32562			
Page	5						7				9				
V <sub>R</sub> (V DC)	63	100	250	400	630	1000	63	100	250	400	630	100	250	400	630
V <sub>RMS</sub> (V AC)	40	63	160	200	400	500	40	63	160	200	350	63	160	200	350
C <sub>R</sub> (μF)															
0.0010															
0.0015															
0.0022															
0.0033															
0.0047															
0.0068															
0.010															
0.015															
0.022															
0.033															
0.047															
0.068															
0.10															
0.15															
0.22															
0.33															
0.47															
0.68															
1.0															
1.5															
2.2															
3.3															
4.7															
6.8															
10															






## General purpose (stacked) SilverCap™

## Overview of available types

Lead spacing 22.5 mm				27.5 mm				
Туре	B32563			B32564				
Page	10	0						
V <sub>R</sub> (V DC)	100	250	400	100	250	400	420	
V <sub>RMS</sub> (V AC)	63	160	200	63	160	200	200	
C <sub>R</sub> (μF)								
1.0								
1.5								
2.2								
3.3								
4.7								
6.8								
10								
15								
22								
33								







### Ordering codes and packing units (lead spacing 7.5 mm)

$V_R$	$V_{RMS}$	C <sub>R</sub>	Max. dimensions	Ordering code	Ammo	Reel	Untaped
	f≤60 Hz		$w \times h \times l$	(composition see	pack	pcs./	pcs./
V DC	V AC	μF	mm	below)	pcs./MOQ	MOQ	MOQ
63	40	1.0	$4.0 \times 6.8 \times 9.0$	B32560J0105+***	8800	7200	4000
		1.5	$5.1 \times 7.6 \times 9.0$	B32560J0155+***	6800	5600	2000
		2.2	$6.5 \times 8.2 \times 9.0$	B32560J0225+***	6000	4800	2000
		3.3	$8.5 \times 9.1 \times 9.0$	B32560J0335+000	_	_	1400
		4.7	$9.8\times11.0\times9.0$	B32560J0475+000	_	_	1000
100	63	0.22	$2.5 \times 5.1 \times 9.0$	B32560J1224+***	12400	10000	7600
		0.33	$2.7 \times 5.7 \times 9.0$	B32560J1334+***	12000	9600	6000
		0.47	$3.4 \times 6.1 \times 9.0$	B32560J1474+***	9600	8000	4800
		0.68	$4.2 \times 6.5 \times 9.0$	B32560J1684+***	8000	6400	3600
		1.0	$5.5 \times 7.0 \times 9.0$	B32560J1105+***	6000	4800	2000
		1.5	$6.7 \times 8.2 \times 9.0$	B32560J1155+***	5000	4000	1600
		2.2	$8.5 \times 9.2 \times 9.0$	B32560J1225+000	_	_	1200
		3.3	$9.5 \times 11.0 \times 9.0$	B32560J1335+000	_	_	800
250	160	0.047	$2.5 \times 5.2 \times 9.0$	B32560J3473+***	13000	10400	7600
		0.068	$2.6 \times 5.7 \times 9.0$	B32560J3683+***	12400	10000	6800
		0.10	$3.2 \times 6.1 \times 9.0$	B32560J3104+***	12400	8000	4800
		0.15	$3.9 \times 7.0 \times 9.0$	B32560J3154+***	8200	6800	3600
		0.22	$4.9 \times 7.5 \times 9.0$	B32560J3224+***	6800	5200	2600
		0.33	$6.4 \times 8.2 \times 9.0$	B32560J3334+***	5200	4400	1800
		0.47	$7.4 \times 9.8 \times 9.0$	B32560J3474+000	_	_	1200
		0.68	$9.5 \times 11.0 \times 9.0$	B32560J3684+000	_	_	800

MOQ = Minimum Order Quantity, consisting of 4 packing units.

Further E series and intermediate capacitance values on request.

Special dimensions available on request.

For corresponding design rules, refer to chapter "General technical information", page .

### Composition of ordering code

+ = Capacitance tolerance code: \*\*\* = Packaging code:

 $M = \pm 20\%$  289 = Ammo pack  $K = \pm 10\%$  189 = Reel

 $J = \pm 5\%$  000 = Untaped (lead length 5 -1 mm)





### General purpose (stacked) SilverCap™

### Ordering codes and packing units (lead spacing 7.5 mm)

$V_R$	$V_{RMS}$	C <sub>R</sub>	Max.	dimensions	Ordering code	Ammo	Reel	Untaped
	f ≤60 Hz		$w \times h$	×I	(composition see	pack	pcs./	pcs./
V DC	V AC	μF	mm		below)	pcs./MOQ	MOQ	MOQ
400	200	0.0010	2.5×	5.5 × 9.0	B32560J6102+***	14000	11200	9200
		0.0015	2.5 ×	$5.5 \times 9.0$	B32560J6152+***	13000	10400	7200
		0.0022	2.5×	$5.5 \times 9.0$	B32560J6222+***	13400	10800	7200
		0.0033	2.5×	$5.5 \times 9.0$	B32560J6332+***	12400	10000	6800
		0.0047	2.5 ×	$5.5 \times 9.0$	B32560J6472+***	13600	10800	7600
		0.0068	2.5 ×	$5.5 \times 9.0$	B32560J6682+***	14000	11200	7600
		0.010	2.5 ×	$5.5 \times 9.0$	B32560J6103+***	12800	10400	7200
		0.015	2.5 ×	$5.5 \times 9.0$	B32560J6153+***	13000	10400	7200
		0.022	2.5 ×	$5.5 \times 9.0$	B32560J6223+***	12400	10000	6800
		0.033	2.6 ×	$6.0 \times 9.0$	B32560J6333+***	12400	10000	6400
		0.047	3.2 ×	$6.5 \times 9.0$	B32560J6473+***	10400	8400	4800
		0.068	3.8 ×	$7.3 \times 9.0$	B32560J6683+***	8600	7200	3600
		0.10	4.9 ×	$7.7 \times 9.0$	B32560J6104+***	6800	5600	2000
		0.15	6.5 ×	$8.2 \times 9.0$	B32560J6154+***	5400	4000	1800
		0.22	7.7 ×	$9.8 \times 9.0$	B32560J6224+000	_	_	1200
630	400	0.0010	2.5 ×	$5.5 \times 9.0$	B32560J8102+***	14800	12000	9200
		0.0015	2.5 ×	$5.5 \times 9.0$	B32560J8152+***	13000	2600	7200
		0.0022	2.5 ×	$5.5 \times 9.0$	B32560J8222+***	13400	10800	7200
		0.0033	2.5 ×	$5.5 \times 9.0$	B32560J8332+***	14000	11200	7600
		0.0047	2.5 ×	$5.5 \times 9.0$	B32560J8472+***	13600	10800	7200
		0.0068	3.2 ×	$6.5 \times 9.0$	B32560J8682+***	15000	9200	5200
		0.010	3.8 ×	$7.5 \times 9.0$	B32560J8103+***	9000	9200	4000
		0.015	4.6 ×	$8.3 \times 9.0$	B32560J8153+000	_	_	2400
		0.022	5.7 ×	$8.6 \times 9.0$	B32560J8223+000	_	_	1600
1000	500	0.0022	2.5×	$6.0 \times 9.0$	B32560J9222+***	13000	10400	6800
		0.0033	3.3×	$6.5 \times 9.0$	B32560J9332+***	10000	8000	4800
		0.0047	3.6 ×	$7.4 \times 9.0$	B32560J9472+***	9000	7600	3600

MOQ = Minimum Order Quantity, consisting of 4 packing units.

Further E series and intermediate capacitance values on request.

Special dimensions available on request.

For corresponding design rules, refer to chapter "General technical information", page.


#### Composition of ordering code

+ = Capacitance tolerance code: \*\*\* = Packaging code:

M =  $\pm 20\%$   $\mbox{K} = \pm 10\%$   $\mbox{289} = \mbox{ Ammo pack}$   $\mbox{189} = \mbox{ Reel}$ 

 $J = \pm 5\%$  000 = Untaped (lead length 5 -1 mm)







### Ordering codes and packing units (lead spacing 10 mm)

$V_R$	$V_{RMS}$	C <sub>R</sub>	Max. dimensions	Ordering code	Ammo	Reel	Untaped
	f ≤60 Hz		$w \times h \times I$	(composition see	pack	pcs./	pcs./
V DC	V AC	μF	mm	below)	pcs./MOQ	MOQ	MOQ
63	40	1.0	3.5 × 6.2 × 11.0	B32561J0105+***	4960	7600	4000
		1.5	$4.3 \times 6.9 \times 11.0$	B32561J0155+***	4200	6000	2800
		2.2	5.1 × 7.9 × 11.0	B32561J0225+***	3400	5000	2000
		3.3	$6.4 \times 9.1 \times 11.0$	B32561J0335+000	_	_	1200
		4.7	$7.3 \times 11.0 \times 11.0$	B32561J0475+000	_	_	800
		6.8	$8.8 \times 12.7 \times 11.0$	B32561J0685+000	_	_	600
100	63	0.68	$3.6 \times 6.3 \times 11.5$	B32561J1684+***	5040	8000	4000
		1.0	$4.5 \times 6.9 \times 11.5$	B32561J1105+***	4200	6000	2000
		1.5	$5.6 \times 7.8 \times 11.5$	B32561J1155+***	3240	4800	2000
		2.2	$6.9 \times 9.0 \times 11.5$	B32561J1225+000	_	_	1400
		3.3	$7.8\times10.5\times11.5$	B32561J1335+000	_	_	800
250	160	0.10	2.8 × 5.3 × 11.5	B32561J3104+***	6160	9200	5200
		0.15	$3.3 \times 6.0 \times 11.5$	B32561J3154+***	5040	8000	4000
		0.22	$4.2 \times 6.6 \times 11.5$	B32561J3224+***	4160	6000	2800
		0.33	$5.2 \times 7.5 \times 11.5$	B32561J3334+***	3360	5200	2000
		0.47	$6.3 \times 8.5 \times 11.5$	B32561J3474+***	2720	4400	1400
		0.68	$7.5 \times 9.7 \times 11.5$	B32561J3684+000	_	_	800
		1.0	$9.5\times11.0\times11.5$	B32561J3105+000	_	_	600
400	200	0.033	$2.5 \times 5.1 \times 11.5$	B32561J6333+***	6480	9200	6000
		0.047	$2.6 \times 6.0 \times 11.5$	B32561J6473+***	6240	9200	5200
		0.068	$3.2 \times 6.6 \times 11.5$	B32561J6683+***	5560	8400	4000
		0.10	$4.0 \times 6.9 \times 11.5$	B32561J6104+***	4360	6800	2800
		0.15	5.2 × 7.7 × 11.5	B32561J6154+***	3400	5200	2000
		0.22	$6.6 \times 8.5 \times 11.5$	B32561J6224+***	2720	4000	1400
		0.33	$8.0 \times 9.5 \times 11.5$	B32561J6334+000	_	_	800
		0.47	$9.8\times11.0\times11.5$	B32561J6474+000	_	-	600

MOQ = Minimum Order Quantity, consisting of 4 packing units.

Further E series and intermediate capacitance values on request.

Special dimensions available on request.

For corresponding design rules, refer to chapter "General technical information", page .

#### Composition of ordering code

+ = Capacitance tolerance code: \*\*\* = Packaging code:

M = ±20% 289 = Ammo pack

 $K = \pm 10\%$  189 = Reel

 $J = \pm 5\%$  000 = Untaped (lead length 5 -1 mm)





## General purpose (stacked) SilverCap™

### Ordering codes and packing units (lead spacing 10 mm)

$V_R$	$V_{RMS}$	C <sub>R</sub>	Max. dimensions	Ordering code	Ammo	Reel	Untaped
	f ≤60 Hz		$w \times h \times l$	(composition see	pack	pcs./	pcs./
V DC	V AC	μF	mm	below)	pcs./MOQ	MOQ	MOQ
630	350	0.015	2.8 × 6.3 × 11.0	B32561J8153+***	6320	9200	4800
		0.022	$3.4 \times 6.9 \times 11.0$	B32561J8223+***	5200	8000	3600
		0.033	$4.2 \times 7.6 \times 11.0$	B32561J8333+***	4080	6400	2400
		0.047	5.3 × 8.0 × 11.0	B32561J8473+***	3360	5000	1800
		0.068	$6.3 \times 9.0 \times 11.0$	B32561J8683+000	_	_	1400
		0.10	$7.3 \times 11.4 \times 11.0$	B32561J8104+000	_	_	800
		0.15	$8.8 \times 13.3 \times 11.0$	B32561J8154+000	_	_	600

MOQ = Minimum Order Quantity, consisting of 4 packing units.

Further E series and intermediate capacitance values on request.

Special dimensions available on request.

For corresponding design rules, refer to chapter "General technical information", page .

#### Composition of ordering code

+ = Capacitance tolerance code:

 $M = \pm 20\%$ 

K = +10%

 $J = \pm 5\%$ 


\*\*\* = Packaging code:

289 = Ammo pack

189 = Reel

000 = Untaped (lead length 5 - 1 mm)







### Ordering codes and packing units (lead spacing 15 mm)

$V_R$	$V_{RMS}$	C <sub>R</sub>	Max. dimensions	Ordering code	Ammo	Reel	Untaped
	f ≤60 Hz		$w \times h \times I$	(composition see	pack	pcs./	pcs./
V DC	V AC	μF	mm	below)	pcs./MOQ	MOQ	MOQ
100	63	2.2	4.9 × 8.0 × 16.5	B32562J1225+***	4760	5200	3200
		3.3	$6.0 \times 9.3 \times 16.5$	B32562J1335+***	3840	4000	2000
		4.7	$7.3\times10.6\times16.5$	B32562H1475+***	3160	3600	1600
		6.8	$9.0\times11.8\times16.5$	B32562H1685+***	2560	2800	1160
		10	$11.8\times13.0\times16.5$	B32562H1106+000	_	_	800
250	160	0.47	$5.0 \times 6.7 \times 16.5$	B32562J3474+***	4760	5200	3800
		0.68	$6.0 \times 7.8 \times 16.5$	B32562J3684+***	3840	4000	2000
		1.0	$7.0 \times 9.3 \times 16.5$	B32562J3105+***	3320	3600	2000
		1.5	$8.7 \times 11.0 \times 16.5$	B32562H3155+***	2640	2800	1200
		2.2	$10.7 \times 12.8 \times 16.5$	B32562H3225+000	_	-	800
		3.3	$13.9\times14.5\times16.5$	B32562H3335+000	_	_	600
400	200	0.22	$4.7 \times 7.5 \times 16.5$	B32562J6224+***	4960	5200	3400
		0.33	$6.0 \times 8.3 \times 16.5$	B32562J6334+***	3840	4000	2000
		0.47	$7.3 \times 9.3 \times 16.5$	B32562J6474+***	3160	3600	1800
		0.68	$8.9 \times 10.8 \times 16.5$	B32562H6684+***	2560	2800	1200
		1.0	$10.9 \times 12.5 \times 16.5$	B32562H6105+000	_	_	800
		1.5	$13.7\times15.2\times16.5$	B32562H6155+000	_	_	400
630	350	0.22	$9.2 \times 12.2 \times 16.5$	B32562H8224+000	_	-	1400
		0.33	$11.2 \times 14.2 \times 16.5$	B32562H8334+000	_	_	1000
		0.47	$13.5\times16.3\times16.5$	B32562H8474+000	_	_	720

MOQ = Minimum Order Quantity, consisting of 4 packing units.

Further E series and intermediate capacitance values on request.

Special dimensions available on request.

For corresponding design rules, refer to chapter "General technical information", page.

#### Composition of ordering code

+ = Capacitance tolerance code:

 $M = \pm 20\%$ 

 $K = \pm 10\%$ 

 $J = \pm 5\%$ 

\*\*\* = Packaging code:

289 = Ammo pack

189 = Reel

000 = Untaped (lead length 5 - 1 mm)





## General purpose (stacked) SilverCap™

## Ordering codes and packing units (lead spacing 22.5 mm)

$V_R$	$V_{RMS}$	C <sub>R</sub>	Max. dimensions	Ordering code	Untaped
	f ≤60 Hz		$w \times h \times l$	(composition see	
V DC	V AC	μF	mm	below)	pcs./MOQ
100	63	6.8	$7.0\times10.5\times24.0$	B32563J1685+000	3680
		10	$8.6 \times 12.2 \times 24.0$	B32563J1106+000	3840
		15	$10.9 \times 14.0 \times 24.0$	B32563J1156+000	2480
		22	$12.8\times17.2\times24.0$	B32563J1226+000	1440
250	160	2.2	$8.3 \times 11.2 \times 24.0$	B32563J3225+000	2960
		3.3	$10.1 \times 13.5 \times 24.0$	B32563J3335+000	2800
		4.7	$12.2 \times 15.5 \times 24.0$	B32563J3475+000	1560
400	200	1.0	$8.3 \times 11.2 \times 24.0$	B32563J6105+000	3400
		1.5	$10.3 \times 13.2 \times 24.0$	B32563J6155+000	2640
		2.2	$12.6 \times 15.5 \times 24.0$	B32563J6225+000	1440

MOQ = Minimum Order Quantity, consisting of 4 packing units.

Further E series and intermediate capacitance values on request.

Special dimensions available on request.

For corresponding design rules, refer to chapter "General technical information", page .

#### Composition of ordering code

+ = Capacitance tolerance code:

 $M = \pm 20\%$ 


 $K = \pm 10\%$ 

J = ±5%

### Packaging code:

000 = Untaped (lead length 5 - 1 mm)







### Ordering codes and packing units (lead spacing 27.5 mm)

$\overline{V_R}$	$V_{RMS}$	C <sub>R</sub>	Max. dimensions	Ordering code	Untaped
	f ≤60 Hz		$w \times h \times l$	(composition see	,
V DC	V AC	μF	mm	below)	pcs./MOQ
100	63	10	$7.6 \times 11.0 \times 29.0$	B32564J1106+000	2720
		15	$9.1 \times 13.5 \times 29.0$	B32564J1156+000	1720
		22	$11.0 \times 16.0 \times 29.0$	B32564J1226+000	1280
		33	$13.0 \times 19.8 \times 29.0$	B32564J1336+000	1440
250	160	3.3	$7.9 \times 14.0 \times 29.0$	B32564J3335+000	3000
		4.7	$9.6 \times 15.8 \times 29.0$	B32564J3475+000	1600
		6.8	$11.9 \times 18.0 \times 29.0$	B32564J3685+000	1200
		10	$13.8 \times 22.5 \times 29.0$	B32564J3106+000	1120
400	200	1.5	$7.8 \times 14.2 \times 29.0$	B32564J6155+000	3000
		2.2	$9.6 \times 16.4 \times 29.0$	B32564J6225+000	1600
		3.3	$12.2 \times 18.8 \times 29.0$	B32564J6335+000	1320
		4.7	$14.2 \times 22.8 \times 29.0$	B32564J6475+000	1040
420	200	4.7	$16.0 \times 20.0 \times 29.0$	B32564T6475K000	1160
		6.8	$16.0 \times 20.0 \times 29.0$	B32564T6685K000	1160

MOQ = Minimum Order Quantity, consisting of 4 packing units.

Further E series and intermediate capacitance values on request.

Special dimensions available on request.

For corresponding design rules, refer to chapter "General technical information", page .

The technical data given on the next pages do not apply to 420 V series. Please contact your nearest EPCOS representative if you need further information.

#### Composition of ordering code

+ = Capacitance tolerance code:

 $M = \pm 20\%$ 

K = ±10%

 $J = \pm 5\%$ 

#### Packaging code:

000 = Untaped (lead length 5 - 1 mm)





## General purpose (stacked) SilverCap™

#### **Technical data**

Operating temperature range	Max. operati	ng temperature	T <sub>op,max</sub>	125 °C	
	Upper categ	ory temperatur	e T <sub>max</sub>	+125 °C	
	Lower categ	ory temperatur	e T <sub>min</sub>	−55 °C	
	Rated tempe	erature T <sub>R</sub>		+85 °C	
Dissipation factor tan δ (in 10 <sup>-3</sup> )	at	C <sub>R</sub> ≤ 0.1 μF	0.1 μF < 0	C <sub>R</sub> ≤1 μF	C <sub>R</sub> > 1 μF
at 20 °C	1 kHz	8	8	•	10
(upper limit values)	10 kHz	15	15		_
	100 kHz	30	_		_
Insulation resistance R <sub>ins</sub>	$V_R$	C <sub>R</sub> ≤ 0.33 μF		$C_R > 0.33$	μF
or time constant $\tau = C_R \cdot R_{ins}$	≤ 100 V DC	3750 MΩ		1250 s	
at 20 °C, rel. humidity ≤ 65%	≥ 250 V DC	7500 MΩ		2500 s	
(minimum as-delivered values)		•		•	
DC test voltage	1.4 · V <sub>R</sub> , 2 s				
Category voltage V <sub>C</sub>	T <sub>A</sub> (°C)	DC voltage de	erating	AC voltag	e derating
(continuous operation with $\ensuremath{V_{\text{DC}}}$	$T_A \le 85$	$V_C = V_R$		$V_{C,RMS} = V$	RMS
or V <sub>AC</sub> at f ≤ 60 Hz)	85 <t<sub>A≤125</t<sub>	$V_C = V_R \cdot (165)$	$5-T_A)/80$	V <sub>C,RMS</sub> =V <sub>RI</sub>	$_{MS} \cdot (165 - T_{A})/80$
Operating voltage V <sub>op</sub> for	T <sub>A</sub> (°C)	DC voltage (m	nax. hours)	AC voltag	e (max. hours)
short operating periods	$T_{\text{A}} \leq 100$	$V_{op} = 1.25 \cdot V_{op}$	c (2000 h)	$V_{op} = 1.0$	V <sub>C,RMS</sub> (2000 h)
$(V_{DC} \text{ or } V_{AC} \text{ at } f \leq 60 \text{ Hz})$	100 <t<sub>A≤125</t<sub>	$V_{op} = 1.25 \cdot V_{op}$	<sub>c</sub> (1000 h)	$V_{op} = 1.0 - 1.0$	V <sub>C,RMS</sub> (1000 h)
Damp heat test	56 days1)/40	°C/93% relativ	e humidity		
Limit values after damp	Capacitance	change  ∆C/C	;	≤ 5%	
heat test	Dissipation fa	actor change $\Delta$	$\delta$ tan $\delta$	$\leq 3 \cdot 10^{-3}$	(at 1 kHz)
				$\leq 5 \cdot 10^{-3}$	(at 10 kHz)
	Insulation re	sistance R <sub>ins</sub>		$\geq 50\%$ of	minimum
	or time cons	$tant \tau = C_R \cdot R_i$	ns	as-deliver	ed values
Reliability:					
Failure rate $\lambda$	1 fit (≤ 1 · 10	) <sup>-9</sup> /h) at 0.5 · V	′ <sub>R</sub> , 40 °C		
Service life t <sub>SL</sub>		1.0 · V <sub>R</sub> , 85 °C			
					temperatures,
	refer to chap	ter "Quality, 2	Reliability".		
Failure criteria:					
Total failure		or open circuit			
Failure due to variation	-	change  ∆C/C	;	> 10%	
of parameters	Dissipation fa				er limit value
	Insulation re	0			$2 (C_R \le 0.33 \mu F)$
	or time cons	$tant \tau = C_R \cdot R_i$	ns	< 50 s	$(C_R > 0.33 \mu F)$

<sup>1)</sup> Test criteria must be met after exposure to damp heat for 21 days



## General purpose (stacked) SilverCap™



### Pulse handling capability

"dV/dt" represents the maximum permissible voltage change per unit of time for non-sinusoidal voltages, expressed in  $V/\mu s$ .

" $k_0$ " represents the maximum permissible pulse characteristic of the waveform applied to the capacitor, expressed in  $V^2/\mu s$ .

#### Note:

The values of dV/dt and  $k_0$  provided below must not be exceeded in order to avoid damaging the capacitor.

#### dV/dt values

Lead sp	pacing	7.5 mm	10 mm	15 mm	22.5 mm	27.5 mm					
$V_R$	$V_{RMS}$										
V DC	V AC	dV/dt in V/μs	//dt in V/μs								
63	40	120	60	-	-	-					
100	63	150	75	50	50	25					
250	160	200	150	100	100	50					
400	200	275	175	125	125	60					
420	200	_	-	-	-	60					
630	350	_	320	150	-	-					
630	400	320	-	-	-	-					
1000	500	360	_	-	_	-					

#### ko values

Lead spacing		7.5 mm	10 mm	15 mm	22.5 mm	27.5 mm
$V_R$	$V_{RMS}$					
V DC	V AC	$k_0$ in $V^2/\mu s$				
63	40	15 000	7500	_	_	-
100	63	30 000	15 000	10 000	10 000	5 000
250	160	100 000	75 000	50 000	50 000	25 000
400	200	220 000	140 000	100 000	100 000	50 000
420	200	_	_	_	_	50 000
630	350	_	400 000	190 000	_	-
630	400	400 000	_	_	_	_
1000	500	720 000	_	_	_	_






## General purpose (stacked) SilverCap™

## Impedance Z versus frequency f

(typical values)





### General purpose (stacked) SilverCap™




## Permissible AC voltage V<sub>RMS</sub> versus frequency f (for sinusoidal waveforms, T<sub>A</sub> ≤55 °C)


For T<sub>A</sub> >55 °C, please refer to "General technical information", section 3.2.3.

### Lead spacing 7.5 mm


63 V DC/40 V AC




#### 100 V DC/63 V AC



#### 250 V DC/160 V AC



#### 400 V DC/200 V AC








## General purpose (stacked) SilverCap™

## Permissible AC voltage $V_{RMS}$ versus frequency f (for sinusoidal waveforms, $T_A \le 55$ °C)


For T<sub>A</sub> >55 °C, please refer to "General technical information", section 3.2.3.

### Lead spacing 7.5 mm

630 V DC/400 V AC



#### 1000 V DC/500 V AC





### General purpose (stacked) SilverCap™




## Permissible AC voltage V<sub>RMS</sub> versus frequency f (for sinusoidal waveforms, T<sub>A</sub> ≤55 °C)


For T<sub>A</sub> >55 °C, please refer to "General technical information", section 3.2.3.

## Lead spacing 10 mm


63 V DC/40 V AC




#### 100 V DC/63 V AC



250 V DC/160 V AC



400 V DC/200 V AC








## General purpose (stacked) SilverCap™

## Permissible AC voltage $V_{RMS}$ versus frequency f (for sinusoidal waveforms, $T_A \le 55$ °C)


For T<sub>A</sub> >55 °C, please refer to "General technical information", section 3.2.3.

## Lead spacing 10 mm

630 V DC/350 V AC










## Permissible AC voltage V<sub>RMS</sub> versus frequency f (for sinusoidal waveforms, T<sub>A</sub> ≤55 °C)


For T<sub>A</sub> >55 °C, please refer to "General technical information", section 3.2.3.

### Lead spacing 15 mm


100 V DC/63 V AC




#### 250 V DC/160 V AC



400 V DC/200 V AC



#### 630 V DC/350 V AC








## General purpose (stacked) SilverCap™

## Permissible AC voltage $V_{RMS}$ versus frequency f (for sinusoidal waveforms, $T_A \le 55$ °C)


For T<sub>A</sub> >55 °C, please refer to "General technical information", section 3.2.3.

### Lead spacing 22.5 mm


100 V DC/63 V AC



#### 250 V DC/160 V AC



#### 400 V DC/200 V AC





### General purpose (stacked) SilverCap™




## Permissible AC voltage V<sub>RMS</sub> versus frequency f (for sinusoidal waveforms, T<sub>A</sub> ≤55 °C)


For T<sub>A</sub> >55 °C, please refer to "General technical information", section 3.2.3.

## Lead spacing 27.5 mm


100 V DC/63 V AC




#### 250 V DC/160 V AC



400 V DC/200 V AC



420 V DC/200 V AC







### General purpose (stacked) SilverCap™

### Mounting guidelines

#### 1 Soldering

#### 1.1 Solderability of leads

The solderability of terminal leads is tested to IEC 60068-2-20, test Ta, method 1.

Before a solderability test is carried out, terminals are subjected to accelerated ageing (to IEC 60068-2-2, test Ba: 4 h exposure to dry heat at 155 °C). Since the ageing temperature is far higher than the upper category temperature of the capacitors, the terminal wires should be cut off from the capacitor before the ageing procedure to prevent the solderability being impaired by the products of any capacitor decomposition that might occur.

Solder bath temperature	235 ±5 °C
Soldering time	2.0 ±0.5 s
Immersion depth	2.0 +0/-0.5 mm from capacitor body or seating plane
Evaluation criteria:	
Visual inspection	Wetting of wire surface by new solder ≥90%, free-flowing solder

### 1.2 Resistance to soldering heat


Resistance to soldering heat is tested to IEC 60068-2-20, test Tb, method 1A. Conditions:

Series		Solder bath temperature	Soldering time	
MKT	boxed (except $2.5 \times 6.5 \times 7.2$ mm)	260 ±5 °C	10 ±1 s	
	coated			
	uncoated (lead spacing > 10 mm)			
MFP				
MKP	(lead spacing > 7.5 mm)			
MKT	boxed (case $2.5 \times 6.5 \times 7.2$ mm)		5 ±1 s	
MKP	(lead spacing ≤ 7.5 mm)		< 4 s	
MKT	uncoated (lead spacing ≤ 10 mm)		recommended soldering	
	insulated (B32559)		profile for MKT uncoated	
			(lead spacing ≤ 10 mm) and	
			insulated (B32559)	









Immersion depth	2.0 +0/-0.5 mm from capacitor body or seating plane	
Shield	Heat-absorbing board, (1.5 $\pm$ 0.5) mm thick, between capacitor body and liquid solder	
Evaluation criteria:		
Visual inspection	No visible damage	
$\Delta C/C_0$	2% for MKT/MKP/MFP 5% for EMI suppression capacitors	
$tan \ \delta$	As specified in sectional specification	





### General purpose (stacked) SilverCap™

#### 1.3 General notes on soldering

Permissible heat exposure loads on film capacitors are primarily characterized by the upper category temperature  $T_{\text{max}}$ . Long exposure to temperatures above this type-related temperature limit can lead to changes in the plastic dielectric and thus change irreversibly a capacitor's electrical characteristics. For short exposures (as in practical soldering processes) the heat load (and thus the possible effects on a capacitor) will also depend on other factors like:

- Pre-heating temperature and time
- Forced cooling immediately after soldering
- Terminal characteristics: diameter, length, thermal resistance, special configurations (e.g. crimping)
- Height of capacitor above solder bath
- Shadowing by neighboring components
- Additional heating due to heat dissipation by neighboring components
- Use of solder-resist coatings

The overheating associated with some of these factors can usually be reduced by suitable countermeasures. For example, if a pre-heating step cannot be avoided, an additional or reinforced cooling process may possibly have to be included.

EPCOS recommends the following conditions:


- Pre-heating with a maximum temperature of 110 °C
- Temperature inside the capacitor should not exceed the following limits:
  - MKP/MFP 110 °C
  - MKT 160 °C
- When SMD components are used together with leaded ones, the leaded film capacitors should not pass into the SMD adhesive curing oven. The leaded components should be assembled after the SMD curing step.
- Leaded film capacitors are not suitable for reflow soldering.

#### **Uncoated capacitors**

For uncoated MKT capacitors with lead spacings ≤10 mm (B32560/B32561) the following measures are recommended:

- pre-heating to not more than 110 °C in the preheater phase
- rapid cooling after soldering







#### 2 Cleaning

To determine whether the following solvents, often used to remove flux residues and other substances, are suitable for the capacitors described, refer to the table below:

Туре	Ethanol, isopropanol, n-propanol	n-propanol-water mixtures, water with surface tension-reducing tensides (neutral)	Solvent from table A (see next page)	Solvent from table B (see next page)
MKT (uncoated)	Suitable	Unsuitable	In part suitable	Unsuitable
MKT, MKP, MFP (coated/boxed)		Suitable	Suitable	

Even when suitable solvents are used, a reversible change of the electrical characteristics may occur in uncoated capacitors immediately after they are washed. Thus it is always recommended to dry the components (e.g. 4 h at 70 °C) before they are subjected to subsequent electrical testing.

**Table A**Manufacturers' designations for trifluoro-trichloro-ethane-based cleaning solvents (selection)

Trifluoro-trichloro-	Mixtures of trifluoro-trichloro-ethane with ethanol and	Manufacturer
ethane	isopropanol	
Freon TF	Freon TE 35; Freon TP 35; Freon TES	Du Pont
Frigen 113 TR	Frigen 113 TR-E; Frigen 113 TR-P; Frigen TR-E 35	Hoechst
Arklone P	Arklone A; Arklone L; Arklone K	ICI
Kaltron 113 MDR	Kaltron 113 MDA; Kaltron 113 MDI; Kaltron 113 MDI 35	Kali-Chemie
Flugene 113	Flugene 113 E; Flugene 113 IPA	Rhone-Progil

### Table B (worldwide banned substances)

Manufacturers' designations for unsuitable cleaning solvents (selection)

Mixtures of chlorinated hydrocarbons and ketones with fluorated hydrocarbons	Manufacturer
Freon TMC; Freon TA; Freon TC	Du Pont
Arklone E	ICI
Kaltron 113 MDD; Kaltron 113 MDK	Kali-Chemie
Flugene 113 CM	Rhone-Progil





General purpose (stacked) SilverCap™

### 3 Embedding of capacitors in finished assemblies


In many applications, finished circuit assemblies are embedded in plastic resins. In this case, both chemical and thermal influences of the embedding ("potting") and curing processes must be taken into account.

Our experience has shown that the following potting materials can be recommended: non-flexible epoxy resins with acid-anhydride hardeners; chemically inert, non-conducting fillers; maximum curing temperature of  $100\,^{\circ}$ C.

#### Caution:

Consult us first if you wish to embed uncoated types!







### Cautions and warnings

- Do not exceed the upper category temperature (UCT).
- Do not apply any mechanical stress to the capacitor terminals.
- Avoid any compressive, tensile or flexural stress.
- Do not move the capacitor after it has been soldered to the PC board.
- Do not pick up the PC board by the soldered capacitor.
- Do not place the capacitor on a PC board whose PTH hole spacing differs from the specified lead spacing.
- Do not exceed the specified time or temperature limits during soldering.
- Avoid external energy inputs, such as fire or electricity.
- Avoid overload of the capacitors.

The table below summarizes the safety instructions that must always be observed. A detailed description can be found in the relevant sections of the chapters "General technical information" and "Mounting guidelines".

Topic	Safety information	Reference chapter "General technical information"
Storage conditions	Make sure that capacitors are stored within the specified range of time, temperature and humidity conditions.	4.5 "Storage conditions"
Flammability	Avoid external energy, such as fire or electricity (passive flammability), avoid overload of the capacitors (active flammability) and consider the flammability of materials.	5.3 "Flammability"
Resistance to vibration	Do not exceed the tested ability to withstand vibration. The capacitors are tested to IEC 60068-2-6. EPCOS offers film capacitors specially designed for operation under more severe vibration regimes such as those found in automotive applications. Consult our catalog "Film Capacitors for Automotive Electronics".	5.2 "Resistance to vibration"






## General purpose (stacked) SilverCap™

Topic	Safety information	Reference chapter "Mounting guidelines"
Soldering	Do not exceed the specified time or temperature limits during soldering.	1 "Soldering"
Cleaning	Use only suitable solvents for cleaning capacitors.	2 "Cleaning"
Embedding of capacitors in finished assemblies	When embedding finished circuit assemblies in plastic resins, chemical and thermal influences must be taken into account.  Caution: Consult us first, if you also wish to embed other uncoated component types!	3 "Embedding of capacitors in finished assemblies"







## Symbols and terms

Symbol	English	German
α	Heat transfer coefficient	Wärmeübergangszahl
$lpha_{ extsf{C}}$	Temperature coefficient of capacitance	Temperaturkoeffizient der Kapazität
Α	Capacitor surface area	Kondensatoroberfläche
$\beta_{C}$	Humidity coefficient of capacitance	Feuchtekoeffizient der Kapazität
С	Capacitance	Kapazität
$C_R$	Rated capacitance	Nennkapazität
$\Delta C$	Absolute capacitance change	Absolute Kapazitätsänderung
ΔC/C	Relative capacitance change (relative	Relative Kapazitätsänderung (relative
	deviation of actual value)	Abweichung vom Ist-Wert)
$\Delta C/C_R$	Capacitance tolerance (relative deviation	
	from rated capacitance)	vom Nennwert)
dt	Time differential	Differentielle Zeit
Δt	Time interval	Zeitintervall
ΔΤ	Absolute temperature change (self-heating)	Absolute Temperaturänderung (Selbsterwärmung)
Δtan δ	Absolute change of dissipation factor	Absolute Änderung des Verlustfaktors
ΔV	Absolute voltage change	Absolute Spannungsänderung
dV/dt	Time differential of voltage function (rate	Differentielle Spannungsänderung
	of voltage rise)	(Spannungsflankensteilheit)
$\Delta V/\Delta t$	Voltage change per time interval	Spannungsänderung pro Zeitintervall
E	Activation energy for diffusion	Aktivierungsenergie zur Diffusion
ESL	Self-inductance	Eigeninduktivität
ESR	Equivalent series resistance	Ersatz-Serienwiderstand
f	Frequency	Frequenz
f <sub>1</sub>	Frequency limit for reducing permissible	Grenzfrequenz für thermisch bedingte
	AC voltage due to thermal limits	Reduzierung der zulässigen
		Wechselspannung
$f_2$	Frequency limit for reducing permissible	Grenzfrequenz für strombedingte
	AC voltage due to current limit	Reduzierung der zulässigen
	December two successive	Wechselspannung
f <sub>r</sub>	Resonant frequency Thermal acceleration factor for diffusion	Resonanzfrequenz
$F_{D}$	Thermal acceleration factor for diffusion	Therm. Beschleunigungsfaktor zur Diffusion
$F_T$	Derating factor	Deratingfaktor
i	Current (peak)	Stromspitze
I <sub>C</sub>	Category current (max. continuous current)	Kategoriestrom (max. Dauerstrom)





## General purpose (stacked) SilverCap™

Symbol	English	German
I <sub>RMS</sub>	(Sinusoidal) alternating current,	(Sinusförmiger) Wechselstrom
	root-mean-square value	
$i_z$	Capacitance drift	Inkonstanz der Kapazität
$k_0$	Pulse characteristic	Impulskennwert
$L_{S}$	Series inductance	Serieninduktivität
λ	Failure rate	Ausfallrate
$\lambda_0$	Constant failure rate during useful	Konstante Ausfallrate in der
	service life	Nutzungsphase
$\lambda_{\text{test}}$	Failure rate, determined by tests	Experimentell ermittelte Ausfallrate
$P_{diss}$	Dissipated power	Abgegebene Verlustleistung
$P_{gen}$	Generated power	Erzeugte Verlustleistung
Q	Heat energy	Wärmeenergie
ρ	Density of water vapor in air	Dichte von Wasserdampf in Luft
R	Universal molar constant for gases	Allg. Molarkonstante für Gas
R	Ohmic resistance of discharge circuit	Ohmscher Widerstand des
		Entladekreises
$R_{i}$	Internal resistance	Innenwiderstand
$R_{\text{ins}}$	Insulation resistance	Isolationswiderstand
$R_P$	Parallel resistance	Parallelwiderstand
$R_s$	Series resistance	Serienwiderstand
S	severity (humidity test)	Schärfegrad (Feuchtetest)
t	Time	Zeit
Т	Temperature	Temperatur
τ	Time constant	Zeitkonstante
$tan \ \delta$	Dissipation factor	Verlustfaktor
$tan \; \delta_{\scriptscriptstyle D}$	Dielectric component of dissipation factor	Dielektrischer Anteil des Verlustfaktors
$tan \; \delta_{\scriptscriptstyle P}$	Parallel component of dissipation factor	Parallelanteil des Verlfustfaktors
$tan \; \delta_s$	Series component of dissipation factor	Serienanteil des Verlustfaktors
$T_A$	Ambient temperature	Umgebungstemperatur
$T_{max}$	Upper category temperature	Obere Kategorietemperatur
$T_{min}$	Lower category temperature	Untere Kategorietemperatur
$t_{OL}$	Operating life at operating temperature	Betriebszeit bei Betriebstemperatur und
	and voltage	-spannung
$T_{op}$	Operating temperature	Beriebstemperatur
$T_R$	Rated temperature	Nenntemperatur
$T_{ref}$	Reference temperature	Referenztemperatur
$t_{\text{SL}}$	Reference service life	Referenz-Lebensdauer
$V_{AC}$	AC voltage	Wechselspannung





## General purpose (stacked) SilverCap™

Symbol	English	German
V <sub>C</sub>	Category voltage	Kategoriespannung
$V_{\text{C,RMS}}$	Category AC voltage	(Sinusförmige)
		Kategorie-Wechselspannung
$V_{CD}$	Corona-discharge onset voltage	Teilentlade-Einsatzspannung
$V_{ch}$	Charging voltage	Ladespannung
$V_{DC}$	DC voltage	Gleichspannung
$V_{FB}$	Fly-back capacitor voltage	Spannung (Flyback)
$V_{i}$	Input voltage	Eingangsspannung
$V_{o}$	Output voltage	Ausgangssspannung
$V_{op}$	Operating voltage	Betriebsspannung
$V_p$	Peak pulse voltage	Impuls-Spitzenspannung
$V_{pp}$	Peak-to-peak voltage Impedance	Spannungshub
$V_R$	Rated voltage	Nennspannung
ν̂ <sub>R</sub>	Amplitude of rated AC voltage	Amplitude der Nenn-Wechselspannung
$V_{RMS}$	(Sinusoidal) alternating voltage,	(Sinusförmige) Wechselspannung
	root-mean-square value	
$V_{SC}$	S-correction voltage	Spannung bei Anwendung "S-correction"
$V_{sn}$	Snubber capacitor voltage	Spannung bei Anwendung
		"Beschaltung"
Z	Impedance	Scheinwiderstand
е	Lead spacing	Rastermaß



#### Important notes

The following applies to all products named in this publication:

- 1. Some parts of this publication contain statements about the suitability of our products for certain areas of application. These statements are based on our knowledge of typical requirements that are often placed on our products in the areas of application concerned. We nevertheless expressly point out that such statements cannot be regarded as binding statements about the suitability of our products for a particular customer application. As a rule, EPCOS is either unfamiliar with individual customer applications or less familiar with them than the customers themselves. For these reasons, it is always ultimately incumbent on the customer to check and decide whether an EPCOS product with the properties described in the product specification is suitable for use in a particular customer application.
- 2. We also point out that in individual cases, a malfunction of electronic components or failure before the end of their usual service life cannot be completely ruled out in the current state of the art, even if they are operated as specified. In customer applications requiring a very high level of operational safety and especially in customer applications in which the malfunction or failure of an electronic component could endanger human life or health (e.g. in accident prevention or lifesaving systems), it must therefore be ensured by means of suitable design of the customer application or other action taken by the customer (e.g. installation of protective circuitry or redundancy) that no injury or damage is sustained by third parties in the event of malfunction or failure of an electronic component.
- 3. The warnings, cautions and product-specific notes must be observed.
- 4. In order to satisfy certain technical requirements, some of the products described in this publication may contain substances subject to restrictions in certain jurisdictions (e.g. because they are classed as hazardous). Useful information on this will be found in our Material Data Sheets on the Internet (www.epcos.com/material). Should you have any more detailed questions, please contact our sales offices.
- 5. We constantly strive to improve our products. Consequently, the products described in this publication may change from time to time. The same is true of the corresponding product specifications. Please check therefore to what extent product descriptions and specifications contained in this publication are still applicable before or when you place an order. We also reserve the right to discontinue production and delivery of products. Consequently, we cannot guarantee that all products named in this publication will always be available. The aforementioned does not apply in the case of individual agreements deviating from the foregoing for customer-specific products.
- Unless otherwise agreed in individual contracts, all orders are subject to the current version of the "General Terms of Delivery for Products and Services in the Electrical Industry" published by the German Electrical and Electronics Industry Association (ZVEI).
- 7. The trade names EPCOS, BAOKE, Alu-X, CeraDiode, CSMP, CSSP, CTVS, DSSP, MiniBlue, MKK, MLSC, MotorCap, PCC, PhaseCap, PhaseCube, PhaseMod, SIFERRIT, SIFI, SIKOREL, SilverCap, SIMDAD, SIMID, SineFormer, SIOV, SIP5D, SIP5K, ThermoFuse, WindCap are trademarks registered or pending in Europe and in other countries. Further information will be found on the Internet at www.epcos.com/trademarks.

# **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Film Capacitors category:

Click to view products by TDK manufacturer:

Other Similar products are found below:

F339X134748MIP2T0 F450KG153J250ALH0J 750-1018 FKP1-1500160010P15 FKP1R031007D00JYSD FKP1R031507E00JYSD FKP1R031507E00JYSD FKP1U024707E00KYSD 82DC4100CK60J 82EC1100DQ50K PFR5101J100J11L16.5TA18 PME261JB5220KR19T0 A451GK223M040A A561ED221M450A QXJ2E474KTPT QXL2B333KTPT R49AN347000A1K EEC2G505HQA406 B25668A6676A375 B25673A4282E140 BFC233868148 BFC2370GC222 C3B2AD44400B20K C4ASWBU3220A3EK CB027C0473J-- CB17710184J-- CB182K0184J-- 23PW210 950CQW5H-F SBDC3470AA10J SCD105K122A3-22 2N3155 A571EH331M450A FKP1-2202KV5P15 FKS3-680040010P10 QXL2E473KTPT 445450-1 B25669A3996J375 46KI322000M1M 46KR415050M1K 4BSNBX4100ZBFJ MKP383510063JKP2T0 MKPY2-.02230020P15 MKT 1813-368-015 4055292001 46KN410000N1K EEC2E106HQA405 EEC2G205HQA402 EEC2G805HQA415 P409CP224M250AH470 82EC2150DQ50K