

# **NSL-5162**

#### **Light Dependent Resistor (LDR) CdS Photocell**

The NSL-5162 is a light dependent resistor with sensitivity in the visible light region. The CdS photoresistor photocell is mounted on a 2-pin ceramic and the photocell surface is plastic encapsulated for moisture resistance.

Advanced Photonix's CdS Photocells are photoresistor cells for visible light measurement designed to sense light from 400 to 700 nm. Their resistance decreases as the light level increases with efficiency characteristics similar to the human eye. These Light Dependent Resistors (LDR) are available in a wide range of resistance values. They are available in a two-leaded plastic-coated ceramic header or hermetically sealed TO metal cans.

### **Applications**

# Industrial Audio Compressors Night Lights Photography Light Meters Solar Street Lights Flame Detection


#### **Features**

Passive Resistance output

Ceramic Package

Available in a Hermetically Sealed Package

Available in a wide range of resistance values





#### **Absolute Maximum Ratings**

Parameter	Symbol	Min	Max	Unit			
Voltage	V <sub>R</sub>	-	100	V			
Power Dissipation*	-	-	50	mW			
Operating Temperature	T <sub>OP</sub>	-40	+75	°C			
Storage Temperature	T <sub>STG</sub>	-55	+75	°C			
Package	2-pin Ceramic						

<sup>\*</sup>Derate linearly to zero at 75°C


## Typical Electro-Optical Specifications at T<sub>A</sub>=23 °C


Parameter	Test Conditions	Symbol	Min	Тур	Max	Unit
Light Resistance	2ftc., 2854 °K	$R_{\scriptscriptstyle L}$	67	100	133	ΚΩ
	100 ftc.,2854 °K	$R_{\scriptscriptstyle L}$	-	3	-	ΚΩ
Dark Resistance	5 sec after removal of test light	$R_{_{D}}$	67	-	-	ΜΩ
Spectral Application Range	-	λ	-	550	-	nm


<sup>&</sup>lt;sup>1</sup> Cells light adapted at 30 to 50 ftc for 16 hrs minimum prior to electrical tests

#### **Mechanical Specifications**

Units are in inches [mm]









#### **Care and handling instructions**

Your devices are packaged and shipped in opaque, padded containers to avoid ambient light exposure and damage due to shock from dropping or jarring.

Care must be taken to avoid device exposure to high ambient light levels, particularly from tungsten sources or sunlight.

- Photocells can be rendered inoperable if dropped or sharply jarred. The wire bonds are delicate and can become separated from the photodiode's bonding pads when the detector is dropped or otherwise receives a sharp physical blow.
- Most windows on photodiodes are either silicon or quartz. They should be cleaned with isopropyl alcohol and a soft (optical grade) pad.
- Device exposure to extreme high or low storage temperatures can affect the subsequent performance. Maintain a non-condensing environment for optimum performance and lifetime.
- All devices are considered ESD sensitive.
   The devices are shipped in ESD protective packaging. When unpacking and using these products, anti-ESD precautions should be observed.
- Devices and/or operation may be impaired if exposed to CHLOROETHENE, THINNER, ACETONE, TRICHLOROETHYLENE or any harsh chemicals.
- **Legal Disclaimer**

Information in this data sheet is believed to be correct and reliable. However, no responsibility is assumed for possible inaccuracies or omission. Specifications are subject to change without notice.

- Devices in plastic packages should be given special care. Clear plastic packages are more sensitive to environmental stress than those of black plastic. Storing devices in high humidity can present problems when soldering. Since the rapid heating during soldering stresses the wire bonds and can cause wire to bonding pad separation, it is recommended that devices in plastic packages to be baked for 24 hours at 85°C.
- The leads on the device SHOULD NOT BE FORMED. If your application requires lead spacing modification, please contact Advanced Photonix Applications group at Techsupport@advancedphotonix.com before forming a product's leads. Product warranties could be voided.
- Most devices are provided with wire or pin leads for installation in circuit boards or sockets.
   Observe the soldering temperatures and conditions specified below:
  - Soldering Iron: Soldering 30 W or less
  - Temperature at tip of iron 300°C or lower.
  - Dip Soldering: Bath Temperature: 260±5°C.
  - Immersion Time: within 5 Sec.
  - Soldering Time: within 3 Sec.
  - Vapor Phase Soldering, Reflow Soldering: DO NOT USE



# **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Photoresistors category:

Click to view products by Advanced Photonix manufacturer:

Other Similar products are found below:

NSL-6510 NSL 4960 NSL-5540 NSL-5510 NSL-5910 NSL-6110 NSL-6910 NSL-7910 PDV-P5001 PDV-P7002 PDV-P5003 PDV-P8005 PDV-P8101 PDV-P9002-1 PDV-P9003 NSL-5112 PDV-P9001 PDV-P8103 PDV-P9008 NSL-5162 PDV-P8104 NSL-6112 PDV-P9002 PDV-P9004 PDV-P9007 PDV-P9103 PDV-P9203 NSL 06S53