# APPROVAL SHEET

Customer Name	:		
Customer P/N	:		
Frequency	:	40.000000	MHz
Aker Approved P/	N:	CXAN-040000-3F15	5D41
Aker MPN	:	CXAN-040000-3F15	5D41
Rev.	:	1	
ISSUE DATE	:	Jul.16.2019	

APPROVED	CHECKED	PREPARED
Ler		Kiku
APPROVED BY CU	STOMER	

## AKER TECHNOLOGY CO., LTD.

ADDRESS : NO 11-3, Jianguo Rd., T.E.P.Z , Tanzi Dist., Taichung City 427, Taiwan.

TEL: 886-4-25335978 FAX: 886-4-25336011

Web: www.aker.com.tw

**RoHS compliant** 

Ac	ccurate Kinetic Energy

CUST. P/N	:		
Aker Approved P/N	:	CXAN-0400	)00-3F15D41
APPROVED	:	Xtal	SHEET : 1 of 9
PREPARED	:	Kiku	REV. : 1

Rev.	Date	Reviser	Revise contents
1	2019/7/16	Kiku	Initial Released
L	I	<u> </u>	L]



CUST. P/N	:		
Aker Approved P/N	:	CXAN-0400	000-3F15D41
APPROVED	:	Xtal	SHEET : 2 of 9
PREPARED	:	Kiku	REV. : 1

#### **SMD CRYSTAL SPECIFICATION**

#### **1. ELECTRICAL CHARACTERISTICS**

■ Standard atmospheric conditions

Unless otherwise specified, the standard range of atmospheric conditions for making measurement and tests are as follow :

Ambient temperature :  $25\pm5$  °C

Relative humidity : 40%~70%

If there is any doubt about the results, measurement shall be made within the following limits:

Ambient temperature :  $25\pm3$  °C

Relative humidity : 40%~70%


- AKER Model : CXAN-321
- Oscillation Model : Fundamental
- Cutting Model : AT CUT
- Measurement Equipment : 350A(Measured FL)
- Insulation Resistance : More than 500M ohms at DC 100V

		Electrical Spec				
Parameters	Symbol	Min.	Тур.	Max.	Units.	Notes
Nominal Frequency	FL	4	0.00000	0	MHz	
Frequency Tolerance			±10		ppm	at $25^{\circ}$ C ± $3^{\circ}$ C
Frequency Stability			±20		ppm	Operating Temp (Refer 25°C)
Load Capacitance	CL	15		pF		
Aging			±3		ppm	First Year
Operating Temperature		-40	$\sim$	85	°C	
Storage Temperature Range		-55	$\sim$	125	°C	
Drive Level	DL			100	uW	
Effective Resistance Rr	Rr			40	Ω	
Shunt Capacitance	C0			3	pF	
*Please kindly be noted that AK	ER DO NOT	l guarante	ee parts q	uality wh	ich involv	ves human security application.*




CUST. P/N	:		
Aker Approved P/N	:	CXAN-0400	000-3F15D41
APPROVED	:	Xtal	SHEET : 3 of 9
PREPARED	:	Kiku	REV. : 1


#### 2. MARKING :




	2007	2008	2009	2010
Year	2011	2012	2013	2014
	2015	2016	2017	2018
Month	2019	2020	2021	2022
	2023	2024	2025	2026
JAN	А	N	а	n
FEB	В	Р	b	р
MAR	С	Q	с	q
APR	D	R	d	r
MAY	E	S	е	s
JUN	F	Т	f	t
JUL	G	U	g	u
AUG	Н	v	h	v
SEP	J	W	j	w
OCT	K	Х	k	x
NOV	L	Y	1	У
DEC	М	Z	m	Z

#### **3. DIMENSION :**









<SIDE>


0.75 Max.

Ceramic Base Metal Lid



CUST. P/N	:		
Aker Approved P/N	:	CXAN-0400	000-3F15D41
APPROVED	:	Xtal	SHEET: 4 of 9
PREPARED	:	Kiku	REV. : 1


#### 4. STRUCTURE ILLUSTRATION




	COMPONENTS	MATERIALS	CC	MPONENTS	MATERIALS
А	Base (Package)	Ceramic(Al2O3)+Kovar(Fe/Co/Ni)	D	Electrode	Cr / Ag
В	Conductive adhesive	Ag / Silicon resin	E	Lid	Fe/Co/Ni
С	Crystal blank	SiO2			

	CUST. P/N	:		
	Aker Approved P/N	:	CXAN-0400	000-3F15D41
	APPROVED	:	Xtal	SHEET : 5 of 9
Accurate Kinetic Energy	PREPARED	:	Kiku	REV. : 1


#### 5. PACKING : TAPE SPECIFICATION







#### **OUTLINE DIMENSION**

(Unit:mm)









CUST. P/N	:		
Aker Approved P/N	:	CXAN-0400	)00-3F15D41
APPROVED	:	Xtal	SHEET : 8 of 9
PREPARED	:	Kiku	REV. : 1

#### MECHANICAL PERFORMANCE 0

9. MECHANICAL PERFORMANCE					
TEST ITEMS	TEST METHODS AND TEST CONDITION	PERFORMANCE			
9.1 Drop Test	The specimen is measured for its frequency and resistance before the test. It is then dropped from a hight of 100 cm or more as a free fall object onto a hard wooden plate of 30mm or more in thickness. ( in accordance with JIS-C0044 )				
9.2 Vibration Test	The specimen is measured for its frequency and resistance before the test. Most them into X,Y and Z axes, respectively, for the vibration test. Vibration condition: Frequency range ; 20 $\sim$ 2000HZ Peak to peak amplitude : 1.52 mm Peak acceleration : 20G Sweep time : 20 minute / axis Pendicular total test time : 4 hours	To satisfy the electrical performance .			
9.3 Resistance to Soldering Test	( in accordance with MIL-STD-883F : 2007.3 ) The specimen is measured for its frequency and resistance before the test. Place the specimen on the belt of the converynace and let it pass through the reflow with the presetted temperature condition. After passing twice the reflow place, the specimen under the referee condition for -~2 hours and then measure its electrical performance. Temperature Condition of IR Simulation: The temperature range of the preheated section is setted at $150 \ 180^{\circ}$ C for $60 \ 120$ sec. For the next section the temperature range is setted at $217 \ 260^{\circ}$ C for $45 \ 90$ sec. and within this time range the specimen should be able to sustain at the peak temperature, $260 \ -1.3^{\circ}$ C , for 10 sec long. ( in accordance with JESD22-B106-B )				
9.4 Fine Leak Test	Place the specimen in a pressurized container and pressurize it with the detection gas (mixed gas consisting of 95% or more helium) for at least 2 hours. Complete the measurement of the concentration of helium within 30 min after taking it out from the pressurized container. ( in accordance with MIL-STD-883F: 1014.11 ) The referee condition.	Less than 1.0 * 10 <sup>-8</sup> atm .c.c. / sec, Helium			
	Temperature $25 \pm 2$ °C Humidity $44 \approx 55 \%$ Pressure $86 \approx 106$ kPa ( in accordance with MIL-STD-883E : 1014. 9 )				



CUST. P/N	:		
Aker Approved P/N	:	CXAN-0400	)00-3F15D41
APPROVED	:	Xtal	SHEET : 9 of 9
PREPARED	:	Kiku	REV. : 1

### **10. CLIMATIC RESISTANCE**

	IU. CLIMATIC RESISTANCE					
TEST ITEMS	TEST METHODS AND TEST CONDITION	PERFORMANCE				
10.1 Low Temp Exposure Test	The specimen is measured for its frequency and resistance before the test . Place the specimen in the chamber and kept it at the temperature of $-40 \pm 3^{\circ}$ C for $168 \pm 6$ hours . Take the specimen out of the chamber and measure itselectrical performance after leaving 1 ~ 2 hours under the referee condition. ( in accordance with JIS-C0020 )					
10.2 Aging Test	The specimen is measured for its frequency and resistance before the test . Place the specimen in the testing chamber and keep it at the temperature of $+ 125 \pm 3^{\circ}$ C for $720 \pm 48$ hours. And then take the specimen out of the chamber and measure its electrical performance after leaving for 1 ~ 2 hours under the referee condition . ( in accordance with JIS-C0021 )	To satisfy the electrical performance .				
10.3 High Temperature & High Humidty	The specimen is measured for its frequency and resistance before the test . Place the specimen in the testing chamber and kept it at the temperature of $+85 \pm 5$ °C and humidity of $85 \pm 5$ % for $168 \pm 6$ hours.and then take the specimen out and measure its electrical performance after leaving for 1 ~ 2 hours under the referee condition. ( in accordance with MIL-STD-883F : 1004.7 )					
10.4 Temperature Cycle Test	The specimen is measured for its frequency and resistance before the test . Subject the specimen to the 100 cycles of temperature ranges stated below . High temp . + 125 ± 3 °C (15± 3 min). $2\sim3 \text{ min.}$ $2\sim3 \text{ min.}$ Low temp55 ±3 °C (15± 3 min). Measure its electrical performance after leaving it for 1 ~ 2 hours under the referee condition . ( in accordance with MIL-STD-883F : 1010.8 )					

#### **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Crystals category:

Click to view products by Aker manufacturer:

Other Similar products are found below :

CS325S24000000ABJT 718-13.2-1 MC405 32.0000K-R3:PURE SN FC-135R 32.7680KF-A3 7A-40.000MAAE-T 7B-27.000MBBK-T FL2000085 9B-15.360MBBK-B 9C-7.680MBBK-T ASH7K-32.768KHZ AT-41.600MAGQ-T BTD1062E05A-513 LFXTAL066198Cutt 9C-14.31818MBBK-T FA-238 50.0000MB30X-K3 FC-12M 32.7680KA-AC3 SSPT7F-9PF20-R FX325BS-38.88EEM1201 LFXTAL065253Cutt LFXTAL066431Cutt XT9S20ANA14M7456 XT9SNLANA16M 646G-24-2 7A-24.576MBBK-T 7B-30.000MBBK-T WX26-32.768K-6PF 9B-14.31818MBBK-B CD1AM 7B-25.000MAAE-T 7A-14.31818MBBK-T 6504-202-1501 6526-202-1501 FA-118T 27.1200MB50P-K0 FC-135R 32.7680KA-A3 ABM12-104-37.400MHZT ABLS-10.000MHZ-D3W-T BTJ112E01E-513 BTJ722K01C-7067 BTL-20-513 TSX-3225 24.0000MF15X-AC TSX-3225 16.0000MF18X-AC BTJ120E02C BTL-12-513 7A-10.000MBBK-T 7A-11.0592MBBK-T ABM12-103-24.000MHZT CS325S2500000ABJT ABM3B-25.000MHZ-B2-X-T FC-135 32.7680KA-A5 FX0800015