



# Spark Gap (SPG) Data Sheet

#### **Features**


- Approximately zero leaking current before clamping voltage
- Less decay at on/off state.
- High capability to withstand repeated lightning strikes.
- Low electrode capacitance(≤0.8pF) and high isolation(≥100MΩ).
- RoHS compliant.
- Bilateral symmetrical.
- Temperature, humidity and lightness insensitive.
- Operating temperature: -40°C ~ +85°C
- Storage temperature: -40°C ~ +125°C
- Meets MSL level 1, per J-STD-020
- Safety certification: UL: E244458



### **Applications**

- Power Supplies
- Motor sparks eliminating
- Relay switching spark absorbing
- Data line pulse guarding
- Electronic devices requiring UL497A and UL497B compliant
- Telephone/Fax/Modem
- High frequency signal transmitters/receivers
- Satellite antenna
- Radio amplifiers
- Alarm systems
- Cathode ray tubes in Monitors/TVs

#### **Dimensions**









### **Electrical Characteristics**

Part Number	DC Spark-over Voltage	Minimum Insulation Resistance		Maximum Capacitance (1KHz-6V <sub>MAX</sub> )	Surge Current Capacity	Surge Life Test
(1)	Vs(V)	Test Voltage(V)	IR <sub>OHM</sub> (MΩ)	C(pf)	(8/20µs)	8/20µs,100A
BK1XX00702	140	50	100	0.8	3000A	250 times
BK1XX01002	200	100	100	0.8	3000A	250 times
BK1XX01502	300	100	100	0.8	3000A	250 times
BK1XX02002	400	250	100	0.8	3000A	250 times
BK1XX02502	500	250	100	0.8	3000A	250 times
BK1XX03002	600	250	100	0.8	3000A	250 times
BK1XX03502	700	250	100	0.8	3000A	250 times

Note: 1 Vs±XX%

## **Color Code**

Part Number	Color Code 1	Color Code 2	Color Code 3
BK1XX00702	Black	Yellow	-
BK1XX01002	Red	-	-
BK1XX01502	Orange	-	-
BK1XX02002	Yellow	-	-
BK1XX02502	Green	-	-
BK1XX03002	Blue	-	-
BK1XX03502	Purple	-	-






## **Test Methods and Results**

Items	Test Method	Standard	
DC Spark-over Voltage	Measure starting discharge voltage (Vs) by gradually increasing applied DC voltage. Test current is 0.5mA max. And the DC voltage ascends up within 100V/second.		
Insulation Resistance	Measure the insulation resistance across the terminal at regular voltage. But the test voltage doesn't over the DC spark-over voltage.	Meet specified value.	
Capacitance	Measure the electrostatic capacitance by applying a voltage of less than 6V (at 1KHz) between terminals.		
Static Life	10KV with 1500pf condenser is discharged through $0\Omega$ resistor. 200 times at an interval of 10sec.	∆ Vs/Vs   ≤30% Characteristics of other items must meet the specified value.	
Surge Current Capacity	1.2/50μs & 8/20μs, 3000A, electrically connected with a resistor (1~2 Ω), ±5 times, each time interval 60 seconds. Thereafter, outer appearance shall be visually examined.	No crack and no failures	
Cold Resistance	Measurement after -40 ℃/1000 HRS & normal temperature/2 HRS.		
Heat Resistance	Measurement after 125℃/1000 HRS & normal temperature/2 HRS.		
Humidity Resistance	Measurement after humidity 90~95°C (45°C) /1000 HRS & normal temperature/2 HRS.	Features are conformed to rated spec.	
Temperature Cycle	10 times repetition of cycle -40°C/30min  →normal, temp/2 min →125°C/30min,  measurement after normal temp/2 HRS.		
Solder Ability	Apply flux and immerse in molten solder 230±5°C for 3sec up to the point of 1.5mm from body. Check for solder adhesion.	Lead wire is evenly covered by solder.	
Solder Heat	Measurement after lead wire is dipped up to the point of 1.5mm from body into 260±5°C solder for 10sec.	Conformed to rated spec.	
Pull Strength	Apply 0.5kg load for 10sec.		
Bend lead wire at the point of 2mm from body under 0.25 load and back to its original point. Repeat 1 time.		Lead shall not pull out to snap.	





### **Recommended Soldering Conditions**



- 1) Time shown in the above figures is measured from the point when chip surface reaches temperature.
- 2) Temperature difference in high temperature part should be within 110°C.
- 3) After soldering, do not force cool, allow the parts to cool gradually.

### Hand Soldering

Solder iron temperature: 350±5 °C Heating time: 3 seconds max.

#### General attention to soldering

- High soldering temperatures and long soldering times can cause leaching of the termination, decrease in adherence strength, and the change of characteristic may occur.
- For soldering, please refer to the soldering curves above. However, please keep exposures to temperatures exceeding 200 ℃ to fewer than 50 seconds.
- Please use a mild flux (containing less than 0.2wt% CI). Also, if the flux is water soluble, be sure to wash thoroughly to remove any residue from the underside of components that could affect resistance.

#### Cleaning

When using ultrasonic cleaning, the board may resonate if the output power is too high. Since this vibration can cause cracking or a decrease in the adherence of the termination, we recommend that you use the conditions below.

Frequency: 40kHz max.


Output power: 20W/liter

Cleaning time: 5 minutes max.





## **Packaging**



# **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for brightking manufacturer:

Other Similar products are found below:

1.5KE220A SMDJ33A SMDJ78A 3RM230L-8 LES08A05L05 SMDJ6.5CA-AT 5.0SMDJ17A 5.0SMDJ33CA 911KD14J 5KP12A

5KP120A 471KD25 2RM075M-8 112KD14 2RK3000M-8 5.0SMDJ100A 2RH2000M-8 820KD20J 30KPA30A 182KD20 SMDJ43A

5.0SMDJ12A SMDJ18CA-AT BK16-600-SZ BK12005002-M 1.5KE22A 5.0SMDJ130CA 5KP90CA 1.5SMC24A 15KPA30A 181KD20

101KD20 470KD20J 5KP40CA 15KPA75CA 4532-471-LF 15KPA30CA BK22002002-M SMDJ33CA-AT 5.0SMDJ78CA 3RL150M-5-S

15KPA24A SMDJ110CA SMDJ5.0CA-AT 30KPA45CA 15KPA58CA 15KPA33A 821KD25 P0900SC P0720SC