Positive Temperature Coefficient (PTC) Data Sheet

Description

R BrightKing

A YAGEO Company

The 130V series provides radial resettable overcurrent protection with holding current from 0.1A to 1.35A. This series is suitable for applications with higher working voltage up to 130V.

Features

- Radial leaded devices.
- Over-current protection
- High voltage surge capabilities
- Flame retardant epoxy polymer insulating material meets UL94 V-0 requirement.
- Available in lead-free version.
- Meets MSL level 1, per J-STD-020
- Operating Temperature: -40°C~+85°C




Applications

- Sweeping machine
- Kitchen appliances
- Small power motor
- Printer and USB hub


Massage chair

- Transformer and power adapter
- 485 ports and peripherals


Part Number Code and Making








Dimensions (Unit: mm)





DZ

Part	А	В	С	D	E	F	Chulo
Number	Max.	Max.	±0.6	Max.	Тур.	Min.	Style.
BK130-100	8.3	10.7	5.1	3.8	0.5	7.6	DZ
BK130-120	8.3	10.7	5.1	3.8	0.5	7.6	DZ
BK130-160	8.5	12.5	5.1	3.8	0.5	7.6	DZ
BK130-200	9.6	17.4	5.1	3.8	0.6	7.6	SZ
BK130-250	9.6	17.4	5.1	3.8	0.6	7.6	SZ
BK130-300	9.6	17.5	5.1	3.8	0.6	7.6	SZ
BK130-400	11.4	19.5	5.1	3.8	0.6	7.6	SZ
BK130-500	11.5	21.7	5.1	3.8	0.6	7.6	SZ
BK130-650	14.0	21.7	5.1	3.8	0.8	7.6	SZ
BK130-750	14.0	21.7	5.1	3.8	0.8	7.6	SZ
BK130-900	14.0	21.7	5.1	3.8	0.8	7.6	SZ
BK130-1100	14.0	16.2	5.1	3.8	0.8	7.6	DZ
BK130-1350	13.2	25.0/23.0	5.1	3.8	0.8	7.6	SZ/DZ

Electrical Characteristics

Revision: PTC-BK130 SERIES-001(A1)





Part	IH	IT	Vmax	Imax	Pd typ.	Max. T	īme-to-trip	Rmin	Rmax
Number	(A)	(A)	(V _{DC)}	(A)	(W)	(A)	(S)	(Ω)	(Ω)
BK130-100	0.10	0.20	130	20	0.40	0.50	5.0	9.0	18.0
BK130-120	0.12	0.24	130	20	0.46	0.60	6.0	6.0	12.0
BK130-160	0.16	0.32	130	20	0.50	0.80	7.0	3.5	7.5
BK130-200	0.20	0.40	130	20	0.72	1.00	5.0	2.5	5.0
BK130-250	0.25	0.50	130	20	0.90	1.25	5.0	1.9	3.8
BK130-300	0.30	0.60	130	20	1.00	1.50	5.0	1.3	2.6
BK130-400	0.40	0.80	130	20	1.30	2.00	5.0	0.9	1.8
BK130-500	0.50	1.00	130	20	1.60	2.50	5.0	0.8	1.6
BK130-650	0.65	1.30	130	10	1.70	3.25	8.0	0.5	1.0
BK130-750	0.75	1.50	130	10	1.80	3.75	8.0	0.4	0.8
BK130-900	0.90	1.80	130	10	2.10	4.50	8.0	0.3	0.6
BK130-1100	1.10	2.20	130	10	2.40	5.50	9.0	0.3	0.5
BK130-1350	1.35	2.70	130	10	2.80	6.75	10.0	0.2	0.4

• I_H = Hold current: maximum current device will pass without tripping in 25 °C still air.

+ I_T = Trip current: minimum current at which the device will trip in 25 $^\circ\!{\rm C}$ still air.

• V_{MAX} = Maximum voltage device can withstand without damage at rated current.

• I_{MAX} = Maximum fault current device can withstand without damage at rated voltage.

• R_{MAX} = Maximum resistance of device in initial (un-soldered) state.

• R_{MIN} = Minimum resistance of device in initial (un-soldered) state.

• Pd typ. = Typical power dissipation from device when in the tripped state at 25 °C still air.

Polymeric PTC Selecting Guide

- Determine the following operating parameters for the circuits:
 - Normal operating current (I_{hold})

BriahtKina

- Maximum interrupt current (I_{max})
- Maximum circuit voltage (V_{max})
 Normal operating temperature surrounding device (min[°]C/max[°]C)
 Select the device from factor and dimension suitable for the application
- Compare the maximum rating for V_{max} and I_{max} of the PPTC device with the circuit in application and make sure the circuit's requirement does not exceed the device rating.
- Check that PPTC device's trip time (time-to-trip) will protect the circuit.
- Verify that the circuit operating temperature is within the PPTC device's normal operating temperature range.
- Verify that performance and suitability of the chosen PPTC device in the application.

Mechanical Stress

- PPTC devices will undergo a thermal expansion during fault condition. If PPTC devices are installed or placed in an application
 where the space between PPTC devices and the surrounding materials (e.g., covering materials, packaging materials, encapsulate
 materials and the like) is insufficient, it will cause an inhibiting effect upon the thermal expansion. Pressing, twisting, bending and
 other kinds of mechanical stress will also adversely affect the performance of the PPTC devices, and shall not be used or applied.
- Chemical Pollutants
 - Silicone-based oils, oils, solvents, gels, electrolytes, fuels, acids, and the like will adversely affect the properties of PPTC devices, and shall not be used or applied.
- Electronic and Thermal Effect
 - PPTC devices are secondary protection devices and are used solely for sporadic, accidental over-current or over-temperature error condition, and shall NOT be used if or when constant or repeated fault conditions (such fault conditions may be caused by, among others, incorrect pin-connection of a connector) or over-extensive trip events may occur.
 - PPTC devices are different from fuses and, when a fault condition occurs, will go into high-resistance state and do not open circuit, in which case the voltage at such PPTC devices may reach a hazardous level.
 - Operation over the maximum rating or other forms of improper use may cause failure, arcing, flame and/or other damage to the PPTC devices.
 - Conductive material contamination, such as metal particle, may induce shortage, flame or arcing.
 - Due to the inductance, the operation circuits may generate a circuit voltage (Ldi/dt) above the rated voltage of PPTC devices, which shall not be used under such circumstances.

General

- Customers shall evaluate and test the properties of PPTC devices independently to verify and ensure that their individual applications will be met.
- The performance of PPTC devices will be adversely affected if they are improperly used under electronic, thermal and/or mechanical procedures and/or conditions non-conformant to those recommended by manufacturer.
- Customers shall be responsible for determining whether it is necessary to have back-up, failsafe and/or fool-proof protection To avoid or minimize damage that may result from extra-ordinary, irregular function or failure of PPTC devices.
- Any and all responsibilities and liabilities are disclaimed if any item under this notice of warning is not complied with.


Thermal Derating Curve

A YAGEO Company

🜈 Pulse

YAGEO Cor

RBrightKing



Thermal Derating Chart – I_H (A)


Part	Maximum Ambient Operating Temperatures ($^{\circ}$ C)									
Number	-40	-20	0	25	30	40	50	60	70	85
BK130-100	0.150	0.135	0.12	0.100	0.09	0.08	0.07	0.06	0.05	0.04
BK130-120	0.180	0.160	0.14	0.120	0.11	0.10	0.09	0.08	0.06	0.05
BK130-160	0.225	0.210	0.19	0.160	0.15	0.13	0.12	0.10	0.09	0.06
BK130-200	0.285	0.260	0.24	0.200	0.18	0.16	0.14	0.13	0.11	0.08
BK130-250	0.345	0.330	0.30	0.250	0.23	0.21	0.18	0.16	0.14	0.10
BK130-300	0.402	0.390	0.36	0.300	0.27	0.25	0.22	0.19	0.16	0.12
BK130-400	0.550	0.520	0.48	0.400	0.36	0.33	0.29	0.25	0.22	0.16
BK130-500	0.670	0.650	0.60	0.500	0.45	0.41	0.36	0.32	0.27	0.21
BK130-650	0.895	0.860	0.77	0.650	0.59	0.53	0.47	0.41	0.35	0.27
BK130-750	1.010	0.990	0.89	0.75	0.68	0.62	0.54	0.47	0.41	0.31
BK130-900	1.120	1.180	1.07	0.90	0.81	0.74	0.65	0.57	0.49	0.37
BK130-1100	1.455	1.440	1.31	1.10	0.99	0.90	0.79	0.69	0.59	0.45
BK130-1350	1.795	1.780	1.61	1.35	1.22	1.11	0.97	0.85	0.73	0.55



Test Procedures and Requirement

Items	Test Conditions	Accept/Reject Criteria
Resistance	In still air @25℃	$R_{min} \le R \le R_{max}$
Time to Trip	Specified current, V_{max} , 25 $^\circ \!$	T ≤ max. Time to trip (T_{trip})
Hold Current	30 min, at I _H	No trip
Trip Cycle Life	V _{max} , I _{max} , 100 cycles	No arcing or burning
Trip Endurance	V _{max} , 24hours	No arcing or burning

Typical Time-to-Trip Charts @25℃



Storage Recommendations

- Storage Temperature: -10°C~+40°C
- Relative Humidity: ≤80%RH
- Keep away from corrosive atmosphere and sunlight.
- Period of Storage: 1 year.


Wave Soldering Recommendation Parameters

🕜 Pul

se

RBrightKing

A YAGEO Company



Items	Conditions
Pre-Heating Zone	Refer to the condition recommended by the flux manufacturer. Maximum ramping rate should not exceed $4^{\circ}C$ /sec.
Soldering Zone	Maximum solder temperature should not exceed 260 $^\circ\!\mathrm{C}$
Cooling Zone	Forced cooling

Manual Soldering Recommendation Parameters

Items	Conditions
Soldering condition	The highest power of the manual soldering iron should be 30W or less, soldering temperature should not be higher than 280° C.
Soldering time	The soldering time should be kept within 3 seconds, otherwise it might cause insulation layer cracking, and increased part resistance.
Soldering position	The distance on the leads between the soldering point and bottom of the PPTC body should be equal or greater than 4mm.
Other	The soldering iron should not contact the PPTC body except the leads. If the soldering conditions are kept to lower temperature, less time and larger distance, the outcome of the soldering will be better.

Mechanical Characteristics

Items	Specifications	Test Conditions/Methods
Tensile strength	No visible damage	1.0Kgf, 10 seconds
Bending strength	No visible damage	0.5Kgf, 90 $^\circ$, 3 times
Vibration	No visible damage	Freq: 10-55Hz, Amp: 0.75mm, 1min

http://brightking.pulseelectronics.com





Reliability Test

Items	Specifications	Test Conditions/Methods
Solder ability	No visible damage,Solder OK, Solder area ≥95%	245±5℃, 2±1s, dipping depth=0.5inch max from the body
Resistance to soldering heat	No visible damage, Electrical OK,	260±5℃, 10+2/-0s
Damp heat, steady state	No visible damage, Electrical OK, $ \Delta R/R0 \leq 20\%$	40±2℃, 90~95 % RH, total 48Hrs, after 4Hrs test electrical parameter
Temperature cycling	No visible damage, Electrical OK, $ \Delta R/R0 \leq 20\%$	Ta=-10+0/-1°C 30min, Ta=70+1/-0°C 30min, 5cycles, after 1hr test electrical parameter

Packaging

Bag	Part Number	Dimension A×B (mm)	Quantity	
	BK130-100		1000pcs/bag 4000pcs/box	
	BK130-120			
	BK130-160	120×150		
	BK130-200			
	BK130-250			
	BK130-300	150×200		
Inner Box	BK130-400			
	BK130-500	120×150	500pcs/bag 2000pcs/box	
	BK130-650			
	BK130-750			
65mm	BK130-900	150×200		
253mm ↓	BK130-1100	15UX2UU		
	BK130-1350			

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Resettable Fuses - PPTC category:

Click to view products by Brightking manufacturer:

Other Similar products are found below :

0001.1010.G D38999/20WG39JN F02B250V1-4AS 9728214S-2(621) RF0627-000 RF2534-000 ASMD185-2 EN2997S61212AN EN2997SE61203AN BK-ABC-V-5-R LR4-550RAF SMD125-2 F60C500V20AS RF0078-000 RF1548-000 RF1973-000 RF2171-000 RF2531-000 RF2533-000 RF2550-000 TR600-150Q-B-0.5-0.130 BK-AGX-20 5E4795/04-1502 EN2997S61212MN EN2997SE61203MN EN2997SE61212AN EN2997SE61212MN BK1/S505-1.25-R TR-3216FF20-R TRF250-080T-B-1.0-0.125 JT06RT1832BN014 S-3-2-10 SMD100-2 FRN-R-5-6-10 FRS-R-3-2-10 LP-CC-2-1-2 LPS-RK-3-2-10SP BK-AGC-1-8-R BK-AGC-2-10-R BK-AGC-7-1-2 BK-GDC-500MA BK-MDL-1-6-10-R BK-SFE-4 BK-ABC-1-R BK-C518-250-R BK-GDB-2A BK-MDL-1-8-R BK-MDL-6 BK-AGC-5-R BK-ATC-2