### **Positive Temperature Coefficient (PTC) Data Sheet**

### Description

**R**BrightKing

A YAGEO Company

The 16V series provides radial resettable overcurrent protection with holding current from 2.0A to 14.0A. This series is suitable for applications with higher working voltage up to 16V.

### **Features**

- Radial leaded devices.
- Over-current protection
- High voltage surge capabilities
- Flame retardant epoxy polymer insulating material meets UL94 V-0 requirement.
- Available in lead-free version.
- Meets MSL level 1, per J-STD-020
- Operating Temperature: -40°C~+85°C




### Applications


- IT equipment
- Access network equipment
- Central office equipment

- ISDN and xDSL equipments
- Phone set and fax machine
- LAN/WAN and VOIP cards


### Part Number Code and Making








### **Dimensions (Unit: mm)**





Part	А	В	С	D	Е	F	Stulo
Number	Max.	Max.	±0.6	Max.	Тур.	Min.	Style.
BK16-200	6.5	12.5/17.8	5.1	3.1	0.6	7.6	SZ/SI
BK16-300	9.0	16.8	5.1	3.1	0.8	7.6	SZ
BK16-400	10.0	17.5	5.1	3.1	0.8	7.6	SZ
BK16-500	10.7	19.6	5.1	3.1	0.8	7.6	SZ
BK16-600	13.5	19.6	5.1	3.1	0.8	7.6	SZ
BK16-700	13.5	22	5.1	3.1	0.8	7.6	SZ
BK16-800	14.5	25	5.1	3.1	0.8	7.6	SZ
BK16-900	15.0	25	5.1	3.1	0.8	7.6	SZ
BK16-1000	18.0	27.5	10.5	3.1	0.8	7.6	SZ
BK16-1100	18.0	27.5	10.5	3.1	0.8	7.6	SZ
BK16-1200	22.5	28.5	10.5	3.1	0.8	7.6	SZ
BK16-1400	24.0	31.0	10.5	3.1	0.8	7.6	SZ

### **Electrical Characteristics**

R BrightKing

Part	IH	IT	V <sub>max</sub>	Imax	Pd typ.	Max. Tin	ne-to-trip	Rmin	Rmax
Number	(A)	(A)	(V <sub>DC</sub> )	(A)	(W)	(A)	( <b>S</b> )	(Ω)	(Ω)
BK16-200	2	4	16	40	2.2	10.0	1.0	0.040	0.120
BK16-300	3	6	16	100	2.3	15.0	1.0	0.020	0.072
BK16-400	4	8	16	100	2.4	20.0	1.7	0.018	0.043
BK16-500	5	10	16	100	2.6	25.0	2.0	0.014	0.030
BK16-600	6	12	16	100	2.8	30.0	3.3	0.009	0.025
BK16-700	7	14	16	100	3.0	35.0	3.5	0.008	0.019
BK16-800	8	16	16	100	3.0	40.0	5.6	0.006	0.0145
BK16-900	9	18	16	100	3.3	45.0	4.7	0.004	0.012
BK16-1000	10	20	16	100	3.7	50.0	6.0	0.004	0.011
BK16-1100	11	22	16	100	3.7	55.0	7.0	0.003	0.010
BK16-1200	12	24	16	100	4.2	60.0	7.5	0.003	0.009
BK16-1400	14	28	16	100	4.2	70.0	9.0	0.003	0.008

•  $I_H$  = Hold current: maximum current device will pass without tripping in 25  $^\circ$ C still air.

se

+  $I_T$  = Trip current: minimum current at which the device will trip in 25  $^\circ\!\!\!\mathrm{C}$  still air.

•  $V_{MAX}$  = Maximum voltage device can withstand without damage at rated current.

•  $I_{MAX}$  = Maximum fault current device can withstand without damage at rated voltage.

• R<sub>MAX</sub> = Maximum resistance of device in initial (un-soldered) state.

• R<sub>MIN</sub> = Minimum resistance of device in initial (un-soldered) state.

• Pd  $_{typ.}$  = Typical power dissipation from device when in the tripped state at 25  $^\circ\!\!\!C$  still air.

### Polymeric PTC Selecting Guide

BriahtKina

- Determine the following operating parameters for the circuits:
  - Normal operating current (I<sub>hold</sub>)
     Maximum interrupt current (I<sub>max</sub>)
  - Maximum circuit voltage (V<sub>max</sub>) Normal operating temperature surrounding device (min<sup>°</sup>C/max<sup>°</sup>C)
- Select the device from factor and dimension suitable for the application
- Compare the maximum rating for V<sub>max</sub> and I<sub>max</sub> of the PPTC device with the circuit in application and make sure the circuit's requirement does not exceed the device rating.
- Check that PPTC device's trip time (time-to-trip) will protect the circuit.
- Verify that the circuit operating temperature is within the PPTC device's normal operating temperature range.
- Verify that performance and suitability of the chosen PPTC device in the application.

# 

Mechanical Stress

- PPTC devices will undergo a thermal expansion during fault condition. If PPTC devices are installed or placed in an application
  where the space between PPTC devices and the surrounding materials (e.g., covering materials, packaging materials, encapsulate
  materials and the like) is insufficient, it will cause an inhibiting effect upon the thermal expansion. Pressing, twisting, bending and
  other kinds of mechanical stress will also adversely affect the performance of the PPTC devices, and shall not be used or applied.
- Chemical Pollutants
  - Silicone-based oils, oils, solvents, gels, electrolytes, fuels, acids, and the like will adversely affect the properties of PPTC devices, and shall not be used or applied.
- Electronic and Thermal Effect
  - PPTC devices are secondary protection devices and are used solely for sporadic, accidental over-current or over-temperature error condition, and shall NOT be used if or when constant or repeated fault conditions (such fault conditions may be caused by, among others, incorrect pin-connection of a connector) or over-extensive trip events may occur.
  - PPTC devices are different from fuses and, when a fault condition occurs, will go into high-resistance state and do not open circuit, in which case the voltage at such PPTC devices may reach a hazardous level.
  - Operation over the maximum rating or other forms of improper use may cause failure, arcing, flame and/or other damage to the PPTC devices.
  - Conductive material contamination, such as metal particle, may induce shortage, flame or arcing.
  - Due to the inductance, the operation circuits may generate a circuit voltage (Ldi/dt) above the rated voltage of PPTC devices, which shall not be used under such circumstances.

#### General


- Customers shall evaluate and test the properties of PPTC devices independently to verify and ensure that their individual applications will be met.
- The performance of PPTC devices will be adversely affected if they are improperly used under electronic, thermal and/or mechanical procedures and/or conditions non-conformant to those recommended by manufacturer.
- Customers shall be responsible for determining whether it is necessary to have back-up, failsafe and/or fool-proof protection To avoid or minimize damage that may result from extra-ordinary, irregular function or failure of PPTC devices.
- Any and all responsibilities and liabilities are disclaimed if any item under this notice of warning is not complied with.

### **Thermal Derating Curve**

A YAGEO Company

孢 Pulse

BrightKing



### Thermal Derating Chart – I<sub>H</sub> (A)


Part	Maximum Ambient Operating Temperatures ( $^{\circ}\!$									
Number	-40	-20	0	25	30	40	50	60	70	85
BK16-200	2.94	2.66	2.40	2.0	1.87	1.74	1.60	1.40	1.26	0.94
BK16-300	4.20	3.96	3.60	3.00	2.88	2.64	2.40	2.13	1.83	1.56
BK16-400	5.60	5.28	4.80	4.00	3.84	3.52	3.20	2.84	2.44	2.08
BK16-500	7.20	6.60	6.00	5.00	4.80	4.40	4.00	3.55	3.05	2.60
BK16-600	8.60	7.92	7.20	6.00	5.76	5.28	4.80	4.26	3.66	3.12
BK16-700	10.10	9.24	8.40	7.00	6.72	6.16	5.60	4.97	4.27	3.64
BK16-800	11.50	10.56	9.60	8.00	7.68	7.04	6.40	5.68	4.88	4.16
BK16-900	13.00	11.88	10.80	9.00	8.64	7.92	7.20	6.39	5.49	4.68
BK16-1000	14.20	13.20	12.00	10.00	9.60	8.80	8.00	7.10	6.10	5.20
BK16-1100	15.80	14.52	13.20	11.00	10.56	9.68	8.80	7.81	6.71	5.72
BK16-1200	17.30	15.84	14.40	12.00	11.52	10.56	9.60	8.52	7.32	6.24
BK16-1400	20.00	18.48	16.80	14.00	13.44	12.32	11.20	9.94	8.54	7.28



### **Test Procedures and Requirement**

Items	Test Conditions	Accept/Reject Criteria		
Resistance	In still air @25°C	$R_{min} \le R \le R_{max}$		
Time to Trip	Specified current, $V_{max}$ , 25 $^\circ \! \mathbb{C}$	$T \le max$ . Time to trip ( $T_{trip}$ )		
Hold Current	30 min, at I <sub>H</sub>	No trip		
Trip Cycle Life	V <sub>max</sub> , I <sub>max</sub> , 100 cycles	No arcing or burning		
Trip Endurance	V <sub>max</sub> , 24hours	No arcing or burning		

### Typical Time-to-Trip Charts @25℃



### **Storage Recommendations**

- Storage Temperature: -10°C~+40°C
- Relative Humidity: ≤80%RH
- Keep away from corrosive atmosphere and sunlight.
- Period of Storage: 1 year.


### **Wave Soldering Recommendation Parameters**

P11

Se

**R**BrightKing

A YAGEO Company



Items	Conditions			
Pre-Heating Zone	Refer to the condition recommended by the flux manufacturer. Maximum ramping rate should not exceed $4^{\circ}C$ /sec.			
Soldering Zone	Maximum solder temperature should not exceed 260 $^\circ\!\mathrm{C}$			
Cooling Zone	Forced cooling			

### Manual Soldering Recommendation Parameters

Items	Conditions			
Soldering condition	The highest power of the manual soldering iron should be 30W or less, soldering temperature should not be higher than $280^{\circ}$ C.			
Soldering time	The soldering time should be kept within 3 seconds, otherwise it might cause insulation layer cracking, and increased part resistance.			
Soldering position	The distance on the leads between the soldering point and bottom of the PPTC body should be equal or greater than 4mm.			
Other	The soldering iron should not contact the PPTC body except the leads. If the soldering conditions are kept to lower temperature, less time and larger distance, the outcome of the soldering will be better.			

### **Mechanical Characteristics**

Items	Specifications	Test Conditions/Methods		
Tensile strength	No visible damage	1.0Kgf, 10 seconds		
Bending strength	No visible damage	0.5Kgf, 90 $^\circ$ , 3 times		
Vibration	No visible damage	Freq: 10-55Hz, Amp: 0.75mm, 1min		






### **Reliability Test**

Items	Specifications	Test Conditions/Methods
Solder ability	No visible damage,Solder OK, Solder area ≥95%	245±5℃, 2±1s, dipping depth=0.5inch max from the body
Resistance to soldering heat	No visible damage, Electrical OK,	260±5℃, 10+2/-0s
Damp heat, steady state	No visible damage, Electrical OK, $ \Delta R/R0  \leq 20\%$	40±2℃, 90~95 % RH, total 48Hrs, after 4Hrs test electrical parameter
Temperature cycling	No visible damage, Electrical OK, $  \Delta R/R0   \leq 20\%$	Ta=-10+0/-1 $^{\circ}$ C 30min, Ta=70+1/-0 $^{\circ}$ C 30min, 5cycles, after 1hr test electrical parameter

### Packaging



## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Resettable Fuses - PPTC category:

Click to view products by Brightking manufacturer:

Other Similar products are found below :

0001.1010.G D38999/20WG39JN F02B250V1-4AS 9728214S-2(621) RF0627-000 RF2534-000 ASMD185-2 EN2997S61212AN EN2997SE61203AN BK-ABC-V-5-R LR4-550RAF SMD125-2 F60C500V20AS RF0078-000 RF1548-000 RF1973-000 RF2171-000 RF2531-000 RF2533-000 RF2550-000 TR600-150Q-B-0.5-0.130 BK-AGX-20 5E4795/04-1502 EN2997S61212MN EN2997SE61203MN EN2997SE61212AN EN2997SE61212MN EN2997KE61212MN EN2997K61212MN EN2997KE61212AN EN2997S61212AN BK1/S505-1.25-R TR-3216FF20-R TRF250-080T-B-1.0-0.125 JT06RT1832BN014 S-3-2-10 SMD100-2 FRN-R-5-6-10 FRS-R-3-2-10 LP-CC-2-1-2 LPS-RK-3-2-10SP BK-AGC-1-8-R BK-AGC-2-10-R BK-AGC-7-1-2 BK-GDC-500MA BK-MDL-1-6-10-R BK-SFE-4 BK-ABC-1-R BK-C518-250-R BK-GDB-2A