# TDS # CWik

# CHEMTRONICS Technical Data Sheet

**Chem-Wik<sup>®</sup> Rosin** 

## **PRODUCT DESCRIPTION**

Chem-Wik<sup>®</sup> Rosin is especially designed for today's heat sensitive electronic components. The lighter mass, pure copper braid construction allows for better thermal conductivity, even at low temperatures. Chem-Wik<sup>®</sup> Rosin responds as much as 50% faster than conventional desoldering braids. This design minimizes overheating and requires less "contact" pressure for greater operator control. All sizes are coated with a Type "R" organic flux system.

- Requires little or no post solder cleaning
- No corrosive residues
- Optimized weave design for faster wicking and heat transfer
- Halide free
- Minimal risk of heat damage to components and circuit boards

#### **TYPICAL APPLICATIONS**

Chem-Wik<sup>®</sup> Rosin desoldering braid safely removes solder from:

- Thru-hole Components
- Surface Mount Device Pads
- BGA Pads
- Micro Circuits
- Terminals
- Lugs and Posts
- Identification Script

## TYPICAL PRODUCT DATA AND PHYSICAL PROPERTIES

Chem-Wik <sup>®</sup> Rosin						
Flux Type: Grade WW, Type "R"						
Clean-up Required:	No					
Military Specifications:	MIL-F-14256F					
Shelf Life – 2 years from manufacturer date						

	Size	Size	
Part #	Inches	Metric	
2-5L	.030"	.76mm	
5-5L	.050"	1.27mm	
7-5L	.075"	1.91mm	
10-5L	.100"	2.54mm	

#### STATIC DISSIPATIVE PACKAGING

Static Dissipative packaging is available on all 5 foot bobbins. The static dissipative bobbins qualify as electrostatic discharge protective per DOD Standard 1686 and DOD Handbook 263. Meets the static delay rate provision of MIL-B-81705C.

## **USAGE INSTRUCTIONS**

For industrial use only.

Read MSDS carefully prior to use.

- 1) Choose a Chem-Wik<sup>®</sup> desoldering braid width equal to or slightly larger than the pad or connection.
- 2) Choose a solder iron tip equal to or slightly smaller than the pad or connection.
- 3) Set temperature of iron between 600-750°F
- 4) Place wick on solder joint and place tip of hot iron on top of wick

- 5) As solder becomes molten, the color of the wick will change from copper to silver.
- 6) Remove wick and iron from solder joint simultaneously once color change has stopped.
- 7) The component lead is now clean and free from solder.
- 8) Clip and discard the used portion of the wick.

	Color	5 ft.	25 ft.	50 ft.	100 ft.	500 ft.		
Width	Code	Bobbin	Spool	Spool	Spool	Spool		
.030"	White	2-5L	2-25L	2-50L	2-100L	2-500L		
.050"	Yellow	5-5L	5-25L	5-50L	5-100L	5-500L		
.075"	Green	7-5L	7-25L	7-50L	7-100L	7-500L		
.100"	Blue	10-5L	10-25L	10-50L	10-100L	10-500L		

#### AVAILABILITY

## Chem-Wik<sup>®</sup>Rosin is designed to meet or exceed the following standards:

MIL-F-14256F, Type R MIL-STD-2000A MIL-B-81705C NASA NHB5300.4(3A) NASA SP-5002 NASA NPC200-4 IPC SF-818 DOD Handbook 263 DOD Standard 1686 BELLCORE TR-NWT-00078

## TECHNICAL & APPLICATION ASSISTANCE

Chemtronics provides a technical hotline to answer your technical and application related questions. The toll free number is:

1-800-TECH-401.

#### NOTE:

This information is believed to be accurate. It is intended for professional end users having the skills to evaluate and use the data properly.

CHEMTRONICS does not guarantee the accuracy of the data and assumes no liability in connection with damages incurred while using it.

CHEMTRONICS

8125 COBB CENTER DRIVE KENNESAW, GA 30152 1-770-424-4888 REV. D (08/13)

#### **DISTRIBUTED BY:**

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Desoldering Braid / Solder Removal category:

Click to view products by Chemtronics manufacturer:

Other Similar products are found below :

532505-2 DS03-910-5 T0054487199 T0054486999 DP-CC STDC-102 T0054465499N T0058741815N T0054465299N T0051320399N T0051351199 T0051352700 4036S 6961 9057 9970 9976 DS104 DS115T DS117T DS204 DS206 DS60 ETBB HE80 MP135 MP136 MP137 MP138 MT6 UTC234 T0054460273 T0053411299N 17538 S1069 1811-5F 1830-10F 50-3-100 1813-5F 1833-10F 1810-25F 1823-25F 1824-25F CL7984 33397-AA 33398-AA 33396-AA 0320705 0320800 0320903