

Datasheet revision 1.1

www.chipquik.com

Lead Free Soldering Iron Tip Cleaner and Tinner

Product Highlights

Cleans and re-coats lead free soldering iron tips to prolong tip life

How to use Chip Quik Tip Tinner / Cleaner

- Turn soldering iron on to normal working temperature, hot enough to melt SAC305 (Sn96.5/Ag3.0/Cu0.5) or Tin/Copper (Sn99.3/Cu0.7) solder. Usually a soldering iron tip temperature of 700-800 Fahrenheit (370-425 Celsius) is appropriate. Allow iron tip to reach full operating temperature.
- 2. Press iron tip into solid tip tinner/cleaner mixture.
- 3. Allow a few seconds for some of the solid tip tinner/cleaner mixture to melt. As it melts it will clean the iron tip and then coat it with a protective layer of lead free alloy.
- 4. Proceed to use your soldering iron as normal to solder joints.
- 5. Repeat cleaning/tinning as often as necessary to keep tip clean and shiny, and prolong tip life.

Storage and Handling

Store refrigerated or at room temperature 3-25°C (37-77°F). Do not freeze.

Conforms to the following Industry Standards:

J-STD-004B, Amendment 1 (Solder Fluxes):	Yes
J-STD-005A (Solder Pastes):	Yes
J-STD-006C, Amendments 1 & 2 (Solder Alloys and Fluxed/Non-Fluxed Solders):	Yes
RoHS 2 Directive 2011/65/EU:	Yes

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Desoldering Braid / Solder Removal category:

Click to view products by Chip Quik manufacturer:

Other Similar products are found below :

532505-2 DS03-910-5 T0054487199 T0054486999 DP-CC STDC-102 T0054465499N T0058741815N T0054465299N T0051320399N T0051351199 4036S 6961 9057 9970 9976 DS104 DS115T DS117T DS204 DS206 DS60 ETBB HE80 MP135 MP136 MP137 MP138 MT6 UTC234 T0054460273 T0053411299N 17538 S1069 1811-5F 1830-10F 50-3-100 1813-5F 1833-10F 1810-25F 1823-25F 1824-25F CL7984 33397-AA 33398-AA 33396-AA 0320705 0320800 0320903 0321200