

SMD Molding Power Inductor

Features

- 1. Magnetically shielded construction, low DC resistance;
- 2. The use of magnetic iron powder ensure capability for large current;
- 3. Low audible core noise:
- 4. Ideal for DC-DC converter applications in hand held personal computer and etc;
- 5. Frequency Range: up to 3.0MHz;
- 6、RoHS compliant。

◆ Applications

- 1、Smart phone、MID;
- 2. Next-generation mobile devices with multifunction such as adding color TV and digital movie cameras;
- 3. Flat-screen TVs, blue-ray disc recorders, set top box;
- 4. Notebooks, desktop computers, servers, graphic cards;
- 5. Portable gaming devices, personal navigation systems, personal multimedia devices;
- 6. Automotive systems;
- 7、Telecomm base stations。

Lead Free Part Numbering

CMLO 0515 H 2R2 M T T (1) (2) (3) (4) (5) (6) (7)

(1) Series Type

(2) Dimension: AXC

(3) Material Code


(4) Inductance: $2R2=2.2\mu H$;


100=10μH; 101=100μH

(5) Inductance Tolerance: M=±20%, Y=±30%

(6) Company Code

(7) Packaging: packed in embossed carrier tape








Dimensions

Series	A±0.2(mm)	B±0.2 (mm)	C (mm)	D±0.1 (mm)	E±0.1 (mm)
CMLO0515H	5.2	4.7	1.5 Max	2.0	1.0





◆ Specification

	INDUCTANCE	Rdc (m Ω)		Test a	HEAT RATING CURRENT(Idc)	SATURATION CURRENT	
Part Number	Lo(µ H)	Тур.	Max	condition	DC AMPS1 (Typ.)	(Isat) DC AMPS2 (Typ.)	
CMLO0515H Series							
CMLO0515H1R0MTT	1.0	31	40	100KHz/1V	4.0	5.5	
CMLO0515H2R2MTT	2.2	35	42	100KHz/1V	3.5	4.5	
CMLO0515H3R3MTT	3.3	44	58	100KHz/1V	2.5	3.5	
CMLO0515H4R7MTT	4.7	156	200	100KHz/1V	2.9	3.0	

NOTES:

- 1. DC current (ldc) that will cause an approximate $\triangle T$ of 40°C
- 2. DC current (Isat) that will cause Lo to drop approximately 20%
- 4. Operating Temperature Range -55°C to +150°C
- 5. The part temperature (ambient + temp rise) should not exceed 150°C under the worst operating conditions. Circuit design, component placement, PWB trace size and thickness, airflow and other cooling provisions all affect

the part temperature. Part temperature should be verified in the end application.

Rev.01 Page 2 of 7 www.cybermaxtech.com.cn



◆ Reliability Test

ltem	Specification and Requirement	Test Method			
	1. No case deformation or change in	1.Preheat: 155℃±5℃ , 60S±2S			
Solderability	apperarance	2.Tin: lead-free.			
	2. New solder coverage More than 90%	3.Temperature:245℃±5℃, flux 3.0S±0.5S.			
	1. No case deformation or change in	1. Acceleration: 100G			
Mechanical	apperarance	2. Pulse time:: 6ms			
shock	2. △L/Lo≦±10%	3. 3 times in each positive and negative direction of 3			
		mutual perpendicular directions			
	1. No case deformation or change in	1. The test samples shall be soldered to the board.			
	apperarance	Then it shall be submitted to below test conditions.			
	2. △L/Lo≦±10%	Fre. Range 10~55Hz			
Mechanical		Total Amplitude 1.5mm			
vibration		Sweeping Method 10Hz to 55Hz to 10Hz			
		Time For 2 hours on each X,Y,Z axis.			
		2. Recovery: At least 2 hours of recovery under the			
		standard condition after the test, followed by the			
		measurement within 24 ±2 hours.			
	Inductance change:	1. First -55℃ for 30 minutes, last 125℃ for 30			
	Within ± 10% Without distinct damage	minutes as 1 cycle. Go through 1000 cycles.			
Thermal Shock	in appearance	2. Max transfer time is 2 minutes.			
		3. Measured at room temperature after placing for			
		24±2 hours			
	Inductance change:	1.Reflow 2 times,			
Humidity	Within ± 10% Without distinct damage	2.85 °C,85%RH,1000 hours			
Resistance	in appearance	3.Measured at room temperature after placing for			
		24±2 hours			
Low	Inductance change:	1. Temperature: -55 ± 2°C			
temperature	Within ± 10% Without distinct damage	2. Time: 1000 hours			
storage	in appearance	3. Measured at room temperature after placing for			
3.1.1		24±2 hours			
Lliah	Inductance change:	1. Temperature: +125 ± 2°C			
High temperature	Within ± 10% Without distinct damage	2. Time: 1000 hours			
storage	in appearance	3. Measured at room temperature after placing for			
3.01aye		24±2 hours			

Rev.01 Page 3 of 7 www.cybermaxtech.com.cn



	X CCCIII.CCIII				
	Inductance change:	1、Run through IR reflow for 2 times;			
	Within ± 10% Without distinct damage	2. Place the 100mm X 40mm board into a fixture			
	in appearance	similar to the one shown in below Figure with the			
		component facing down			
		3. The apparatus shall consist of mechanical means			
		to apply a force which will bend the board (D) x = 2 mm minimum. 4. The duration of the applied forces shall be 60±5			
Board Flex		sec. The force is to be applied only once to the oard.			
		Support Solder Chip Printed circuit board before to			
		45±2 45±2 KKI0112-M			
		20 Probe to exert bending force			
		Radius 340			
		1.6			
		Printed circuit board under test Displacement			
	No removal or split of the termination or	1. The test samples shall be soldered to the board			
	other defects shall occur.	2. Push the product vertically from the side of the			
		sample using the thrust tester.			
		3、Automotive electronics: 17.7N, 60S±1s, X,			
		Ydirect.			
Terminal		X direct			
Strength					
		Y direct			
	•				

Rev.01 Page 4 of 7 www.cybermaxtech.com.cn



◆ Recommended Soldering Technologies

(1) Re-flowing Profile

Preheat condition: 150 ~200 °C/60~180sec.


Allowed time above 217°C: 80~120sec.

Max temp: 260°C

Max time at max temp: 10 sec.

Solder paste: Sn/3.0Ag/0.5Cu

Allowed Reflow time: 2x max



(2) Iron Soldering Profile


Iron soldering power: Max. 30W

Pre-heating: 150 °C/60sec.

Soldering time: 3sec. Max.

Solder paste: Sn/3.0Ag/0.5Cu

Max.1 times for iron soldering




Rev.01 Page 5 of 7 www.cybermaxtech.com.cn




◆Packaging Information


(1) Tape Packaging Dimensions (Unit: mm)



Tyron	Tape dimensions (mm)											
Туре	W	Р	P0	P2	D0	D1	Т	A0	В0	K0	E	F
CMLO0515	12 ±0.3	8 ±0.1	4 ±0.1	2 ±0.1	1.5 ±0.1	1.5 ±0.1	0.35 ±0.05	4.5 ±0.1	4.85 ±0.1	1.5 ±0.1	1.75 ±0.1	5.5 ±0.1

Taping Drawings (UNIT:mm)






Rev.01 Page 6 of 7 www.cybermaxtech.com.cn



(2) Reel Dimensions (Unit: mm)



А	w	N	В	С	D
330+2.0	12.8±0.2	97±0.5	2.2+0.5	13.0±0.2	10.75±0.25


(3) Packaging Quantity(PCS)

Tymo	Standard Quantity					
Туре	Reel	Inner box	Carton box			
CMLO0515	2000 pcs/reel	4Reel/box(8000pcs)	4 Middle boxes, (32,000pcs)			

(4) Peel force of top cover tape

The peel speed shall be about 300mm/minute

The peel force of top cover tape shall be between 0.1 to 1.3 N



Rev.01 Page 7 of 7 www.cybermaxtech.com.cn

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Fixed Inductors category:

Click to view products by Cybermax manufacturer:

Other Similar products are found below:

CR32NP-151KC CR32NP-180KC CR32NP-181KC CR32NP-1R5MC CR32NP-390KC CR32NP-3R9MC CR32NP-680KC CR32NP-680KC CR32NP-680KC CR32NP-680KC CR32NP-680KC CR32NP-820KC CR32NP-8R2MC CR43NP-390KC CR43NP-560KC CR43NP-680KC CR54NP-181KC CR54NP-470LC CR54NP-820KC CR54NP-8R5MC 70F224AI MGDQ4-00004-P MHL1ECTTP18NJ MHQ1005P10NJ MHQ1005P1N0S MHQ1005P2N4S MHQ1005P3N6S MHQ1005P5N1S MHQ1005P8N2J PE-51506NL PE-53601NL PE-53602NL PE-53630NL PE-53824SNLT PE-92100NL PG0434.801NLT PG0936.113NLT 9220-20 9310-16 PM06-2N7 PM06-39NJ A01TK 1206CS-471XJ HC2LP-R47-R HC2-R47-R HC3-2R2-R HCF1305-3R3-R 1206CS-151XG RCH664NP-140L RCH664NP-4R7M RCH8011NP-221L RCP1317NP-332L RCP1317NP-391L RCR1010NP-470M