

Consistent with ANSI/ESD S541 section A.3 "Dissipative Material for Intimate Contact, To avoid rapid discharge to sensitive items, dissipative materials should be used as the layer of packaging that contacts the item."

ESD Handbook ESD TR20.20 section 5.3.1.7 Electrical Considerations "[RTG is] The most important functional consideration for worksurfaces. This establishes the resistance of the primary path to ground for items, placed on the surface. When worksurface materials are being selected, consideration should be given to possible Charged Device Model (CDM) damage to ESD sensitive products. If CDM damage is a concern then setting a lower resistance limit for the worksurface should be considered. Typically, the lower limit for these types of worksurfaces is 1 x 10<sup>6</sup> ohms."

## **Description:**

Desco's Statfree® Cushion Grade Static Dissipative Foam is a non-abrasive, closed-cell Polyethylene Foam Compounded for Permanent ESD Control Properties. The ESD protective properties will not degrade; the foam is designed not to flake, slough, or contaminate products. The foam will electrically couple to a grounded ESD worksurface when placed on the worksurface. There is no need for a separate ground cord for the foam when used in this fashion. The 1.9 lb/ft density provides cushioning protecting products from shock physical damage.





## **Specifications:**

Property	Test Method	Results
Density	ASTM D3575-91	1.9 lb/ft <sup>3</sup>
Surface Resistance	ANSI/ESD S4.1	10E5 - 10E8 ohms
Corrosivity	TS 1021BA (UK MOD)	Pass
Water Extract	TS 1021BA (UK MOD)	Pass
Total Chlorine	TS 1021BA (UK MOD)	Pass
Recommended Operating		
Temperature Range	Internal	+200°F to -95°F
Tear Strength	ASTM D3575-91	14 lbf/in
Tensile Strength	ASTM D2575-91	44 psi

Item	Thickness	Size (in.)
<u>12665</u>	1/8	40 x 75
<u>12666</u>	1/4	40 x 75
<u>12667</u>	3/8	40 x 75
<u>12668</u>	1/2	40 x 75

Dimensions are nominal; thickness is  $\pm 1/16$ ".

Unless otherwise noted, tolerance is ±10%

Specifications and procedures subject to change without notice.

## Statfree® Black Cushion Grade Static Dissipative Foam



**DESCO WEST:** 3651 WALNUT AVE., CHINO, CA 91710 WEB SITE: <u>Desco.com</u> PHONE (909) 627-8178 FAX (909) 627-7449

**DESCO EAST:** ONE COLGATE WAY, CANTON, MA 02021-1407 PHONE (781) 821-8370 FAX (781) 575-0172

DRAWING NUMBER 12665 DATE: March 2011

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Antistatic Control Products category:

Click to view products by Desco manufacturer:

Other Similar products are found below:

13020 13490 13881 13883 14404 2202SP 2229 2230 37061 42470 09813 09857 04563 09037 09813 66070 100816 98132 73741

13868 13457 13245 13420 13205 13135 91070 66085 13080 13806 10057 1501024 150715 19863 09121 73831 07501 66086 66121

16316 13331 ZN-A2502 1900-8X12 1910-10X12 82A3 1900-6X8 1900-7-15 12917 2231 19866 20-014-0002