


HSSC424.xxx - 0402 High Stability Silicon Capacitor

Rev 3.2



Key features

- Ultra high stability :
 - ◆ Temperature <±0.5% (-55 °C to +150 °C)
 - ◆ Voltage <0.1 %/V
 - ◆ Negligible aging <0.001% /1000hours
- Unique high capacitance in EIA/0402 package size, up to 100 nF
- High reliability (FIT <0.017 parts / billion hours)</p>
- Low leakage current down to 100 pA
- Low ESL and Low ESR
- Suitable with lead free reflow-soldering *Please refer to our assembly Application Note for further recommendations

Thanks to the unique IPDiA Silicon capacitor technology, most of the problems encountered in demanding application can be solved.

High Stability Silicon Capacitors are dedicated to applications where **Reliability** is the main parameter thanks to our end of production Burnin.

HSSC avoid the need to oversize the capacitor value for sensitive capacitive circuitry and offers a higher DC voltage stability.

This technology provides industry leading performances relative to the capacitor stability over the full operating voltage & temperature range.

The very high and stable insulation resistance of silicon capacitors can enhance up to 30 % the **battery lifetime** in mobile applications.

Key applications

- All demanding applications, such as medical, aerospace, automotive industry
- High stability applications
- Decoupling / Filtering / Charge pump (i.e.: Pacemakers / defibrillators)
- Devices with battery operations
- Replacement of X7R and NP0
- Downsizing

The IPDiA technology features a capacitor integration capability (up to 250nF/mm²) which allows a **smaller case size** than existing solutions to answer high volume constraints. This technology also offers **high reliability**, up to 10 times better than alternative capacitor technologies, such as Tantalum or MLCC, and eliminates cracking phenomena.

This Silicon based technology is RoHS compliant and compatible with lead free reflow soldering process.





Electrical specification

		<u>Capacitance value</u>					
		10	15	22	33	47	68
Unit	1 pF	Contact IPDIA Sales	Contact IPDIA Sales	Contact IPDIA Sales	Contact Contact IPDIA Sales IPDIA Sales		Contact IPDIA Sales
	10 pF	100 pF: 935.131.424.310	150 pF: 935.131.424.315	220 pF: 935.131.424.322	330 pF: 935.131.424.333	470 pF: 935.131.424.347	680 pF: 935.131.424.368
	0.1 nF	1 nF: 935.131.424.410	1.5 nF: 935.131.424.415	2.2 nF: 935.131.424.422	3.3 nF: 935.131.424.433	4.7 nF: 935.131.424.447	6.8 nF: 935.131.424.468
	1 nF	10 nF: 935.131.424.510	15 nF: 935.131.424.515	22 nF: 935.131.424.522	33 nF: 935.131.424.533	47 nF: 935.131.424.547 935.131.724.547	Contact IPDIA Sales
	10 nF	100 nF: 935.131.424.610			000.101.1424.000	230.10.1124.041	2 Caree

(*) Thinner thickness (as low as 100 µm thick) a	wailable, see Low Profile Silicon	Capacitor product: LPSC
--	-----------------------------------	-------------------------

^(**) Extended temperature range (up to +250 °C) available, see Xtreme Temperature Silicon Capacitor product: XTSC

<u>Parameters</u>	<u>Value</u>		
Capacitance range	100 pF to 100 nF ^(***)		
Capacitance tolerances	±1 5 %^(***)		
Operating temperature range	-55 °C to 150 °C (**)		
Storage temperatures	- 70 °C to 165 °C		
Temperature coefficient	<±0.5 %, from -55 °C to +150 °C		
Breakdown voltage (BV)	11, 30 V ^{***)}		
Capacitance variation versus RVDC	0.1 % /V (from 0 V to RVDC)		
Equivalent Serial Inductor (ESL)	Max 100 pH		
Equivalent Serial Resistor (ESR)	Max 400m $Ω^{(***)}$		
Insulation resistance	100GΩ min @ 3V,from -55°C to +150°C		
Ageing	Negligible, < 0.001 % / 1000h		
Reliability	FIT<0.017 parts / billion hours,		
Capacitor height	Max 400 μm ^(*)		




Fig.1 Capacitance change versus temperature variation compared with alternative dielectrics




Fig.2 Capacitance change versus voltage variation compared with alternative dielectrics




Fig.3 ESL versus capacitance value compared with alternative dielectrics

Part Number



Termination and Outline


Termination

Lead-free nickel/solder coating compatible with automatic soldering technologies: reflow and manual.

Typical dimensions, all dimensions in mm.

Package outline

Тур.		0402		
Comp.	L	1.16±0.05		
size	W	0.66±0.05		



(0402 PCB footprint)

Packaging

Tape and reel, tray, waffle pack or wafer delivery.

Reproduction in whole or in part is prohibited without the prior written consent of the copyright owner. The information presented in this document does not form part of any quotation or contract, is believed to be accurate and reliable and may be changed without notice. No liability will be accepted by the publisher for any consequence of its use. Publication thereof does not convey nor imply any license under patent- or other industrial or intellectual property rights.



For more information, please visit: http://www.ipdia.com To contact us, email to: sales@ipdia.com

> Date of release: 28th February 2014 Document identifier: CL431 111 615 137

^(***) Other values on request



IPD Capacitor Assembly Set Up

Rev 1.0 Application Note


Outline

Silicon Capacitor for surface mounting device (SMD) assembly is a Wafer Level Chip Scale Packaging with the following features:

- Package dedicated to solve tombstoning effect of small SMD package;
- Package compatible with SMD assembly;
- Package without underfilling step;
- Interconnect available with various optional finishing for specific assembly.

Assembly consideration

- Standard pick & place equipment dedicated to WLCSP down to 400µm pitch.
- Solder paste type 3 in most cases of EIA size.
- Reflow has to be done with standard lead-free profile (for SAC alloys) or according to JEDEC recommendations J-STD 020D-01.



Process recommendation

After soldering, no solder paste should touch the side of the capacitor die as that might results in leakage currents due to remaining flux.

In order to use IPDiA standard capacitors within the JEDEC format and recommendation, the solder flux must be cleaned after reflow soldering step.

Notes: for a proper flux cleaning process, "rosin" flux type (R) or "water soluble" flux type (WS) is recommended for the solder printing material. "No clean" flux (NC) solder paste is not recommended.

In case the flux is not cleaned after the reflow soldering, the standard JEDEC would probably not be appropriate and the solder volume must be controlled:

- using smallest aperture design for the stencil, and using finer solder paste type 4 or 5 for a proper printing process.
- Mirroring pads would be the best recommendation






Pad recommendation

The capacitor is compatible with generic requirements for flip chip design (IPC7094). Standard IPDiA 3D package can be compliant with established EIA size (0201, 0402, 0603, ...).

Die size and land pattern dimensions is set up according to following range :

EIA size	0201	0402	0603	0805	1206	1812
Dimension max(X1 x X2) mm	0.86x0.66	1.26x0.76	1.86x1.16	2.26x1.46	3.46x1.86	4.76x3.66
Typical . die thickness X3 (mm)	0.1 or 0.4					
Typical pad size* (mm)	0.15x0.40	0.30x0.50	0.40x0.90	0.50x1.20	0.60x1.60	0.90x3.40
Typical pad separation (X4 mm)	0.3	0.4	0.8	1	2	2.7



After soldering, no solder paste should touch the side of the capacitor die as that might result in leakage currents due to remaining flux.

Rev 1.0 2 of 3



Manual Handling Considerations

These capacitors are designed to be mounted with a standard SMT line, using solder printing step, pick and place machine and a final reflow soldering step. In case of manual handling and mounting conditions, please follow below recommendations:

- Minimize mechanical pressure on the capacitors (use of a vacuum nozzle is recommended).
- Use of organic tip instead of metal tip for the nozzle.
- Minimize temperature shocks (Substrate pre-heating is recommended).
- No wire bonding on 0402 47nF, 0402 100nF, 1206 1μF and 1812 3,3μF

Process steps:

- On substrate, form the solder meniscus on each land pattern targeting 100 μm height after reflow (screen printing, dispensing solder paste or by wire soldering).
- Pick the capacitor from the tape & reel or the Gel Pack keeping backside visible using a vacuum nozzle and organic tip.
- Temporary place the capacitor on land pattern assuming the solder paste (Flux) will stick and maintain the capacitor.
- Reflow the assembly module with a dedicated thermal profile (see reflow recommendation profile).



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Silicon RF Capacitors / Thin Film category:

Click to view products by IPDiA manufacturer:

Other Similar products are found below:

MA4M3050 MA4M3100 MA4M3010 MV0204CA1R0MQAW MV0802CA150MAAW MV0804CA1R0MABW MV3204CA150MABW

02013J3R0ABSTR 02015J1R2ABSTR 04021JR05Z4STR\500 400Z0R1AT100T 400Z0R1PT100T 400Z100FT16T 400Z150FT16T

400Z170FT16T 400Z180FT16T 400Z1R8QT25T 400Z2R0QT25T 400Z2R4QT25T 400Z3R0AT25T 400Z4R7AT25T 400Z5R6BT25T

400Z8R2BT16T 04023J4R6ABSTR 02013J1R8PBSTR 02015J0R9PBSTR 02015J1R0PBSTR 0201ZK8R2BBWTR 04021JR65PBSTR

04021J0R4ZBSTR\500 04023J0R6PBSTR\500 04021J1R4PBSTR\500 02011JR25ZBSTR\500 02015J1R5PBSTR\500

04025J2R2QBWTR\500 06035J2R2QBSTR 06033J6R8BBSTR 04023J5R6ABSTR 100B300GT500XT 100B1R0CT500XT

02015J2R0PBSTR\500 100B470GT500XT 700B271JT200XT 100B5R1DT500XT 100B0R6DT500XT 100B160FT500XT

100B3R3DT500XT 100B180FT500XT 100B2R0DT500XT 04021J0R8P4STR\500