

Positive Temperature Coefficient (PTC) Data Sheet

Features


- Radial leaded devices.
- Over-current protection
- High voltage surge capabilities
- Flame retardant epoxy polymer insulating material meets UL94 V-0 requirement.
- Available in lead-free version.
- Meets MSL level 1, per J-STD-020
- Operating Temperature: -40°C~+85°C


Applications

- IT equipment
- Access network equipment
- Central office equipment
- ISDN and xDSL equipments
- Phone set and fax machine
- LAN/WAN and VOIP cards




Part Number Code and Making





Dimensions (Unit: mm)



Part	Style	А	В	С	D	Е	F	leda
Number		MAX	MAX	Тур	MIN	MAX	Тур	Ф
KR250-030	1	7.0	12.0	5.1	7.6	4.4	1	0.60CP
KR250-040	1	7.0	12.0	5.1	7.6	4.4	1	0.60CP
KR250-050	1	7.0	12.0	5.1	7.6	4.4	1	0.60CP
KR250-060	1	7.0	12.0	5.1	7.6	4.4	1	0.60CP
KR250-080	1	7.0	12.0	5.1	7.6	4.4	1	0.60CP
KR250-090	1	7.0	12.0	5.1	7.6	4.4	1	0.60CP
KR250-110	2	7.0	13.0	5.1	7.6	4.4	1	0.60CP
KR250-120	2	7.0	13.0	5.1	7.6	4.4	1	0.60CP
KR250-145	2	7.0	13.0	5.1	7.6	4.4	1	0.60CP
KR250-180	1	9.0	15.5	5.1	7.6	4.4	1	0.60CP
KR250-200	1	9.0	15.5	5.1	7.6	4.4	1	0.60CP
KR250-300	1	9.0	15.5	5.1	7.6	4.4	1	0.60CP
KR250-350	1	9.5	15.5	5.1	7.6	4.4	1.5	0.60CP
KR250-400	4	10.0	16.0	5.1	7.6	4.4	1.5	0.60CP
KR250-500	3	11.0	15.8	5.1	7.6	4.4	1.5	0.80CP
KR250-600	3	11.0	15.8	5.1	7.6	4.4	1.5	0.80CP
KR250-800	3	11.0	15.8	5.1	7.6	4.4	1.5	0.80CP
KR250-1000	3	14.0	19.1	5.1	7.6	4.4	1.5	0.80CP



Electrical Characteristics

Part	Vmax	Imax	Ihold	Itrip	Pdmax	Max Time Tirp		Resistance	
Number	(V)	(A)	(A)	(A)	(W)	(A)	(s)	$Rmin(\Omega)$	R1max
									(Ω)
KR250-030	220	3	0.03	0.06	1.0	0.15	10.0	40.00	135.00
KR250-040	220	3	0.04	0.08	1.0	0.20	10.0	33.00	97.50
KR250-050	220	3	0.05	0.10	1.0	0.75	10.0	24.00	90.00
KR250-060	220	3	0.06	0.12	1.0	0.30	10.0	22.00	48.00
KR250-080	220	3	0.08	0.16	1.0	0.40	10.0	14.00	33.00
KR250-090	220	3	0.09	0.18	1.0	0.45	10.0	10.00	30.00
KR250-110	220	3	0.11	0.22	1.0	0.55	15.0	7.00	16.50
KR250-120	220	3	0.12	0.24	1.0	0.60	15.0	8.00	18.00
KR250-145	220	3	0.145	0.29	1.0	0.725	15.0	3.50	9.75
KR250-180	220	3	0.18	0.50	1.0	1.00	15.0	0.80	3.00
KR250-200	220	3	0.20	0.40	1.5	1.00	15.0	1.50	4.80
KR250-300	220	3	0.30	0.60	1.5	1.50	15.0	1.00	3.75
KR250-350	220	3	0.35	0.70	1.5	1.75	10.0	0.80	2.25
KR250-400	220	3	0.40	0.80	2.5	2.00	10.0	0.75	1.65
KR250-500	220	5	0.50	1.00	2.5	2.50	15.0	0.50	1.20
KR250-600	220	5	0.60	1.20	3.0	3.0 0	10.0	0.50	1.13
KR250-800	220	5	0.80	1.60	3.5	4.0 0	10.0	0.45	1.05
KR250-1000	220	5	1.00	2.00	4.0	5.0 0	10.0	0.28	0.77

Parameter interpretation

- IH = Hold current: maximum current device will pass without tripping in 25°C still air.
- IT = Trip current: minimum current at which the device will trip in 25°C still air.
- VMAX = Maximum voltage device can withstand without damage at rated current.
- IMAX = Maximum fault current device can withstand without damage at rated voltage.
- RMAX = Maximum resistance of device in initial (un-soldered) state.
- RMIN = Minimum resistance of device in initial (un-soldered) state.
- Pd typ. = Typical power dissipation from device when in the tripped state at 25°C still air.

Polymeric PTC Selecting Guide

- Determine the following operating parameters for the circuits:
- Normal operating current (Ihold)
- Maximum interrupt current (Imax)
- Maximum circuit voltage (Vmax)
- Normal operating temperature surrounding device (min[®]C/max[®]C)
- Select the device from factor and dimension suitable for the application
- Compare the maximum rating for V_{max} and I_{max} of the PPTC device with the circuit in application and make sure

the circuit's requirement does not exceed the device rating.

- Check that PPTC device's trip time (time-to-trip) will protect the circuit.
- Verify that the circuit operating temperature is within the PPTC device's normal operating temperature range.
- Verify that performance and suitability of the chosen PPTC device in the application.

WARNING

Mechanical Stress

• PPTC devices will undergo a thermal expansion during fault condition. If PPTC devices are installed or placed in an application where the space between PPTC devices and the surrounding materials (e.g., covering materials, packaging materials, encapsulate materials and the like) is insufficient, it will cause an inhibiting effect upon the thermal expansion. Pressing, twisting, bending and other kinds of mechanical stress will also adversely affect the performance of the PPTC devices, and shall not be used or applied.

Chemical Pollutants

• Silicone-based oils, oils, solvents, gels, electrolytes, fuels, acids, and the like will adversely affect the properties of PPTC devices, and shall not be used or applied.


Electronic and Thermal Effect

- PPTC devices are secondary protection devices and are used solely for sporadic, accidental over-current or over-temperature error condition, and shall NOT be used if or when constant or repeated fault conditions (such fault conditions may be caused by, among others, incorrect pin-connection of a connector) or over-extensive trip events may occur.
- PPTC devices are different from fuses and, when a fault condition occurs, will go into high-resistance state and do not open circuit, in which case the voltage at such PPTC devices may reach a hazardous level.
- Operation over the maximum rating or other forms of improper use may cause failure, arcing, flame and/or other damage to the PPTC devices.
- · Conductive material contamination, such as metal particle, may induce shortage, flame or arcing.
- Due to the inductance, the operation circuits may generate a circuit voltage (Ldi/dt) above the rated voltage of PPTC devices, which shall not be used under such circumstances.


General

- Customers shall evaluate and test the properties of PPTC devices independently to verify and ensure that their individual applications will be met.
- The performance of PPTC devices will be adversely affected if they are improperly used under electronic, thermal and/or mechanical procedures and/or conditions non-conformant to those recommended by manufacturer.
- Customers shall be responsible for determining whether it is necessary to have back-up, failsafe and/or fool-proof protection To avoid or minimize damage that may result from extra-ordinary, irregular function or failure of PPTC devices.
- · Any and all responsibilities and liabilities are disclaimed if any item under this notice of warning is not complied with.

Thermal Derating Curve



Typical Time-To-Trip at 25 °C ± 2 °C



Storage Recommendations

- Storage Temperature: -10 °C ~+40 °C
- Relative Humidity: ≤80%RH
- Keep away from corrosive atmosphere and sunlight.
- Period of Storage: 1 year.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Resettable Fuses - PPTC category:

Click to view products by Kailong manufacturer:

Other Similar products are found below:

RF0077-000 RF2534-000 RF3256-000 RF3281-000 RF3301-000 RF3344-000 RF3382-000 SMD125-2 RF2171-000 RF2531-000 RF2873-000 RF3060-000 TR600-150Q-B-0.5-0.130 RXE090 5E4795/04-1502 TRF250-080T-B-1.0-0.125 SMD100-2 NIS5452MT1TXG

NIS5431MT1TXG SMD250-2 0ZCM0001FF2G 0ZCM0003FF2G 0ZCM0004FF2G BK60-017-DZ-E0.6 F95456-000 LVR100S RS30-090 RS30-600 RS30-700 RS30-800 RS30-900 RS60RB-005 RS60RB-010 RS60RB-020 RS60RB-025 RS60RB-050 RS60RB-075 RS60RB-160 SMD1206-300C-12V SB250-145 SB250-030 SB250-040 SB250-200 SB250-600 SMD0805-005-24V SMD0805-050-16V SMD1210-005-60V SMD0805-005 R60-375 SMD0805K110SF6V