

### Features

- 1. Improved pulse endurance characteristics compared to carbon-film devices.
- 2. Wide resistance range is available, 1 ohm ~ 22M ohm.
- 3. Stability Class : 10%




### Dimensions



## Part Number Description

Example



\*Refer to Tape and Packaging information on pages 66.

# FIXED CARBON COMPOSITION RESISTORS

### Ratings

Style	Rated Dissipation at 70°C W	Limiting Element Voltage V	Rated Resistance	Combination of Rated Resistance Range and Temperature Coefficient of Resistance			Television on Dated Desistance and	Isolation	Category Temperature
				Temperature Coefficient of Resistance %		Rated Resistance	Tolerance on Rated Resistance and Perferred Number Series for Resistors	Voltage	Range
				at –55 °C	at +125 °C	Range		V	°C
RC1/4	0.25	250	1 ohm~5.6M ohm	+6.5 ~0	+1~-5	1 ohm ~ 1k ohm	J (± 5%)	100	-55~+125
				+10 ~0	0~-6	1.1k ohm ~ 10k ohm	: E24 K ( ± 10%)		
RC1/2	0.5	350	1 ohm~22M ohm	+13 ~0	0~-7.5	11k ohm ~100k ohm	: E12	500	
				+15 ~0	0~-10	110k ohm ~ 1M ohm	M( ± 20%)		
				+20 ~0	0~-15	1.1M ohm ~ 22M ohm	: E6		

Percentage of the rated dissipation(%)

Note1. Rated Voltage =  $\sqrt{(Rated Dissipation) \times (Rated Resistance)}$ . (d.c. or a.c. r.m.s. Voltage)

Note2. Limiting Element Voltage can only be applied to resistors when the resistance value is equal to or higher than the critical resistance value.

Note3. Critical Resistance Value is the resistance value at which the rated voltage is equal to the limiting element voltage.

#### Storage


Temperature 20±15°C, Humidity 60%R.H. Max, Recommendation Storing Term 6 months after shipped from factory.

## Derating Curve

The derated values of dissipation for temperatures in excess of  $70^{\circ}$ C shall be indicated by the following Curve.

#### Climatic Category

55/125/56	
Lower Category Temperature	–55°C
Upper Category Temperature	+125°C
Duration of the Damp heat, Steady-State Test	56 days



#### ●Performance Characteristics JIS C 5201-1 : 1998

Description		Requirements	Test Methods			
Voltage proof		No breakdown or flashover	Clause 4.7 V-block method RC1/4 100Va.c.,60s RC1/2 500Va.c.,60s			
Variation of resistance with temperature		See Ratings Table	Clause 4.8 Measuring temperature : +20°C/–55°C/ +20°C/+125°C/+20°C			
Overload		∆R≤±(2%+0.1 ohm) No visible damage, legible marking	Clause 4.13 The applied voltage shall be 2.5 times of the rated voltage or twice of the limiting element voltage, whichever is the less Severe, 5s.			
	Tensile	$\Delta R \le \pm (2\%+0.1 \text{ ohm})$ No visible damage	Clause 4.16.2 10N for 5~10s			
Robustness of terminations	Bending	$\Delta R \le \pm (2\%+0.1 \text{ ohm})$ No visible damage	Clause 4.16.3 5N twice			
	Torsion	$\Delta R \le \pm (2\%+0.1 \text{ ohm})$ No visible damage	Clause 4.16.4 180°C, 2 rotation			
Solderability		In accordance with Clause 4.17.4.5	Clause 4.17 235°C, 5s			
Resistance to soldering heat		∆R≤±(3%+0.1 ohm) No visible damage, legible marking	Clause 4.18 After immersion into the flux, the immersion into solder shall be carried out 4mm from the body at 350°C for 3.5s.			
Rapid change of temperature		$\Delta$ R≤±(2%+0.1 ohm) No visible damage	Clause 4.19 5 cycles between -55°C and +125°C.			
Climatic sequence		$\Delta$ R≤±(10%+0.5 ohm) Insulation resistance : R≥100M ohm No visible damage	Clause 4.23 Dry/Damp heat(12+12h cycle), first cycle./ Cold/Damp heat(12+12h cycle), remaining cycle./ D.C.Load.			
Damp test, steady state		∆R≤±(10%+0.5 ohm) Insulation resistance : R≥100M ohm No visible damage, legible marking	Clause 4.24 40°C, 95%R.H., 56 days, test a) , b) and c) of Clause 4.24.2.1			
Endurance at 70°C		∆R≤±(10%+0.5 ohm) No visible damage Insulation resistance : R≥1G ohm	Clause 4.25.1 Rated voltage, 1.5h "ON", 0.5h "OFF", 70°C, 1,000h.			
Endurance at the upper category temperature		∆R≤±(10%+0.5 ohm) No visible damage Insulation resistance : R≥1G ohm	Clause 4.25.3 125°C, no-load, 1,000h.			


RC

# FIXED CARBON COMPOSITION RESISTORS


# Typical Characteristics

# •Surge Resistance Characteristics

Charging and discharging a 2,000 pF capacitor for 100 cycles.




•Relationship between Load Ratio and Category Temperature



# Variation with Time

Condition : 5~35°C , 45~85% R.H.




# Reliability Test


Endurance in humidity

**Samples :** RC1/4J,100 ohm,1k ohm,10k ohm,100k ohm×150 each. Total 2,400. **Conditions :** Direct current voltage equivalent to the following load ratings in cycles on "ON" for 1.5h and "OFF" for 0.5h for a total of 5,000h in an atmosphere of 40°C, 90 to 95%R.H.


Criterion (%)		Load Ratio P/Pn	Total Testing Time T(Hrs.)	Number of Failures r(pcs.)	Failure Ratio		Average Lifetime (60% reliability level)
		(%)	т(піз.)		Â	λCL(60%)	(Hrs.)
∆R/R	±5	0	2.984X10 <sup>6</sup>	6	0.201	0.244	4.098×10⁵
		20	2.990X10 <sup>6</sup>	4	0.134	0.176	5.682×10⁵
		60	2.997X10 <sup>6</sup>	2	0.067	0.104	9.615×10⁵
		100	2.992X10 <sup>6</sup>	3	0.100	0.139	7.194×10⁵
		Total	1.196X10 <sup>7</sup>	15	0.125	0.138	7.209×10⁵
	±10	Total	1.20X10 <sup>7</sup>	0	0.0055	0.007	1.299×10 <sup>7</sup>



•Endurance at 70°C



## •Frequency Characteristics



"Typical characteristics indicate the mean values of  $\Delta R/R$  etc."

RC

# **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Carbon Composition Resistors category:

Click to view products by Kamaya manufacturer:

Other Similar products are found below :

073561C 073566D 1-1625875-0 1-1625875-6 1623925-3 1625876-5 2-1625875-5 2-1625875-6 2-1625876-0 3-1625875-1 3-1625875-6 3-1625876-6 4-1625876-0 660-CF1/4C102J 7-1625876-2 AX102K CBT25J100R CBT25J10K CBT25J120K CBT25J15K CBT25J1K5 CBT25J1R0 CBT25J220R CBT25J22R CBT25J330K CBT25J3M3 CBT25J470K CBT25J4K7 CBT25J680K CBT50J10K CBT50J1K5 CBT50J1M5 CBT50J1R0 CBT50J27R CBT50J330K CBT50J470R CBT50J47K CBT50J47R CBT50J4K7 CBT50J5R1 CBT50J6M8 CF12-120R CF1/2W-100±5% T52 CF1/2W-10K±5% T52 CF1/2W-2M±5% T52 CF1/2W-330±5% T52 CF1/2W-5.1K±5% T52 CF1/2WS680RJT52 CF1/4W-0.22±5% T52 CF1/4W-0.5±5% T52