

ITEM :

CRYSTAL RESONATOR

TYPE :

DST1610A

NOMINAL FREQUENCY :

32. 768kHz

SPEC No. :

1TJH090DR1A0086

Please acknowledge receipt of this specification by signing and returning a copy to us.

	RECEIPT
DATE	
RECEIVED	(signature) (name)




1. ELECTRICAL CHARACTERISTICS (This test shall be performed under the conditions of te	mp.at +25±3°C,Relative humidity 60%max.)
1.1. NOMINAL FREQUENCY	32.768 kHz
1.2. OVERTONE ORDER	Fundamental
1.3.LOADING CAPACITANCE(CL)	9.0 pF
1.4. FREQUENCY TOLERANCE	±20 ×10 ⁻⁶ max. (at +25±3°C)
1.5. DRIVE LEVEL	0.1 μW ± 20% (1μW max.)
1.6. SERIES RESISTANCE	90 k Ω max. (at Series)
1.7. TURNOVER TEMPERATURE	+25 ±5°C
1.8. PARABOLIC COEFFICIENT	$-0.04 \times 10^{-6} / °C^2$ max.
1.9. SHUNT CAPACITANCE	1.3 pF typ.
1.10. OPERATING TEMPERATURE RANGE	-40 ~ +85 °C
1.11. STORAGE TEMPERATURE RANGE	-40 ~ +85 °C
1.12. INSULATION RESISTANCE	500 M Ω min. (at DC100±15V)

Title DST1610A TYPE QUARTZ CRYSTAL SPECIFICATION	Remark		
Date 2015/09/10	Spec No.	Rev. -	Page 1 / 12

2. DIMENSIONS AND MARKING

2.1. DIMENSIONS



3. PACKING

3.1. EMBOSS CARRIER TAPE & REEL

(1)Dimensions of Emboss carrier tape




Fig.-3

Title DST1610A TYPE QUARTZ CRYSTAL SPECIFICATION	Remark		
Date 2015/09/10	Spec No.	Rev. -	Page 3 / 12

Table-1					
				unit:mm	
Item			Mark	Dimensions / Angle	
	Dian	neter	Α	Ф180 +0 -3.0	
Flange	Inside	width	W1	9.0 ± 0.3	
	Outsid	e width	W2	11.4 ± 1.0	
	Out Line	diameter	В	Ф60 +1.0 -0	
			F1	3.0 ± 0.2	
	Center	Width	F2	4.0 ± 0.2	
	core slit		F3	5.0 ± 0.2	
Center Core		Length	V	11.9	
		Position	q	120 °	
	Spindle	diameter	С	Φ13 ± 0.2	
		Width	E	2.0 ± 0.5	
	key Seats	Length	U	10.5 ± 0.4	
		Position	q	120 °	
	Indicatio	n of type	Sticker	label on one side of flange	

(3)Storage Condition

Temperature;+40°C max.,Relative Humidity;80% max. Storage Period:6months max.

(4)Standard packing quantity 3,000pcs./reel for Φ180

(5)Material of the tape

tape	Material
Carrier tape	Polystyrene,Carbon
Cover tape	Polyethylene

(6)Label Contents

TYPE SPEC	
NO. PARTS	USER PARTS No.
NO. LOT NO.	LOT No.
FREQ. Q'TY	
KDS	


Stick a label on the each reel.

Title DST1610A TYPE QUARTZ CRYSTAL SPECIFICATION	Remark		
Date 2015/09/10	Spec No.	Rev. -	Page 4 / 12

Leader	Cover tape	The length of cover tape		re than 400mm	
F		including empty emboss		- i.e	
	Carrier tape	After all products were p			t be easied
		twenty pieces or 400mm by cover tape.	i empty empossed a	area,which should	a de segieu
Terminal	Cover tape				
		The empty embossed ar		d by cover tape	
	Carrier tape	must remain more than 4	40mm.		
	Tamainal	0	Leader		
<──	Terminal	Compone		>	
		/ /		~ 1	
		$\leq \leq$			
		/ /			
	Empty Components	Unreeling direction	Empty Comp	onents	
	\longleftrightarrow	\rightarrow	$\leftarrow \rightarrow$	Cover tape	
	· ·	(· ·	<u>×</u>	
				Carrier tape	
				Camer lape	
		Fig4			
		5			
(8)Joint of					
		be should not be jointed.			
		be should not be jointed.			
The carr	ier tape and cover tap				
The carr (9)Releas It has be	ier tape and cover tap e strength cover tape tween 0.1~0.7N unde	er following condition.			
The carr (9)Releas It has be	ier tape and cover tap e strength cover tape tween 0.1~0.7N unde Pulling direction 16	er following condition. 5~180 °			
The carr (9)Releas It has be	ier tape and cover tap e strength cover tape stween 0.1~0.7N unde Pulling direction 16 Speed 30	er following condition. 5~180 ° 0mm/min			
The carr (9)Releas It has be	ier tape and cover tap e strength cover tape tween 0.1~0.7N unde Pulling direction 16	er following condition. 5~180 ° 0mm/min			
The carr (9)Releas It has be	ier tape and cover tap e strength cover tape stween 0.1~0.7N unde Pulling direction 16 Speed 30	er following condition. 5~180° 0mm/min cifiied	Pulling direction		
The carr (9)Releas It has be	ier tape and cover tap e strength cover tape tween 0.1~0.7N unde Pulling direction 16 Speed 30 Otherwise unless spec	er following condition. 5~180° 0mm/min cifiied	Pulling direction		
The carr (9)Releas It has be	ier tape and cover tap e strength cover tape tween 0.1~0.7N unde Pulling direction 16 Speed 30 Otherwise unless spec	er following condition. 5~180° 0mm/min cifiied	Pulling direction		
The carr (9)Releas It has be	ier tape and cover tap e strength cover tape tween 0.1~0.7N unde Pulling direction 16 Speed 30 Otherwise unless spec	er following condition. 5~180° 0mm/min cifiied			
The carr (9)Releas It has be	ier tape and cover tap e strength cover tape tween 0.1~0.7N unde Pulling direction 16 Speed 30 Otherwise unless spec	er following condition. 55~180 ° 00mm/min cifiied			
The carr (9)Releas It has be	ier tape and cover tap e strength cover tape tween 0.1~0.7N unde Pulling direction 16 Speed 30 Otherwise unless spec	er following condition. 5~180° 0mm/min cifiied			
The carr (9)Releas It has be	ier tape and cover tap e strength cover tape tween 0.1~0.7N unde Pulling direction 16 Speed 30 Otherwise unless spec	er following condition. 55~180 ° 00mm/min cifiied	Pulling direction		
The carr (9)Releas It has be	ier tape and cover tap e strength cover tape tween 0.1~0.7N unde Pulling direction 16 Speed 30 Otherwise unless spec	er following condition. 55~180 ° 00mm/min cifiied			
The carr (9)Releas It has be F	ier tape and cover tape etween 0.1~0.7N unde Pulling direction 16 Speed 30 Otherwise unless spection 165~180 °	er following condition. 15~180 ° 10mm/min cifiied 			
The carr (9)Releas It has be F	ier tape and cover tape etween 0.1~0.7N unde Pulling direction 16 Speed 30 Otherwise unless spection 165~180 °	er following condition. 55~180 ° 00mm/min cifiied		-down the embos	s carrier tape.
The carr (9)Releas It has be F	ier tape and cover tape etween 0.1~0.7N unde Pulling direction 16 Speed 30 Otherwise unless spection 165~180 °	er following condition. 15~180 ° 10mm/min cifiied 		-down the embos	s carrier tape.
The carr (9)Releas It has be F	ier tape and cover tape etween 0.1~0.7N unde Pulling direction 16 Speed 30 Otherwise unless spection 165~180 °	er following condition. 15~180 ° 10mm/min cifiied 		-down the embos	s carrier tape.
The carr (9)Releas It has be F	ier tape and cover tape etween 0.1~0.7N unde Pulling direction 16 Speed 30 Otherwise unless spection 165~180 °	er following condition. 15~180 ° 10mm/min cifiied 		-down the embos	s carrier tape.
The carr (9)Releas It has be F	ier tape and cover tape etween 0.1~0.7N unde Pulling direction 16 Speed 30 Otherwise unless spection 165~180 °	er following condition. 15~180 ° 10mm/min cifiied 		-down the embos	s carrier tape.
The carr (9)Releas It has be F	ier tape and cover tape etween 0.1~0.7N unde Pulling direction 16 Speed 30 Otherwise unless spection 165~180 °	er following condition. 15~180 ° 10mm/min cifiied Fig5 all,when tear away the cov		-down the embos	s carrier tape.
The carr (9)Releas It has be f ((The com	ier tape and cover tape etween 0.1~0.7N unde Pulling direction 16 Speed 30 Otherwise unless spect 165~180 °	er following condition. $5 \sim 180 °$ 10mm/min cifiied Fig5 all,when tear away the cov		-down the embos	s carrier tape.
The carr (9)Releas It has be f ((The com	ier tape and cover tape etween 0.1~0.7N unde Pulling direction 16 Speed 30 Otherwise unless spection 165~180 °	er following condition. $5 \sim 180 °$ 10mm/min cifiied Fig5 all,when tear away the cov		-down the embos	s carrier tape.

3.2. PACKING

(1)The way of packing and label




Label contents The type of product Lot No. Specification Quantity Shipment Day Remark




(2)The size of packing carton

There may be different size of packing carton used depending on the lot size. Also,the product packed inside shall be protected by air cushion.

Title DST1610A TYPE QUARTZ CRYSTAL SPECIFICATION	Remark		
	Spec No.	Rev.	Page
2015/09/10		-	6 / 12



DM-Z0002:Style-010Ver.1



6.5. BODY STRENGTH				
After the following test,parts shall conform and no abnormality shall be observed in e tightnen and others shall be based on ET	external appearance		ng	
Mount the specimen on substrate. Apply the following pressure Pressure jig : R0.5 Weight : 5N Hours : 10±1s Direction : see Fig11		Ţ	R0.5	sure jig ecimen
	L L >= W		0.5L	
		⊧ Fig1	≫ 1	
6.6. SEAL Less than 2.0×10 ⁻⁹ Pa*m ³ /s by Helium le Also,no bubble is observed by Fluorinert				
 6.7. SOLDERABILITY After the following test. More than 90% of 3±1s dip in +235±5°C solder. (Use rosin type flux for solder.) 	of lead shall be cover	ed by nev	v solder.	
6.8. RESISTANCE TO SOLDERING HEAT (RI 48h past at room temperature from follo shall conform specification table-2-B. perform the attached reflow conditions t	owing test,parts			
 6.9. RESISTANCE TO SOLDERING HEAT (H, 48h past at room temperature from follo shall conform specification table-2-B. +350±10°C,3+1/-0s Each terminal once 	owing test,parts	/IETHOD)		
9	Remark			
e T1610A TYPE QUARTZ CRYSTAL SPECIFICATION				
ie 2015/09/10	Spec No.		Rev. -	Page 9 / 12

7. ENVIRONMENTAL ENDURANCE 7.1. HUMIDITY 2h past at room temperature after following test, parts shall conform specification table-2-C. 240h +85±2°C, relative humidity 85±5%. 7.2. LOW TEMPERATURE 2h past at room temperature after following test, parts shall conform specification table-2-B. 240h -40±3°C 7.3. HIGH TEMPERATURE 2h past at room temperature after following test, parts shall conform specification table-2-C. 240h +85±2°C 7.4. TERMAL SHOCK TEST 2h past at room temperature after 25 cycles of following test,parts shall conform specification table-2-C. 30min +85° C +25°C Transport Time -40° C 2~3min 30min 1cycle Fig.-12 8. SPECIFICATION Table-2 Equivalent Resistance **Frequency Variation** ±5×10⁻⁶ А ±25 % or ±10kΩ max. (Use larger specification) ±10×10⁻⁶ ±25 % or ±10kΩ max. (Use larger specification) В ±15×10⁻⁶ С ±25 % or ±10kΩ max. (Use larger specification) Title Remark DST1610A TYPE QUARTZ CRYSTAL SPECIFICATION Date Rev. Spec No. Page 2015/09/10 10 / 12

9. THE CAUTIONS ON USE FOR DST1610A

9.1. SOLDERING

Please perform reflow conditions within 2 times.

9.2. MOUNT

Crystal products are designed to be compatible with automatic mounting. Be sure to have a mounting test in advance by using the actual mounting machine and check that the characteristics of the products are not damaged by the automatic mounting.

In the process where the boad is warped, such as board separation process, be careful that the warping does not influence the characteristics and soldering of crystal products.

Since mounting by Ultrasonic welding and processing have a possibility of an excessive vibration spreading inside a tuning fork crystal resonator and becoming the cause of characteristic deterioration and not oscillating, it does not recommend.

9.3. WASHING

About use of the washing liquid of a basin system, an alcoholic system,and a chlorofluorocarbon-replacing material system,it is checking that it is satisfactory. However please consult in advance about other washing liquid. Tuning fork crystal resonators should not have ultrasonic washing because their frequency band is close to the washing frequency band of ultrasonic washing machines,very probably causing resonance destruction. To use ultrasonic washing to clean these resonators, tests must be performed in advance under actual application conditions.

9.4. DRIVE LEVEL

The piece of crystal it is processed very smaller than the conventional thing inside DST1610A series crystal unit may be damaged, if crystal resonators are exposed to an excessively high drive level. Please use the products within the limits specified in the catalogs and specifications.

9.5. HANDLING OF A PRODUCT

DST1610A series has sufficient intensity to fall and vibration. Crystal resonators should not have pattern to avoid causing base crack.

9.6. STORAGE

Since the solderability of pins may deteriorate, please avoid storage in high-temperature, high-humidity place. Please store crystal products in a place free from direct sunlight and condensation.

Title DST1610A TYPE QUARTZ CRYSTAL SPECIFICATION	Remark		
Date	Spec No.	Rev. -	Page 11

2015-0924 REVISION RECORD

Rev.No	Date	Reason	Contents	Approved	Checked	Drawn
-	2015/09/10	-	The first edition.	T.Kusai	T.Fujii	H.Nasu
				<u> </u>		
				<u> </u>		
				<u> </u>		
					DM-Z0002:	

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Crystals category:

Click to view products by KDS manufacturer:

Other Similar products are found below :

CS325S24000000ABJT 718-13.2-1 MC405 32.0000K-R3:PURE SN FC-135R 32.7680KF-A3 7A-40.000MAAE-T 7B-27.000MBBK-T FL2000085 9B-15.360MBBK-B 9C-7.680MBBK-T ASH7K-32.768KHZ AT-41.600MAGQ-T BTD1062E05A-513 LFXTAL066198Cutt 9C-14.31818MBBK-T FA-238 50.0000MB30X-K3 FC-12M 32.7680KA-AC3 SSPT7F-9PF20-R FX325BS-38.88EEM1201 LFXTAL065253Cutt LFXTAL066431Cutt XT9S20ANA14M7456 XT9SNLANA16M 646G-24-2 7A-24.576MBBK-T 7B-30.000MBBK-T WX26-32.768K-6PF 9B-14.31818MBBK-B CD1AM 7B-25.000MAAE-T 7A-14.31818MBBK-T 6504-202-1501 6526-202-1501 FA-118T 27.1200MB50P-K0 FC-135R 32.7680KA-A3 ABM12-104-37.400MHZT ABLS-10.000MHZ-D3W-T BTJ112E01E-513 BTJ722K01C-7067 BTL-20-513 TSX-3225 24.0000MF15X-AC TSX-3225 16.0000MF18X-AC BTJ120E02C BTL-12-513 7A-10.000MBBK-T 7A-11.0592MBBK-T ABM12-103-24.000MHZT CS325S2500000ABJT ABM3B-25.000MHZ-B2-X-T FC-135 32.7680KA-A5 FX0800015