PHE844, Class X1, 440/480 VAC, 105°C



Overview

The PHE844 series is constructed of metallized polypropylene film encapsulated with self-extinguishing resin in a box of material that meets the requirements of UL 94 V-0.

Applications

For use as an electromagnetic interference (EMI) suppression filter in across-the-line applications that require X1 safety classification. Suitable for use in situations in which capacitor failure does not pose a danger of electric shock.

Benefits

Approvals: ENEC, UL, cULClass X1 (IEC 60384-14)

 THB Grade IA: 40°C, 93% RH, 500 hours at 480 V URAC acc. to IEC 60384-14

 Rated voltage: 440 VAC 50/60 Hz (ENEC), 480 VAC 50/60 Hz (UL, cUL)

Capacitance range: 0.1 – 2.2 μF
Lead spacing: 22.5 – 37.5 mm
Capacitance tolerance: ±20%, ±10%

Climatic category 40/105/56/B, IEC 60068-1


• Tape & Reel in accordance with IEC 60286-2

· RoHS Compliant and lead-free terminations

- Operating temperature range of -40 $^{\circ}\text{C}$ to +105 $^{\circ}\text{C}$

100% screening factory test at 3,000 VDC

Self-healing properties



Customer Part Number

| PHE844 | R | D | 6100 | M | R06L2 |
|---------------------------------|---------------------|----------------------------------|--|--------------------------|-------------------------------|
| Series | Rated Voltage (VAC) | Lead Spacing (mm) | Capacitance Code (pF) | Capacitance Tolerance | Packaging |
| X1, Metallized Polypropylene | R = 440 | D = 22.5 F = 27.5 R = 37.5 | The last three digits represent significant figures. The first digit specifies the total number of digits. | K = ±10% M = ±20% | See Ordering Options Table |

KEMET Internal Part Number

| F | 844 | D | Н | 104 | M | 440 | С |
|--------------------|---------------------------------|----------------------------------|---------------------------|--|--------------------------|------------------------|-------------------------------|
| Capacitor Class | Series | Lead Spacing (mm) | Size Code | Capacitance Code (pF) | Capacitance Tolerance | Rated Voltage (VAC) | Packaging |
| F = Film | X1, Metallized Polypropylene | D = 22.5 F = 27.5 R = 37.5 | See Dimension Table | The first two digits represent significant figures. The third digit specifies number of zeros. | K = ±10% M = ±20% | 440 = 440 | See Ordering Options Table |

Built Into Tomorrow




Ordering Options Table

| Lead Spacing Nominal (mm) | Type of Leads and Packaging | Lead Length (mm) | KEMET Lead and Packaging Code | Legacy Lead and Packaging Code |
|------------------------------------|-------------------------------------|----------------------------|--|---|
| | Standard Lead and Packaging Options | | | |
| | Bulk (Tray)-Short Leads | 6 +0/-1 | С | R06L2 ⁽¹⁾ |
| | Other Lead and Packaging Options | | | |
| 22.5 | Pizza Pack | 6 +0/-1 | Z | R06L2 ⁽¹⁾ |
| | Bulk (Tray)-Long Leads | 30 +0/-1 | ALW0L | R30L2 |
| | Tape & Reel (Standard Reel) | H ₀ = 18.5 ±0.5 | L | R17T0 |
| | Tape & Reel (Large Reel) | H ₀ = 18.5 ±0.5 | Р | R17T1 |
| | Standard Lead and Packaging | | | |
| | Options Bulk (Tray)—Short Leads | 6 +0/-1 | С | R06L2 ⁽¹⁾ |
| 27.5 | Other Lead and Packaging Options | | - | |
| | Pizza Pack | 6 +0/-1 | Z | R06L2 ⁽¹⁾ |
| | Bulk (Tray)-Long Leads | 30 +0/-1 | ALW0L | R30L2 |
| | Tape & Reel (Large Reel) | H ₀ = 18.5 ±0.5 | Р | R17T1 |
| | Standard Lead and Packaging | | | |
| | Options | | | |
| 37.5 | Bulk (Tray)-Short Leads | 6 +0/-1 | С | R06L2 ⁽¹⁾ |
| | Other Lead and Packaging Options | | | |
| | Pizza Pack | 6 +0/-1 | Z | R06L2 ⁽¹⁾ |

⁽¹⁾ Please specify Bulk (Tray) or Pizza Packaging



Dimensions - Millimeters



| KEMET Size | Legacy Size | S | | | T H | | Н | L | | F | |
|------------|-------------|---------|-------------|--------------|---------------|--------------|--------------|---------|-----------|---------|-----------|
| Code | Code | Nominal | Tolerance | Nominal | Tolerance | Nominal | Tolerance | Nominal | Tolerance | Nominal | Tolerance |
| DH | D14 | 22.5 | ±0.4 | 8.0 | Maximum | 16.0 | Maximum | 26.0 | Maximum | 0.8 | ±0.05 |
| DM | D15 | 22.5 | ±0.4 | 9.0 | Maximum | 18.5 | Maximum | 26.0 | Maximum | 0.8 | ±0.05 |
| DT | D16 | 22.5 | ±0.4 | 11.0 | Maximum | 21.5 | Maximum | 26.0 | Maximum | 0.8 | ±0.05 |
| DW | D20 | 22.5 | ±0.4 | 13.5 | Maximum | 23.0 | Maximum | 26.0 | Maximum | 0.8 | ±0.05 |
| DY | D19 | 22.5 | ±0.4 | 15.5 | Maximum | 24.5 | Maximum | 26.0 | Maximum | 0.8 | ±0.05 |
| FE | F11 | 27.5 | ±0.4 | 10.5 | Maximum | 20.5 | Maximum | 31.5 | Maximum | 0.8 | ±0.05 |
| FK | F03 | 27.5 | ±0.4 | 13.5 | Maximum | 23.0 | Maximum | 31.5 | Maximum | 0.8 | ±0.05 |
| FM | F13 | 27.5 | ±0.4 | 14.5 | Maximum | 24.5 | Maximum | 31.5 | Maximum | 0.8 | ±0.05 |
| FR | F14 | 27.5 | ±0.4 | 17.5 | Maximum | 28.0 | Maximum | 31.5 | Maximum | 0.8 | ±0.05 |
| FV | F16 | 27.5 | ±0.4 | 21.0 | Maximum | 30.0 | Maximum | 31.5 | Maximum | 0.8 | ±0.05 |
| RF | R05 | 37.5 | ±0.5 | 13.0 | Maximum | 24.0 | Maximum | 41.0 | Maximum | 1.0 | ±0.05 |
| RH | R04 | 37.5 | ±0.5 | 15.0 | Maximum | 26.0 | Maximum | 41.0 | Maximum | 1.0 | ±0.05 |
| RM | R03 | 37.5 | ±0.5 | 19.0 | Maximum | 36.0 | Maximum | 41.0 | Maximum | 1.0 | ±0.05 |
| RP | R06 | 37.5 | ±0.5 | 21.0 | Maximum | 38.0 | Maximum | 41.0 | Maximum | 1.0 | ±0.05 |
| | | Note | See the Ord | ering Optior | s Table for l | ead length (| LL) options. | | | | |



Performance Characteristics

| Dielectric | Polypropylene film | | | | | | | |
|-----------------------------------|--|---|--------------------------------|---------------------------|--|--|--|--|
| Plates | Metal layer deposited by evap | oration under vacuum | | | | | | |
| Winding | Non-inductive type. Series design. | | | | | | | |
| Leads | Tinned wire | | | | | | | |
| Protection | Plastic case, thermosetting resin-filled. Box material is solvent-resistant and flame-retardant according to UL94 V-0. | | | | | | | |
| Rated Voltage V _R | 440 VAC 50/60 Hz (ENEC) - 4 | 440 VAC 50/60 Hz (ENEC) - 480 VAC 50/60 Hz (UL,cUL) | | | | | | |
| Capacitance Range | 0.10 - 2.2 μF | | | | | | | |
| Capacitance Values | E6 series (IEC 60063) | | | | | | | |
| Capacitance Tolerance | ±20% standard, ±10% option | | | | | | | |
| Temperature Range | -40°C to 105°C | | | | | | | |
| Climatic Category | 40/105/56/B IEC 60068-1 | | | | | | | |
| Approvals | ENEC, UL, cUL | | | | | | | |
| Related Documents | EN/IEC 60384-14:2005, UL 60384-14, CAN/CSA E60384-14:09 | | | | | | | |
| | Maximum Values at +23°C | | | | | | | |
| | Frequency | C ≤ 0.1 µF | 0.1 μF < C ≤ 1 μF | C > 1 µF | | | | |
| Dissipation Factor (tanδ) | 1 kHz | 0.1% | 0.1% | 0.1% | | | | |
| | 10 kHz | 0.2% | 0.4% | 0.8% | | | | |
| | 100 kHz | 0.6% | - | - | | | | |
| Test Voltage Between Terminals | The 100% screening factory test requirements in applicable equi repeat this test, as there is a rist been repeated. | ipment standards. All electri | ical characteristics are check | ed after the test. Do not | | | | |
| Resonance Frequency | Tabulated Self-resonance Fre | quencies f _o (see Table 1 – F | Ratings & Part Number Refe | rence) | | | | |
| | 1 | Measured at +25°C ±5°C, ac | ccording to IEC 60384-2 | | | | | |
| Inculation Decisters | | Minimum Values Be | tween Terminals | | | | | |
| Insulation Resistance | C ≤ 0.33 | μF | C > 0.: | 33 µF | | | | |
| | ≥ 30,000 | МΩ | ≥ 10,000 | Μ Ω • μ F | | | | |
| In DC Applications | Recommended voltage ≤ 1,00 | 0 VDC | | | | | | |



Environmental Test Data

| Test | IEC Publication | Procedure |
|------------------------|-------------------------|--|
| Endurance | IEC 60384-14:2005 | 1.25 x V _R VAC 50 Hz, once every hour increase to 1,000 VAC for 0.1 second, 1,000 hours at upper rated temperature |
| Vibration | IEC 60068-2-6 Test Fc | 3 directions at 2 hours each 10 - 55 Hz at 0.75 mm or 98 m/s² No visible damage. No open or short circuit. |
| Bump | IEC 60068-2-29 Test Eb | 1,000 bumps at 390 m/s ² No visible damage. No open or short circuit. |
| Change of Temperature | IEC 60068-2-14 Test Na | Upper and lower rated temperature 5 cycles No visible damage. |
| Active Flammability | IEC 60384-14:2005 | V _R + 20 surge pulses at 4 kV (pulse every 5 seconds) |
| Passive Flammability | IEC 60384-14:2005 | IEC 60384-1, IEC 60695-11-5 Needle Flame Test |
| Damp Heat Steady State | IEC 60068-2-78 Test Cab | +40°C and 90 – 95% RH, 56 days |
| THB Test | According to Grade IA | +40°C and 90 - 95% RH, 21 days at rated AC-voltage Capacitance change (Δ C/C): \leq 10% Dissipation factor change (Δ tan δ): \leq 24 * 10 ⁻³ (at 10 kHz) for C \leq 1 μF Dissipation factor change (Δ tan δ): \leq 15 * 10 ⁻³ (at 1 kHz) for C > 1 μF Insulation resistance IR in seconds or time constant τ = CR Rins: \geq 50% of initial limit |

Approvals

| Certification Body | Mark | Specification | File Number |
|---------------------------|----------------|---|-------------|
| Intertek Semko AB | | EN/IEC 60384-14 | SE/0140-1D |
| UL | c FL us | UL 60384 and CAN/CSA E60384-14:09 (480 VAC) | E73869 |

Environmental Compliance

All KEMET EMI capacitors are RoHS compliant.





Table 1 - Ratings & Part Number Reference

| Capacitance Value (µF) | Size Code (New/ | | laximur nsions i | | Lead Spacing (p) | f _。 (MHz) | dV/dt (V/ | New KEMET Part Number | Legacy Part Number |
|---------------------------|----------------------------|--------|---------------------|--------|---------------------|-------------------------|-----------------|--------------------------|-----------------------|
| value (pi) | Legacy) | В | Н | L | opuomy (p) | (11112) | µs) | r dre redinser | Number |
| 0.10 | DH/D14 | 8.0 | 16.0 | 26.0 | 22.5 | 3.2 | 100 | F844DH104(1)440(2) | PHE844RD6100(1)(2) |
| 0.15 | DM/D15 | 9.0 | 18.5 | 26.0 | 22.5 | 2.6 | 100 | F844DM154(1)440(2) | PHE844RD6150(1)(2) |
| 0.22 | DT/D16 | 11.0 | 21.5 | 26.0 | 22.5 | 2.1 | 100 | F844DT224(1)440(2) | PHE844RD6220(1)(2) |
| 0.33 | DW/D20 | 13.5 | 23.0 | 26.0 | 22.5 | 1.8 | 100 | F844DW334(1)440(2) | PHE844RD6330(1)(2) |
| 0.47 | DY/D19 | 15.5 | 24.5 | 26.0 | 22.5 | 1.5 | 100 | F844DY474(1)440(2) | PHE844RD6470(1)(2) |
| 0.22 | FE/F11 | 10.5 | 20.5 | 31.5 | 27.5 | 2.2 | 100 | F844FE224(1)440(2) | PHE844RF6220(1)(2) |
| 0.33 | FK/F03 | 13.5 | 23.0 | 31.5 | 27.5 | 1.7 | 100 | F844FK334(1)440(2) | PHE844RF6330(1)(2) |
| 0.47 | FM/F13 | 14.5 | 24.5 | 31.5 | 27.5 | 1.4 | 100 | F844FM474(1)440(2) | PHE844RF6470(1)(2) |
| 0.68 | FR/F14 | 17.5 | 28.0 | 31.5 | 27.5 | 1.1 | 100 | F844FR684(1)440(2) | PHE844RF6680(1)(2) |
| 1.0 | FV/F16 | 21.0 | 30.0 | 31.5 | 27.5 | 1.0 | 100 | F844FV105(1)440(2) | PHE844RF7100(1)(2) |
| 0.47 | RF/R05 | 13.0 | 24.0 | 41.0 | 37.5 | 1.3 | 100 | F844RF474(1)440(2) | PHE844RR6470(1)(2) |
| 0.68 | RF/R05 | 13.0 | 24.0 | 41.0 | 37.5 | 1.1 | 100 | F844RF684(1)440(2) | PHE844RR6680(1)(2) |
| 1.0 | RH/R04 | 15.0 | 26.0 | 41.0 | 37.5 | 0.92 | 100 | F844RH105(1)440(2) | PHE844RR7100(1)(2) |
| 1.5 | RM/R03 | 19.0 | 36.0 | 41.0 | 37.5 | 0.74 | 100 | F844RM155(1)440(2) | PHE844RR7150(1)(2) |
| 2.2 | RP/R06 | 21.0 | 38.0 | 41.0 | 37.5 | 0.60 | 100 | F844RP225(1)440(2) | PHE844RR7220(1)(2) |
| Capacitance Value (µF) | Size Code (New/ Legacy) | B (mm) | H (mm) | L (mm) | Lead Spacing (p) | f _o (MHz) | dV/dt (V/μs) | New KEMET Part Number | Legacy Part Number |

⁽¹⁾ $M = \pm 20\%$, $K = \pm 10\%$.

⁽²⁾ Insert ordering code for lead type and packaging. See Ordering Options Table for available options.



Soldering Process

The implementation of the RoHS directive has resulted in the selection of SnAuCu (SAC) alloys or SnCu alloys as primary solder. This implementation has increased the liquidus temperature from 183°C for SnPb eutectic alloys to 217 – 221°C for the new alloys. As a result, the heat stress to the components, even in wave soldering, has increased considerably due to higher pre-heat and wave temperatures. Polypropylene capacitors are especially sensitive to heat (the melting point of polypropylene is 160 – 170°C). Wave soldering can be destructive, especially for mechanically small polypropylene capacitors (with lead spacing of 5 – 15 mm), and great care must be taken during soldering. The recommended solder profiles from KEMET should be used. Consult KEMET with any questions. In general, the wave soldering curve from IEC Publication 61760-1 Edition 2 serves as a solid guideline for successful soldering. See Figure 1.


Reflow soldering is not recommended for through-hole film capacitors. Exposing capacitors to a soldering profile in excess of the recommended limits may result in degradation of or permanent damage to the capacitors.

Do not place the polypropylene capacitor through an adhesive curing oven to cure resin for surface-mount components. Insert through-hole parts after curing the surface mount parts. Consult KEMET to discuss the actual temperature profile in the oven, if through-hole components must pass through the adhesive curing process. A maximum of two soldering cycles is recommended. Allow time for the capacitor surface temperature to return to normal before the second soldering cycle.

Manual Soldering Recommendations


Following is the recommendation for manual soldering with a soldering iron.





Soldering iron tip temperature should be set at 350°C (+10°C maximum), with the soldering duration not to exceed 3 seconds.

Wave Soldering Recommendations





Soldering Process cont.


Wave Soldering Recommendations cont.

1. The table indicates the maximum set-up temperature of the soldering process. Figure 1

| Dielectric film material | | n Preheat erature | Maximum Peak Soldering Temperature | | | |
|--------------------------------|----------------------------|----------------------------|---------------------------------------|----------------------------|--|--|
| | Capacitor Pitch ≥ 10 mm | Capacitor Pitch > 15 mm | Capacitor Pitch ≤ 15 mm | Capacitor Pitch > 15 mm | | |
| Polyester | 130°C | 130°C | 270°C | 270°C | | |
| Polypropylene | 110°C | 130°C | 260°C | 270°C | | |
| Paper | 130°C | 140°C | 270°C | 270°C | | |
| Polyphenylene Sulphide | 150°C | 160°C | 270°C | 270°C | | |

2. The maximum temperature measured inside the capacitor: set the temperature so that the maximum temperature is below the limit inside the element.

| Dielectric Film Material | Maximum Temperature Measured Inside the Element |
|--------------------------|--|
| Polyester | 160°C |
| Polypropylene | 110°C |
| Paper | 160°C |
| Polyphenylene Sulphide | 160°C |



Temperature monitored inside the capacitor.


Selective Soldering Recommendations

Selective dip soldering is a variation of reflow soldering. In this method, the printed circuit board with through-hole components to be soldered is preheated and transported over the solder bath, as in normal flow soldering, without touching the solder. When the board is over the bath, it is stopped. Pre-designed solder pots are lifted from the bath with molten solder only at the places of the selected components, and then pressed against the lower surface of the board to solder the components.


The temperature profile for selective soldering is similar to the double-wave flow soldering outlined in this document. **However, instead of two baths, there is only one with a time from 3 to 10 seconds.** In selective soldering, the risk of overheating is greater than in double-wave flow soldering. Great care must be taken so that the parts do not overheat.



Construction





Winding Scheme





Marking





| Mar | Manufacturing Date Code (IEC-60062) | | | | | | | | | |
|------|-------------------------------------|-----------|------|--|--|--|--|--|--|--|
| Year | Code | Month | Code | | | | | | | |
| 2010 | А | January | 1 | | | | | | | |
| 2011 | В | February | 2 | | | | | | | |
| 2012 | С | March | 3 | | | | | | | |
| 2013 | D | April | 4 | | | | | | | |
| 2014 | E | May | 5 | | | | | | | |
| 2015 | F | June | 6 | | | | | | | |
| 2016 | Н | July | 7 | | | | | | | |
| 2017 | J | August | 8 | | | | | | | |
| 2018 | К | September | 9 | | | | | | | |
| 2019 | L | October | 0 | | | | | | | |
| 2020 | М | November | N | | | | | | | |
| 2021 | N | December | D | | | | | | | |
| 2022 | Р | | | | | | | | | |
| 2023 | R | | | | | | | | | |
| 2024 | S | | | | | | | | | |
| 2025 | Т | | | | | | | | | |
| 2026 | U | | | | | | | | | |
| 2027 | V | | | | | | | | | |
| 2028 | W | | | | | | | | | |
| 2029 | Х | | | | | | | | | |
| 2030 | A | | | | | | | | | |




Packaging Quantities

| DD DH DM DT DF | D13 D14 D15 | 6.5 8.0 | 14.5 | 26.0 | | | | |
|----------------|----------------------------|--|---|--|---|--|--|---|
| DM DT | | 8.0 | | 20.0 | 234 | 300 | 600 | 440 |
| DT | D15 | | 16.0 | 26.0 | 186 | 250 | 500 | 352 |
| | | 9.0 | 18.5 | 26.0 | 308 | 250 | 500 | 308 |
| DF | D16 | 11.0 | 21.5 | 26.0 | 253 | 200 | 400 | 253 |
| | D17 | 7.0 | 16.5 | 26.0 | 216 | 300 | 600 | 396 |
| DR | D18 | 10.5 | 19.0 | 26.0 | 264 | 200 | 400 | 264 |
| DY | D19 | 15.5 | 24.5 | 26.0 | 176 | 110 | 250 | 176 |
| DW | D20 | 13.5 | 23.0 | 26.0 | 209 | 160 | 300 | 209 |
| FK | F03 | 13.5 | 23.0 | 31.5 | 171 | | 250 | 171 |
| FE | F11 | 10.5 | 20.5 | 31.5 | 216 | | 350 | 216 |
| FG | F12 | 11.5 | 22.5 | 31.5 | 198 | | 300 | 198 |
| FM | F13 | 14.5 | 24.5 | 31.5 | 153 | | 250 | 153 |
| FR | F14 | 17.5 | 28.0 | 31.5 | 126 | | | 126 |
| FS | F15 | 19.0 | 29.0 | 31.5 | 117 | | | 117 |
| FV | F16 | 21.0 | 30.0 | 31.5 | 108 | | | 108 |
| FH | F17 | 21.0 | 12.5 | 31.5 | 108 | | | 108 |
| FT | F18 | 31.0 | 18.5 | 31.5 | 72 | | | 72 |
| FQ | F19 | 27.5 | 16.0 | 31.5 | 81 | | | 81 |
| DV | DOO | 16 E | 22.0 | 41.0 | 105 | | | 105 |
| | | | | | | | | 105 91 |
| | | | | | | | | 119 |
| | | | | | | | | 140 |
| | | | | | | | | |
| | | | | | | | | 84 54 |
| | FK FE FG FM FR FS FV FH FT | DY D19 DW D20 FK F03 FE F11 FG F12 FM F13 FR F14 FS F15 FV F16 FH F17 FT F18 FQ F19 RK R02 RM R03 RH R04 RF R05 RP R06 | DY D19 15.5 DW D20 13.5 FK F03 13.5 FE F11 10.5 FG F12 11.5 FM F13 14.5 FR F14 17.5 FS F15 19.0 FV F16 21.0 FH F17 21.0 FT F18 31.0 FQ F19 27.5 RK R02 16.5 RM R03 19.0 RH R04 15.0 RF R05 13.0 RP R06 21.0 | DY D19 15.5 24.5 DW D20 13.5 23.0 FK F03 13.5 23.0 FE F11 10.5 20.5 FG F12 11.5 22.5 FM F13 14.5 24.5 FR F14 17.5 28.0 FS F15 19.0 29.0 FV F16 21.0 30.0 FH F17 21.0 12.5 FT F18 31.0 18.5 FQ F19 27.5 16.0 RK R02 16.5 32.0 RM R03 19.0 36.0 RH R04 15.0 26.0 RF R05 13.0 24.0 RP R06 21.0 38.0 | DY D19 15.5 24.5 26.0 DW D20 13.5 23.0 26.0 FK F03 13.5 23.0 31.5 FE F11 10.5 20.5 31.5 FG F12 11.5 22.5 31.5 FM F13 14.5 24.5 31.5 FR F14 17.5 28.0 31.5 FS F15 19.0 29.0 31.5 FV F16 21.0 30.0 31.5 FV F16 21.0 30.0 31.5 FT F18 31.0 18.5 31.5 FQ F19 27.5 16.0 31.5 FQ F19 27.5 16.0 41.0 RH R04 15.0 26.0 41.0 RF R05 13.0 24.0 41.0 RP R06 21.0 38.0 41.0 | DY D19 15.5 24.5 26.0 176 DW D20 13.5 23.0 26.0 209 FK F03 13.5 23.0 31.5 171 FE F11 10.5 20.5 31.5 216 FG F12 11.5 22.5 31.5 198 FM F13 14.5 24.5 31.5 153 FR F14 17.5 28.0 31.5 126 FS F15 19.0 29.0 31.5 117 FV F16 21.0 30.0 31.5 108 FH F17 21.0 12.5 31.5 108 FT F18 31.0 18.5 31.5 72 FQ F19 27.5 16.0 31.5 81 RK R02 16.5 32.0 41.0 105 RM R03 19.0 36.0 41.0 119 <td>DY D19 15.5 24.5 26.0 176 110 DW D20 13.5 23.0 26.0 209 160 FK F03 13.5 23.0 31.5 171 FE F11 10.5 20.5 31.5 216 FG F12 11.5 22.5 31.5 198 FM F13 14.5 24.5 31.5 153 FR F14 17.5 28.0 31.5 126 FS F15 19.0 29.0 31.5 117 FV F16 21.0 30.0 31.5 108 FH F17 21.0 12.5 31.5 108 FT F18 31.0 18.5 31.5 72 FQ F19 27.5 16.0 31.5 81 RK R02 16.5 32.0 41.0 105 RM R03 19.0 36.0</td> <td>DY D19 15.5 24.5 26.0 176 110 250 DW D20 13.5 23.0 26.0 209 160 300 FK F03 13.5 23.0 31.5 171 250 FE F11 10.5 20.5 31.5 216 350 FG F12 11.5 22.5 31.5 198 300 FM F13 14.5 24.5 31.5 153 250 FR F14 17.5 28.0 31.5 126 FS F15 19.0 29.0 31.5 117 FV F16 21.0 30.0 31.5 108 FH F17 21.0 12.5 31.5 108 FT F18 31.0 18.5 31.5 72 FQ F19 27.5 16.0 31.5 81 RM R03 19.0 36.0 41.0</td> | DY D19 15.5 24.5 26.0 176 110 DW D20 13.5 23.0 26.0 209 160 FK F03 13.5 23.0 31.5 171 FE F11 10.5 20.5 31.5 216 FG F12 11.5 22.5 31.5 198 FM F13 14.5 24.5 31.5 153 FR F14 17.5 28.0 31.5 126 FS F15 19.0 29.0 31.5 117 FV F16 21.0 30.0 31.5 108 FH F17 21.0 12.5 31.5 108 FT F18 31.0 18.5 31.5 72 FQ F19 27.5 16.0 31.5 81 RK R02 16.5 32.0 41.0 105 RM R03 19.0 36.0 | DY D19 15.5 24.5 26.0 176 110 250 DW D20 13.5 23.0 26.0 209 160 300 FK F03 13.5 23.0 31.5 171 250 FE F11 10.5 20.5 31.5 216 350 FG F12 11.5 22.5 31.5 198 300 FM F13 14.5 24.5 31.5 153 250 FR F14 17.5 28.0 31.5 126 FS F15 19.0 29.0 31.5 117 FV F16 21.0 30.0 31.5 108 FH F17 21.0 12.5 31.5 108 FT F18 31.0 18.5 31.5 72 FQ F19 27.5 16.0 31.5 81 RM R03 19.0 36.0 41.0 |



Lead Taping & Packaging (IEC 60286-2)

Lead Spacing 22.5 - 27.5 mm



Taping Specification

| Description | Symbol | Dimensions (mm) | | |
|---|--------------------|-----------------|------|------------|
| | | Lead Space | | Tolerance |
| | | 22.5 | 27.5 | Tolerance |
| Lead Spacing | F | 22.5 | 27.5 | +0.6/-0.1 |
| Carrier Tape Width | W | 18 | 18 | +1/-0.5 |
| Hold Down Tape Width | W _o | 5 | 5 | Minimum |
| Hole Position | W ₁ | 9 | 9 | +0.75/-0.5 |
| Hold Down Tape Position | W ₂ | 3 | 3 | Maximum |
| Feed Hole Diameter | D ₀ | 4 | 4 | ±0.2 |
| Feed-hole Lead Space * | P ₀ | 12.7 | 12.7 | ±0.2 ** |
| Centering of the Lead Wire | P ₁ | 7.8 | 5.3 | ±0.7 |
| Component Alignment | Δh | 2 | 2 | ±2 |
| Deviation Tape - Plane | Δр | 1.3 | 1.3 | Maximum |
| Tape Thickness | t | 0.9 | 0.9 | Maximum |
| Height of Component from Tape Center | H ₀ *** | 18.5 | 18.5 | ±0.5 |

^{*}Available also 15mm

^{**}Maximum 1 mm on 20 lead spaces

^{***} H_0 = 16.5 mm is available upon request



KEMET Electronics Corporation Sales Offices

For a complete list of our global sales offices, please visit www.kemet.com/sales.

Disclaimer

All product specifications, statements, information and data (collectively, the "Information") in this datasheet are subject to change. The customer is responsible for checking and verifying the extent to which the Information contained in this publication is applicable to an order at the time the order is placed. All Information given herein is believed to be accurate and reliable, but it is presented without guarantee, warranty, or responsibility of any kind, expressed or implied.

Statements of suitability for certain applications are based on KEMET Electronics Corporation's ("KEMET") knowledge of typical operating conditions for such applications, but are not intended to constitute – and KEMET specifically disclaims – any warranty concerning suitability for a specific customer application or use. The Information is intended for use only by customers who have the requisite experience and capability to determine the correct products for their application. Any technical advice inferred from this Information or otherwise provided by KEMET with reference to the use of KEMET's products is given gratis, and KEMET assumes no obligation or liability for the advice given or results obtained.

Although KEMET designs and manufactures its products to the most stringent quality and safety standards, given the current state of the art, isolated component failures may still occur. Accordingly, customer applications which require a high degree of reliability or safety should employ suitable designs or other safeguards (such as installation of protective circuitry or redundancies) in order to ensure that the failure of an electrical component does not result in a risk of personal injury or property damage.

Although all product-related warnings, cautions and notes must be observed, the customer should not assume that all safety measures are indicted or that other measures may not be required.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Film Capacitors category:

Click to view products by Kemet manufacturer:

Other Similar products are found below:

F450KG153J250ALH0J 750-1018 FKP1-1000160010P15 FKP1-1500160010P15 82EC1100DQ50K MMWAF150KME

PFR5101J100J11L16.5TA18 PME261JB5220KR19T0 A521HH333M035C A561ED221M450A QXJ2E474KTPT QXL2B333KTPT

QXM2G104K DMT2P22 EEC2G505HQA406 B32520C6332K000 B32522C6104K000 B32676E6755K C3B2AD44400B20K

SCD105K122A3-22 2N3155 F601BL225K063CL60A FKP1-2202KV5P15 FKS3-680040010P10 445450-1 B32523Q0475K000

46KR415050M1K 4BSNBX4100ZBFJ 4DCNAQ4450ZA0J MKP383510063JKP2T0 MKT 1813-368-015 MKT182022263473 4055292001

WMC08P22 WMF1S15 WMF4S68 EEC2E106HQA405 EEC2G805HQA415 82DC3100DQ50J 82EC2150DQ50K WMF4D68 WMF1D68

B25620B118K883 ECW-F2105JAC B25620B158K883 66MD2100CK7AK A521HH471M450C 97F8038 NRM-S225K250F

730P205X9400