PZB300, Delta Configuration X2 + 2x Y2, 275 VAC



Overview Applications

Multilayer, metallized paper encapsulated and impregnated in self-extinguishing material that meets the requirements of UL 94 V-0.

Typical applications include interference suppressors with X2 + 2x Y2 capacitors in a delta configuration.

Benefits

· Approvals: ENEC, UL, cUL


• Rated Voltage: 275 VAC 50/60 Hz

Capacitance X Value: 0.1 μF, and 0.15 μF

• Capacitance Y Value: 0.0022 μF , 0.0033 μF , and 0.0044 μF

· Lead Spacing: 20 mm

· Capacitance Tolerance: ±20%



Customer Part Number System

PZB300	M	С	11	R30
Series	Rated Voltage (VAC)	Lead Spacing (mm)	Capacitance Code (pF)	Packaging
Delta EMI, X2 + 2xY2, Metallized Paper	M = 275	C = 20.0	The first digit indicates the value of the X capacitor: $1 = 0.10 \ \mu F$ $2 = 0.15 \ \mu F$ The second digit indicates the value of the Y capacitor: $1 = 0.0022 \ \mu F$ $2 = 0.0033 \ \mu F$ $3 = 0.0047 \ \mu F$	See Ordering Options Table

KEMET Internal Part Number System

Р	300	Р	L	104	M	275	Α	C222
Capacitor Class	Series	Lead Spacing (mm)	Size Code	X Capacitance Code (pF)	Capacitance Tolerance	Rated Voltage (VAC)	Packaging	Y Capacitance Code
P = Paper	Delta EMI, X2 + 2x Y2, Metallized Paper	P = 20	See Dimension Table	The first two digits indicate the two most significant digits of the capacitance value in picofarads. The third digit is the number of following zeros.	M = ±20%	275 = 275	See Ordering Options Table	C plus the first two digits represent significant figures. The third digit specifies number of zeros.

Built Into Tomorrow




Benefits cont.

- Climatic Category: 40/100/56/B, IEC 60068-1
- Tape & Reel packaging in accordance with IEC 60286-2
- RoHS compliance and lead-free terminations
- Operating temperature range of -40°C to +100°C
- 100% screening factory test at 2,150 VDC/1,500 VAC
- Excellent self-healing properties ensure long life, even when subjected to frequent overvoltages
- Good resistance to ionization due to impregnated paper dielectric
- High dv/dt capability
- Impregnated paper that ensures excellent stability and reliability properties, particularly in applications with continuous operation

Ordering Options Table

Lead Spacing Nominal (mm)	Type of Leads and Packaging	Lead Length (mm)	KEMET Lead and Packaging Code	Legacy Lead and Packaging Code
	Standard Lead and Packaging Options			
20	Bulk (Bag) – Short Leads	6 +0/-1	С	R06
	Bulk (Bag) – Maximum Length Leads	30 +5/-0	Α	R30

Dimensions - Millimeters



	p p ₁)1	В		Н		L		d	
Nominal	Tolerance	Nominal	Tolerance	Nominal	Tolerance	Nominal	Tolerance	Nominal	Tolerance	Nominal	Tolerance
20.0	±0.5	10.0	Nominal	12.5	Maximum	16.0	Maximum	24.0	Maximum	0.8	±0.05
Note: See the Ordering Options Table for lead length (LL) options.											



Performance Characteristics

Rated Voltage	275 VAC 50/60 Hz			
Capacitance Range	0.1 μF – 0.15 μF			
Capacitance Tolerance	±20%			
Temperature Range	-40°C to +100°C			
Climatic Category	40/100/56/B			
Approvals	ENEC, UL, CSA			
Dissipation Factor	Maximum Values at +23°C			
Dissipation Factor	1 kHz	1.3%		
Test Voltage Between Terminals	The 100% screening factory test is carried out at 2,150 VDC for X2 capacitors and 3,000 VDC for Y2 capacitors. The voltage level is selected to meet the requirements in applicable equipment standards. All electrical characteristics are checked after the test. This test may not be repeated due to potential capacitor damage. KEMET is not liable for any failures that result from repeating the test.			
Inculation Desisters	Between Terminals			
Insulation Resistance	≥ 12,000 MΩ			

Environmental Test Data

Test	IEC Publication	Procedure
Vibration	IEC 60068-2-6 Test Fc	3 directions at 2 hours each, 10 - 500 Hz at 0.75 mm or 98 m/s² (PZB300 MCx mounted on PC board)
Bump	IEC 60068-2-29 Test Eb	4,000 bumps at 390 m/s ²
Solderability	IEC 60068-2-20 Test Ta	Solder globule method Wetting time < 1 second
Active Flammability	IEC 60384-14	V _R + 20 surge pulses at 2.5 kV (pulse every 5 seconds)
Passive Flammability	IEC 60384-14	IEC 60384-1, IEC 60695-11-5 Needle-flame test
Humidity	IEC 60068-2-3 Test Ca	+40°C and 90 – 95% R.H., 56 days



Approvals

Certification Body	Mark	Specification	File Number
Intertek Semko AB		EN/IEC 60384-14	SE/0140-24E
UL	c FU ®us	UL 60384-14 CAN/CSA-E60384-14-09	E73869

Environmental Compliance

All KEMET EMI capacitors are RoHS compliant.



Table 1 - Ratings & Part Number Reference

Сх	Су	Maximum Dimensions in mm		Lead	Package Quantity New KEMET Legacy F		Package Quantity		Legacy Part			
(μ F)	(μF)	В	Н	ш	Spacing (p)	A (R30)	C (R06)	dV/dt Cx	dV/dt Cy	Part Number	Number	
0.10	0.0022	12.5	16.0	24.0	20.0	150	1,000	600	1,000	P300PL104M275(1)C222	PZB300MC11(1)	
0.10	0.0033	12.5	16.0	24.0	20.0	150	1,000	600	1,000	P300PL104M275(1)C332	PZB300MC12(1)	
0.10	0.0047	12.5	16.0	24.0	20.0	150	1,000	600	1,000	P300PL104M275(1)C472	PZB300MC13(1)	
0.15	0.0022	12.5	16.0	24.0	20.0	150	1,000	600	1,000	P300PL154M275(1)C222	PZB300MC21(1)	
0.15	0.0033	12.5	16.0	24.0	20.0	150	1,000	600	1,000	P300PL154M275(1)C332	PZB300MC22(1)	
0.15	0.0047	12.5	16.0	24.0	20.0	150	1,000	600	1,000	P300PL154M275(1)C472	PZB300MC23(1)	
Cx (µF)	Cy (µF)	B (mm)	H (mm)	L (mm)	Lead Spacing (p)	A (R30)	C (R06)	dV/dt Cx	dV/dt Cy	New KEMET Part Number	Legacy Part Number	

⁽¹⁾ Insert lead and packaging code. See Ordering Options Table for available options.



Soldering Process


The implementation of the RoHS directive has resulted in the selection of SnAuCu (SAC) alloys or SnCu alloys as primary solder. This has increased the liquidus temperature from 183° C for SnPb eutectic alloys to $217 - 221^{\circ}$ C for the new alloys. As a result the heat stress to the components, even in wave soldering, has increased considerably due to higher pre-heat and wave temperatures. Polypropylene capacitors are especially sensitive to heat (the melting point of polypropylene is $160 - 170^{\circ}$ C). Wave soldering can be destructive, especially for mechanically small polypropylene capacitors (with lead spacing of 5 - 15 mm), and great care must be taken during soldering. The recommended solder profiles from KEMET should be used. Consult KEMET with any questions. In general, the wave soldering curve from IEC Publication 61760-1 Edition 2 serves as a solid guideline for successful soldering. See Figure 1.

Reflow soldering is not recommended for through-hole film capacitors. Exposing capacitors to a soldering profile in excess of the recommended limits may result in degradation of or permanent damage to the capacitors.

Do not place the polypropylene capacitor through an adhesive curing oven to cure resin for surface mount components. Insert through-hole parts after curing the surface mount parts. Consult KEMET to discuss the actual temperature profile in the oven, if through-hole components must pass through the adhesive curing process. A maximum of two soldering cycles is recommended. Allow time for the capacitor surface temperature to return to a normal temperature before the second soldering cycle.


Manual Soldering Recommendations

Following is the recommendation for manual soldering with a soldering iron.



The soldering iron tip temperature should be set at 350°C (+10°C maximum) with the soldering duration not to exceed more than 3 seconds.

Wave Soldering Recommendations





Soldering Process cont.


Wave Soldering Recommendations cont.

1. The table indicates the maximum setup temperature of the soldering process. Figure 1

Dielectric		imum Pre emperatu	Maximum Peak Soldering Temperature		
Film Material	Capacitor Pitch ≤ 10 mm	Capacitor Pitch = 15 mm	Capacitor Pitch > 15 mm	Capacitor Pitch ≤ 15 mm	Capacitor Pitch > 15 mm
Polyester	130°C	130°C	130°C	270°C	270°C
Polypropylene	100°C	110°C	130°C	260°C	270°C
Paper	130°C	130°C	140°C	270°C	270°C
Polyphenylene Sulphide	150°C	150°C	160°C	270°C	270°C

2. The maximum temperature measured inside the capacitor: set the temperature so that the maximum temperature is below the limit inside the element.

Dielectric Film Material	Maximum Temperature Measured Inside the Element		
Polyester	160°C		
Polypropylene	110°C		
Paper	160°C		
Polyphenylene Sulphide	160°C		



The temperature is monitored inside the capacitor.


Selective Soldering Recommendations


Selective dip soldering is a variation of reflow soldering. In this method the printed circuit board with through-hole components to be soldered is preheated and transported over the solder bath, as in normal flow soldering, without touching the solder. When the board is over the bath, it is stopped. Pre-designed solder pots are lifted from the bath with molten solder only at the places of the selected components, and then pressed against the lower surface of the board to solder the components.

The temperature profile for selective soldering is similar to the profile for double wave flow soldering outlined in this document. **However, instead of two baths, there is only one with a time from 3 to 10 seconds.** In selective soldering, the risk of overheating is greater than in double wave flow soldering, and great care must be taken so that the parts do not overheat.



Marking





Manufacturing Date Code (IEC-60062)

Y = Year, Z = Month									
Year	Code	Year	Code	Month	Code				
2010	Α	2022	Р	January	1				
2011	В	2023	R	February	2				
2012	С	2024	S	March	3				
2013	D	2025	T	April	4				
2014	E	2026	U	May	5				
2015	F	2027	V	June	6				
2016	Н	2028	W	July	7				
2017	J	2029	Х	August	8				
2018	K	2030	Α	September	9				
2019	L			October	0				
2020	M			November	N				
2021	N			December	D				



KEMET Electronics Corporation Sales Offices

For a complete list of our global sales offices, please visit www.kemet.com/sales.

Disclaimer

All product specifications, statements, information and data (collectively, the "Information") in this datasheet are subject to change. The customer is responsible for checking and verifying the extent to which the Information contained in this publication is applicable to an order at the time the order is placed. All Information given herein is believed to be accurate and reliable, but it is presented without guarantee, warranty, or responsibility of any kind, expressed or implied.

Statements of suitability for certain applications are based on KEMET Electronics Corporation's ("KEMET") knowledge of typical operating conditions for such applications, but are not intended to constitute – and KEMET specifically disclaims – any warranty concerning suitability for a specific customer application or use. The Information is intended for use only by customers who have the requisite experience and capability to determine the correct products for their application. Any technical advice inferred from this Information or otherwise provided by KEMET with reference to the use of KEMET's products is given gratis, and KEMET assumes no obligation or liability for the advice given or results obtained.

Although KEMET designs and manufactures its products to the most stringent quality and safety standards, given the current state of the art, isolated component failures may still occur. Accordingly, customer applications which require a high degree of reliability or safety should employ suitable designs or other safeguards (such as installation of protective circuitry or redundancies) in order to ensure that the failure of an electrical component does not result in a risk of personal injury or property damage.

Although all product-related warnings, cautions and notes must be observed, the customer should not assume that all safety measures are indicted or that other measures may not be required.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Safety Capacitors category:

Click to view products by Kemet manufacturer:

Other Similar products are found below:

R49AN347000A1K 46KI3470DQM1K MKPY2-.02230020P15 46KI333050M1K 46KN333000M1M 46KN347000M1M

B32922D3334K189 B32924C3824K189 46KI3100DQM1M HUB2200-S 04068 HUB820-P BFC2 33910103 YV101103Z060HAND5P

46KN3330JBM1K 413N32200000M 463I333000M1K 46KF2470JBN0M 46KF268000M1M 46KF310000M1M 46KI22205001M

46KI24705201K 46KI2470CK01M 46KI2470ND01K 46KI2680JH01M 46KI315000M2K 46KI315000M2M 46KI3150CKM2K

46KI3150CKM2M 46KI3150NDM2M 46KI3220CKP0M 46KI3220JLM1M 46KN3150JH01K 46KN34705001K 46KN347050N0K

46KN3470JHP0M 46KN410040H1M 46KW510050M1K 474I24700003K PHE840MD6220MD13R30 PHE840MY6470MD14R06

PHE845VD5470MR06 YV500103Z060B20X5P MKPX2R-1/400/10P27 YP102271K050B20C6P YP102391K050BAND5P

YP501101K040BAND5P YP102681K060B20C6P YP501121K040B20C6P YP501471K040B20C6P