


Effects of mounting method on insertion loss

C and Pi filters are mounted to PCBs and soldered in identical manner to chip capacitors. Solder connections made to each end (signal lines) and each side band (earth track).

Whilst SBSG, SBSM and SBSP filters can be mounted conventionally on PCBs, they are also suitable for mounting in a wall or partition on a board. This greatly improves the screening between filter input and output, thereby enhancing the high frequency response.

The following insertion loss curves (for SBSP, SBSG, SBSM Pi filters), based on actual measurements, show the effect. It can be seen that the filters conventionally mounted (Fig. 1) exhibit a drop in attenuation at higher frequencies. Improved shielding methods (Fig. 2), maintain excellent suppression characteristics to 1GHz and above. See below for application example.



Syfer Technology Ltd. Old Stoke Road, Arminghall Norwich, Norfolk, NR14 8SQ United Kingdom

Insertion loss tables for surface mount EMI filters - C filter

Typical No-Load Insertion Loss (dB)*

Product Code	Packing	Capacitance (±20%)	Dielectric	Rated Voltage (dc)	DWV (dc)	Approximate Resonant Frequency (MHz)	0.1MHz	1MHz	10MHz	100MHz	1GHz
SBSGC5000102MX		1.0nF	X7R	500	750	186	0	0	5	23	18
SBSGC5000152MX		1.5nF	X7R	500	750	147	0	0	8	27	18
SBSGC5000222MX	(s)	2.2nF	X7R	500	750	130	0	0	11	32	18
SBSGC5000332MX	reels) ' reels)	3.3nF	X7R	500	750	110	0	1	14	34	18
SBSGC5000472MX	Bulk Packed .eel (178mm / 7" i .eel (330mm / 13"	4.7nF	X7R	500	750	100	0	2	17	40	18
SBSGC5000682MX		6.8nF	X7R	500	750	80	0	4	20	38	18
SBSGC5000103MX		10nF	X7R	500	750	62.5	0	5	24	38	18
SBSGC5000153MX		15nF	X7R	500	750	50	0	8	27	38	18
SBSGC5000223MX	" the the	22nF	X7R	500	750	39	0	11	32	39	18
SBSGC5000333MX	B -and and-	33nF	X7R	500	750	33	1	14	34	39	18
SBSGC5000473MX	= Tape-a	47nF	X7R	500	750	28	2	17	36	39	18
SBSGC2000683MX		68nF	X7R	200	500	23	3	20	37	39	18
SBSGC1000104MX	нж	100nF	X7R	100	250	19	5	23	41	39	18
SBSGC1000154MX		150nF	X7R	100	250	15.5	8	27	47	39	18
SBSGC0500224MX		220nF	X7R	050	125	13	11	30	49	39	18

* - Insertion Loss performance quoted is measured on an open board mounted on a brass backplane in a 50Ω system. Performance curves can be supplied on request. Performance in circuit is liable to be different and is affected by board material, track layout, grounding efficiency and circuit impedances. Shielding can be used to improve high frequency performance.

Insertion loss tables for surface mount EMI filters - Pi filter

							Тур	oical No-Lo	ad Insert	ion Loss (dB)*
Product Code	Packing	Capacitance (±20%)	Dielectric	Rated Voltage (dc)	DWV (dc)	Approximate Resonant Frequency (MHz)	0.1MHz	1MHz	10MHz	100MHz	1GHz
SBSGP5000102MX		1.0nF	X7R	500	750	140	0	0	5	39	18
SBSGP5000152MX		1.5nF	X7R	500	750	100	0	0	8	41	18
SBSGP5000222MX	s) Is)	2.2nF	X7R	500	750	75	0	0	10	39	18
SBSGP5000332MX	reels) reels)	3.3nF	X7R	500	750	54	0	1	15	39	18
SBSGP5000472MX	13"	4.7nF	X7R	500	750	44	0	2	17	39	18
SBSGP5000682MX	pa L	6.8nF	X7R	500	750	35	0	3	23	39	18
SBSGP5000103MX	k Packed (178mm (330mm /	10nF	X7R	500	750	28	0	5	28	39	18
SBSGP5000153MX	\neq \sim \sim	15nF	X7R	500	750	23	0	8	35	39	18
SBSGP5000223MX	B = Bull -and-Reel and-Reel	22nF	X7R	500	750	19	0	10	43	39	18
SBSGP5000333MX	B -and and-	33nF	X7R	500	750	15	1	12	46	39	18
SBSGP5000473MX	Tape- Tape-	47nF	X7R	500	750	12	2	14	53	39	18
SBSGP2000683MX	= 1 1 1 1	68nF	X7R	200	500	10	3	16	55	39	18
SBSGP1000104MX	Γĸ	100nF	X7R	100	250	7.5	5	17	56	39	18
SBSGP1000154MX		150nF	X7R	100	250	6	8	20	58	39	18
SBSGP0500224MX		220nF	X7R	050	125	5.2	11	25	58	39	18

* - Insertion Loss performance quoted is measured on an open FR4 board mounted on a brass backplane in a 50Ω system. Performance curves can be supplied on request. Performance in circuit is liable to be different and is affected by board material, track layout, grounding efficiency and circuit impedances. Shielding can be used to improve high frequency performance.

Ordering Information

SBS	G	Р	500	0473	М	Х	т
Туре	Size	Configuration	Rated Voltage	Capacitance in Pico farads (pF)	Tolerance	Dielectric	Packaging
Surface mount board filter	G = 1812	C = C section P = Pi Section	050 = 50Vdc 100 = 100Vdc 200 = 200Vdc 500 = 500Vdc	First digit is 0. Second and third digits are significant figures of capacitance code. The fourth digit is number of zeros following. Example: 0473 = 47nF	M = ±20%	X = X7R	T=178mm (7") reel R=330mm (13") reel B = Bulk


Reeled Quantities

178mm (7") reel	1812	220mm (12%) rool	1812
	500	330mm (13") reel	2000

Surface mount and panel mount solder-in filters

Solder pad layouts are included with the detailed information for each part.

Recommended soldering profile



Soldering of filters

The soldering process should be controlled such that the filter does not experience any thermal shocks which may induce thermal cracks in the ceramic dielectric.

The pre-heat temperature rise of the filter should be kept to around 2°C per second. In practice successful temperature rises tend to be in the region of 1.5°C to 4°C per second dependent upon substrate and components.

The introduction of a soak after pre-heat can be useful as it allows temperature uniformity to be established across the substrate thus preventing substrate warping. The magnitude or direction of any warping may change on cooling imposing damaging stresses upon the filter.

E01, E03, E07 SBSP ranges are compatible with all standard solder types including lead-free, maximum temperature

260°C. For SBSG, SBSM and SFSS ranges, solder time should be minimised, and the temperature controlled to a maximum of 220°C. For SFSR, SFST and SFSU ranges the maximum temperature is 250°C.

Cooling to ambient temperature should be allowed to occur naturally. Natural cooling allows a gradual relaxation of thermal mismatch stresses in the solder joints. Draughts should be avoided. Forced air cooling can induce thermal breakage, and cleaning with cold fluids immediately after a soldering process may result in cracked filters.

Note: The use of FlexiCap[™] terminations is strongly recommended to reduce the risk of mechanical cracking.

Soldering to axial wire leads

Soldering temperature

The tip temperature of the iron should not exceed 300°C. *Dwell time*

Dwell time should be 3-5 seconds maximum to minimise the risk of cracking the capacitor due to thermal shock.

Heat sink

Where possible, a heat sink should be used between the solder joint and the body, especially if longer dwell times are required.

Bending or cropping of wire leads

Bending or cropping of the filter terminations should not be carried out within 4mm (0.157'') of the epoxy encapsulation, the wire should be supported when cropping.

A more comprehensive application note covering installation of all Syfer products is available on the Syfer website.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for EMI Filter Circuits category:

Click to view products by Knowles manufacturer:

Other Similar products are found below :

761280-1 SBSGC0500224MXB SBSPP0250104MXT SBSPP0250154MXT SBSPP0500473MXT SBSPP1000102MXT SBSPP1000153MXB SBSPP1000220MCT SBSPP1000332MXT SBSPP1000470MCT SBSPP1000471MCT SBSPP1000472MXT SNZF220DFT1G CM1442-06CP EMI8041MUTAG SBSPP0500473MXB SBSPP0500683MXT SBSPP1000101MCT SBSPP1000103MXT SBSPP1000220MCB SBSPP1000221MCT EMIF06-USD05F3 EMIF03-SIM03F3 EMI7112FCTAG EMI7403FCTBG EMI2180MTTBG CM1442-08CP CSPEMI204FCTAG SBSPP1000152MXT SBSGC5000473MXT SBSMC0500474MXT MEA2010PE360T001 NFA18SL307V1A45L 1-6609037-5 CM1690-06DE EMIF05-SK01F3 EMIF02-USB03F2 BNX022-01L BNX024H01L BNX025H01L BNX026H01L NFA21SL806X1A48L NFL18SP157X1A3D NFL21SP106X1C3D NFL21SP207X1C3D NFL21SP307X1C3D NFL21SP506X1C3D NFL21SP706X1C3D NFW31SP207X1E4L BNX022-01B