# 规格承认书

**Specification for approval** 

客户名称:

(Customer Name)

产品名称:

铝电解电容

( Product Name )

**Aluninum Electrolytic Capacitor** 

客户料号:

( Customer part number )

科尼盛料号:

01EC0961

( KNSCHA number )

01EC0961

型号规格:

KNSCHA SHG 100V100μF Φ10\*16L

KNSCHA SHG 100V100μF Φ10\*16L

(Specifications)

	制造				
(	(Manufacture	)			
	<b>Approval</b>				
拟制	审 核	核准			
(Fiction)	(Chief)	(Approval)			
刘淑芬	刘军军	徐贵南			

	客 户	
	(Customer)	
	Approval	
检 验	审 核	核准
(Inspect)	(Chief)	(Approval)

## 东莞市科尼盛电子有限公司

DONG GUAN KNSCHA ELECTRONICS CO.,LTD.

No. The 8th Floor, A3 Building, R&D Center (Phase I),

Songshan Lake Intelligent Valley, Liaobu Town, Dongguan City

TEL:0769-83698067 81035570 FAX: 0769-83861559

Email: sales@knscha.com Website: http://www.knscha.com



## **Aluminum Electrolytic Capacitors**

Item Name	Rating	Case size	KNSCHA Lifetime
01EC0961	100V100 μ F	Ф10 <b>*</b> 16L	10000 hours


#### 1. Operating Temp. Range

−55°C	~	+ 105℃

## 2. Electrical Characteristics See Table 1.

[ lable l]							
Surge Voltage VDC	Rated Voltage VDC	Nominal Static Capacitance ( $\mu$ F)	Tolerance on Capacitance (%) 20°C 120Hz	(tan 0 )max		Permissible Ripple Current (mArms)max 105°C100KHz	Impedance(Ω) 100KHZ 20°C
125	100	100	$-20 \sim +20$	0.08	100	420	0.42







Unit(mm)			
$\phi$ D+0.5Max	L+1.5Max	F±0.5	d±0.05
10	16	5.0	0.6

#### 4. Marking

Following items are printed with white color on coffee color sleeve





- 1 Rated voltage & Nominal Capacitance
- 2 Polarity (negative)
- 3 Trade Mark
- 4 series
- ⑤ Symbol of Capacitance Tolerance (M)
- 6 Max Operating Temp.

#### **5.MULTIPLIER FOR RIPPLE CURRENT**

1. Frequency Coefficient

Troquency Coemicion	Trequency econolistic				
Freq.(Hz) Cap( μ F)	60 (50)	120	1K	10K	100K
0.1-47	0.75	0.80	0.85	0.90	1.00
68-680	0.80	0.85	0.90	0.95	1.00
1000-22000	0.85	0.87	0.89	0.92	1.00

(2). Temperature Coefficient

Temperature Odernolent					
Ambient	40	60	70	85	105
Temperature(°C)	40	00	70	65	103
Coefficient	2.40	2.10	1.78	1.65	1.00

#### 6. Characteristics


No.	Item	Perfor	mance	Test Method
1	Leakage Current	I= 100.0 μA I= Max Leakage Currer C=Ctatic Capacitor: V		Protection Resistor : $1000\pm10\Omega$ Applied Volt : Rated Voltage Mesauring time : $2$ minutes
2	Static Capacitance	80 $\sim$ 120 $\muF$		Measured Frequency : 120Hz±20%  Measured Voltage ≤ 0.5Vrms, 1.5 ~ 2.0VDC
3	Dissiption Factor (tan $\delta$ )	0.08 and Under		Same as condition of Capacitors
4	High Temp. Load Charac- teristics	Cap. Change $\leq \pm$ Dissipation Factor $\leq 20$	e value specified in Table 1 20% of initial value 0% of value specified in Table emarkable abnormality	Test Temp.: 105±2°C Applied voltage: Rated voltage Test Time 10,000 hours +72, −0 hours
5	High Temp. no load Charac- teristics	Cap. Change $\leq \pm$ Dissipation Factor $\leq 20$	e value specified in Table 1 20% of initial value 0% of value specified in Table emarkable abnormality	Test Temp.: 105±2°C No voltage applied Test Time :1000 hours +24, −0 hurs
6	Terminal Strength		15N {4.5kg} 25N {2.5kg}	Keeping time Tensile 1~5sec Bending 30±5sec
7	Impedance Ratio	W V Z-25°C/Z+20° Z-40°C/Z+20°		
8	Temperature Charac – teristics	<ul><li>2,3 Impedance Ratio</li><li>5 Cap, Change</li><li>After the capacitor is</li></ul>	Performance less than the value mention ≤±25% against value in st held at tempereture of each sure stability, measure perform	tage 4     2     -25±3;       3     -25±3;       4     20±2       5     105±2
9	Surge Voltage	Item Leakage Current Cap, Change Dissipation Factor Appearance  Test Temp. 15~35°C Voltage apply. 1,000times and discharge for 5min30se	Perforemance  ≤ the initial specified value ≤ ±15% against value be ≤ the initial specified value No remakable abnormality  Test volt. Surge Volt.Surge v	ofore test ue cy Specified in 2

#### 6-2. Characteristics

No.	Item	Performance	Test Method
10	Vibration Resistance	Capacitance Stability required Cap. Change ≤±5% of the initial specifi Appearance No remarkable abnormali Frequency: 10∼55Hz/1min. Width of vibrat Y and Z directions, each for 2 hours (Total	ty tion, 1.5mm Direction and duration X,
11	Solderbility	3/4 area of surrounding directions of surface should be covered with new solder.	Solder: Sn-Ag, Sn-Cu Type Soldering Temp: 240±5°C Dipping degree: 2~2.5mm Flux: Ethanol solution (JIS K8101) or Isopropylalchol (JIS K8839) solution of Rosin (JIS K5902)
12	Resistance to Soldering	Leakage Current $\leq$ Initial specified value         Cap. Change $\leq \pm 10\%$ of initial value         Dissipation Factor $\leq$ Initial specified in value         Appearance       No remarkable abnormality	Soldering Temp. 280±5°C Soldering Time . 10±1sec.
13	Resistance to Humidity	Leakage Current       ≦ Initial specified value         Cap. Change       ≦±15% of initial value         Dissipation Factor       ≦ Initial spesified value         Appearance       No remarkable abnormality	Test Temp. : $40\pm2^{\circ}\text{C}$ Humidity $90\sim95\%$ Test Time : $500\pm8$ hours After the above condition,restored to normal temp, and then measured.
14	Perssure valve moment charact- erstics	There must not be thing ignition, scattering the resolution that that case works safely	Dcmethod: impress the reverse voltage and of 1A, I cancel an electric current.

## 7 Packing method

Packaging shape, size, quantity



Component	Quanity
size	per
10*16	8000pcs.

### Related Standards JIS C 5141

#### Marking on packing box 9

- 1 Item name
- Series name
- 3 Rated Voltage4 Nominal Static Capacitance
- ⑤ Case size
- 6 Lot No.
- Quantity

#### 10 Leakage

#### current

#### <Condition>

Connecting the capacitor with a protective resistor  $(1k\Omega\pm10\Omega)$  in series for

2 minutes, and then, measure leakage current.


#### <Criteria

I : Leakage current (μA)

I ( $\mu$ A) $\leq$ 0.01CVor 3 ( $\mu$ A) whichever is greater,

measurement circuit refer to right drawing.

C: Capacitance (µF)



#### 11 Soldeing

11-1 Soldering by soldering iron

Temperature of iron top: 270~350°C

Operating time: within 3 sec.

11-2 Flow soldering.

Preheat: PCB surface temperature 120°C±5°C

Solder Temp: 260°C±5°C Solder Dipping Temp.: 2~4sec.

#### 12 Cleaning of PC boad after soldering

Using follwing solvents is possible but make sure following condition Solvent  $\,$ 

IPA or Alcoholic agent like Pinealpha ST-100S, Cleanthrough 750H, 750L, 710M, 750K, or Technocare FRW-14∼17

- ① Cleaning should be made by ultrasonic within 5min, at the temperature less then 60°C.
- ② Control of pollution is necessary (conductivity,pH, specific gravity, water volume)
- ③ Please do not keep near cleaning agent. Please do not store in air-tight container. Please let it dry by hot air at the temperature less than maximum operating temp.

#### 13 The situation of using

Please do not use a condenser in the next use environment.

- 1 One circumference environment(weatherability) condition.
- (a) Direct water, salt water and environment oil works or become a dew condensation state.
- (b) Environment full of harmful gas (a hydrogen chloride, sulfurous acid. nitrous acid hydrochloric acid, ammonia).
- (c) Ozone, infrared rays and the environment where radioactive rays are done collation of
- ② Vibration shock condition is extreme environment more than rule ranges of delivery specifications.

#### 14 A country of origin


A country of origin of an KNSCHA SHG series alminum electrolysis condenser of specifications: China

#### 15 Effective life for storage

Storage conditions:

- 1 Temperature range must be between 5-35°C
- 2 Relative humidity must be less than 75%
- 3 Must be stored indoor
- 4 Must be free from water, oil or salt water
- (5) Must be free from toxic gasses (hydrogen sulfide, sulfurous acid, chlorine, ammonium, etc.)
- 6 Must be free from ozone, ultraviolet rays or any other radiation
- 7 Must be kept in capacitor original package

# Aluminum Electrolytic Capacitor SHG Series Structure



No.	Name	Material
1	Case	Aluminum
	Element (Electrode)	High Purity Aluminum foil
2	(Separator)	Manila hemp pulp
	(Electrolyte)	
3	Rubber Bung	Synthetic Rubber
4	Sleeve	PET
<b>⑤</b>	Lead Wire	Tin plated Steel Wire

Controls of ozone layer destructive chemical materials

Regulated materials: CFCs, Halon, Carbon Tetrachloride, 1.1.1-Trichloroethane

The products and parts do not include the above materials

The products and parts are not used the above materials on process.

The products and parts are not used PBBOs (Poly Bromo Bi-phenyl Oxides ).

All materials are mentioned as existing chemical material in the "Law of examine and control of Production of Chemical Material"

The products are not listed in Appendix 1 of Export Trade Rule and Regulation

A condenser of this series supports RoHS regulation.

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Aluminium Electrolytic Capacitors - Radial Leaded category:

Click to view products by KNSCHA manufacturer:

Other Similar products are found below:

LXY50VB4.7M-5X11 RFO-100V471MJ7P# ECE-A1EGE220 B41041A7226M8 B41044A7157M6 NCD681K10KVY5PF

NEV1000M25EF-BULK NEV100M35DC NEV100M63DE NEV220M25DD-BULK NEV.33M100AA NEV4700M50HB NEV.47M100AA

NEVH1.0M250AB NEVH3.3M250BB NEVH3.3M450CC KME50VB100M-8X11.5 SG220M1CSA-0407 ES5107M016AE1DA

ESMG160ETD102MJ16S ESX472M16B 227RZS050M 476CKH100MSA 477RZS050M B41793A9108Q1 UVX1V101KPA1FA

UVX1V222MHA1CA KME25VB100M-6.3X11 VTL100S10 VTL470S10 VTL470S16A 511D336M250EK5D 052687X ECE-A1CF471

NRE-S560M16V6.3X7TBSTF RGA221M1CTA-0611G ERZA630VHN182UP54N UPL1A331MPH NEV1000M6.3DE NEV100M16CB

NEV100M50DD-BULK NEV2200M16FF NEV220M50EE NEV2.2M50AA NEV330M63EF NEV4700M35HI NEV4.7M100BA

NEV47M16BA NEV47M50CB-BULK NEVH1.0M350AB