

#### CHIP NOISE FILTER NFZ15SG□□□SN1□D REFERENCE SPECIFICATION

#### 1. Scope

This reference specification applies to NFZ15SG Series, Chip Noise Filter.

#### 2. Part Numbering

101 S NF SG Ν Product ID Structure Dimension Characteristics Typical Impedance Performance Category Numbers at 900MHz speci- D:Taping  $(L \times W)$ of fication \* Circuit B: BULK 1:LowRdc 0: HighImpedance

\*B: Bulk packing also available

#### 3. Rating

Operating Temperature Range
 Storage Temperature Range
 40°C to + 85°C
 40°C to + 85°C

Customer	MURATA	Impedance		DC Resistance (Ω)		Rated Current *1	
Part Number	Part Number	at900N Typ.	ИHz(Ω) Min.	at1.7GHz(Ω) Typ.	Тур.	Max.	(A)
	NFZ15SG101SN11D	100	70	160	0.07	0.10	1.10
	NFZ15SG151SN11D	150	100	250	0.09	0.12	1.00
	NFZ15SG331SN11D	330	230	540	0.20	0.30	0.65
	NFZ15SG771SN10D	770	530	900	0.35	0.50	0.50
	NFZ15SG152SN10D	1500	1000	1200	0.55	0.80	0.40
	NFZ15SG262SN10D	2600	1800	1450	0.80	1.00	0.35
	NFZ15SG462SN10D	4600	2800	1800	1.25	1.65	0.27

<sup>\*1:</sup> When applied Rated current to the Products, self temperature rise shall be limited to 40°C max.

#### 4. Testing Conditions

《Unless otherwise specified》

《In case of doubt》


Temperature : Ordinary Temperature / 15°C to 35°C

Temperature : 20°C ± 2°C


lumidity : Ordinary Humidity / 25%(RH) to 85%(RH) Humidity : 60%(RH) to 70%(RH)

Atmospheric Pressure: 86kPa to 106kPa

#### 5. Appearance and Dimensions



■ Equivalent Circuit



Resistance element becomes dominant at high frequencies.

■Unit Mass (Typical value) 0.001g

(in mm)

# Reference Only

#### 6. Electrical Performance

No.	Item	Specification	Test Method
6.1	Impedance	Impedance shall meet item 3.	Measuring Equipment:  KEYSIGHT 4991A or equivalent (50mV)  Measuring Frequency: 900MHz / 1.7GHz
6.2	DC Resistance	DC Resistance shall meet item 3.	Measuring Equipment: Digital multi meter  Digital multi meter  (TR6846 or equivalent)  terminal 1 SW  terminal 2 terminal 2 under the condition of opening between a and b.  Every measurement the terminal 1 shall be shorted between a and b when changing noise filter.  *Except resistance of the Substrate and Wire

#### 7. Mechanical Performance

No.	Item	Specification	Test Method
7.1	Shear Test	Chip noise filter shall not be damaged after tested as follows.	Applied Direction CHIP NOISE FILTER —
			F
			Substrate —/ Force: 5N
			Hold Duration: 5s±1s
			Applied Direction: Parallel to PCB
7.2	Bending Test		Substrate: Glass-epoxy substrate (100mm × 40mm × 0.8mm)
			Solder: Reflow
			Pressure jig
			R230 \F  Deflection
			Product (in mm)
			Speed of Applying Force: 0.5mm / s
			Deflection: 2mm
			Hold Duration: 30 s
7.3	Vibration		Oscillation Frequency:
			10Hz to 2000Hz to 10Hz for 20 min
			Total amplitude 3.0 mm or Acceleration amplitude 245m/s <sup>2</sup> whichever is smaller.
			Testing Time:
			A period of 2h in each of 3 mutually
			perpendicular directions. (Total 6h)
7.4	Drop		It shall be dropped on concrete or steel board.
			Height: 1m
			Total of 9 cycles

# **Reference Only**

No.	Item	Specification	Test Method
7.5	Solderability	The wetting area of the electrode	Flux: Ethanol solution of rosin 25(wt)%
		shall be at least 90% covered with	Solder: Sn-3.0Ag-0.5Cu
		new solder coating.	Pre-Heating: 150°C±10°C / 60s to 90s
			Solder Temperature: 240°C±5°C
			Immersion Time: 3s±1s
7.6	Resistance to	Appearance: No damage	Pre-Heating: 150°C±10°C / 60s to 90s
	Soldering Heat	Impedance Change: within ±30%	Solder: Sn-3.0Ag-0.5Cu
			Solder Temperature: 270°C±5°C
			Immersion Time: 10s±1s
			Then measured after exposure in the room
			condition for 48h±4h.

#### 8. Environmental Performance


It shall be soldered on the substrate.

No.	Item	Specification	Test Method
8.1	Heat Resistance	Appearance: No damage	Temperature: 85°C±2°C
		Impedance Change: within ±30%	Time: 1000h (+48h,-0h)
			Then measured after exposure in the room
			condition for 48h±4h.
8.2	Cold Resistance		Temperature: -40°C±2°C
			Time: 1000h (+48h,-0h)
			Then measured after exposure in the room
			condition for 48h±4h.
8.3	Humidity		Temperature: 40°C±2°C
			Humidity: 90%(RH) to 95%(RH)
			Time: 1000h (+48h,-0h)
			Then measured after exposure in the room
			condition for 48h±4h.
8.4	Temperature		1 cycle:
	Cycle		1 step: -40°C±2°C / 30 min±3 min
			2 step: Ordinary temp. / 10 min to 15 min
			3 step: 85°C±2°C / 30 min to 3 min
			4 step: Ordinary temp. / 10 min to15 min
			Total of 100cycles
			Then measured after exposure in the room
			condition for 48h±4h.

## Reference Only

#### 9. Specification of Packaging

#### 9.1 Appearance and Dimensions of plastic tape (8mm-wide)



Dimension of the Cavity is measured at the bottom side.

#### 9.2 Specification of Taping

(1) Packing quantity (standard quantity)

10,000 pcs / reel

(2) Packing Method

Products shall be packed in the cavity of base tape continuously and sealed by top tape And bottom tape.

(3) Sprocket hole

The sprocket holes are to the right as the tape is pulled toward the user.

(4) Spliced point

The base tape and top tape has no spliced point.

(5) Missing components number


Missing components number within 0.1% of the number per reel or 1 pc., whichever is greater, and are not continuous. The Specified quantity per reel is kept.

#### 9.3 Pull Strength

Top tape	5N min.
Bottom tape	ON IIIII.


#### 9.4 Peeling off force of cover tape

Speed of Peeling off	300mm / min	
Dealing off force	Plastic tape: 0.1N to 0.6N	
Peeling off force	(minimum value is typical)	



## Reference Only

**9.5 Dimensions of Leader-tape, Trailer and Reel**There shall be leader-tape (top tape) and trailer-tape (empty tape) as follows.



#### 9.6 Marking for reel

Customer part number, MURATA part number, Inspection number (\*1), RoHS marking (\*2), Quantity etc · · ·

\*1) < Expression of Inspection No.>

□□ 0000 ×××

- (1) Factory Code
- (2) Date : Year / Last digit of year First digit

: Month / Jan. to Sep.  $\rightarrow$  1 to 9, Oct. to Dec.  $\rightarrow$  O, N, D Second digit

Third, Fourth digit: Day

- (3) Serial No.
- \*2) <Expression of RoHS marking >


ROHS 
$$-\underline{Y}(\underline{\Delta})$$
(1) (2)

- (1) RoHS regulation conformity parts.
- (2) MURATA classification number

#### 9.7 Marking for Outside package (corrugated paper box)

Customer name, Purchasing order number, Customer part number, MURATA part number, RoHS marking (\*2), Quantity, etc · · ·

#### 9.8 Specification of Outer Case



Outer	Case Dim (mm)	ensions	Standard Reel Quantity
W	D	Н	in Outer Case (Reel)
186	186	93	5

\* Above Outer Case size is typical. It depends on a quantity of an order

#### 10. 🗥 Caution

#### **Limitation of Applications**

Please contact us before using our products for the applications listed below which require especially high reliability for the prevention of defects which might directly cause damage to the third party's life, body or property.

- (1) Aircraft equipment
- Aerospace equipment
- (3) Undersea equipment
- Power plant control equipment
- (5) Medical equipment
- Transportation equipment (vehicles, trains, ships, etc.)
- Traffic signal equipment
- (8) Disaster prevention / crime prevention equipment
- (9) Data-processing equipment
- (10) Applications of similar complexity and /or reliability requirements to the applications listed in the above


# Reference Only

#### 11. Notice

This product is designed for solder mounting.

Please consult us in advance for applying other mounting method such as conductive adhesive.

#### 11.1 Land pattern designing



#### 11.2 Flux, Solder

·Use rosin-based flux.

Don't use highly acidic flux with halide content exceeding 0.2(wt) % (chlorine conversion value).

Don't use water-soluble flux.

- •Use Sn-3.0Ag-0.5Cu solder.
- •Standard thickness of solder paste:  $100 \,\mu$  m to  $200 \,\mu$  m.

#### 11.3 Reflow soldering conditions


•Pre-heating should be in such a way that the temperature difference between solder and product surface is limited to 150°C max. Cooling into solvent after soldering also should be in such a way that the temperature difference is limited to 100°C max.

Insufficient pre-heating may cause cracks on the product, resulting in the deterioration of products quality.

•Standard soldering profile and the limit soldering profile is as follows.

The excessive limit soldering conditions may cause leaching of the electrode and/or resulting in the deterioration of product quality.

#### Soldering Profile for Lead Free solder



	Standard Profile	Limit Profile
Pre-heating	150°C∼180°	°C, 90s±30s
Heating	above 220°C, 30s∼60s	above 230°C, 60s max.
Peak temperature	245°C±3°C	260°C, 10s
Cycle of reflow	2 times	2 times

#### 11.4 Reworking with soldering iron

Pre-heating: 150°C, 1 min Soldering iron output: 80W max.

Tip temperature: 350°C max. Tip diameter:φ3mm max.

Soldering time: 3(+1,-0) seconds. Times: 2times max.

Note :Do not directly touch the products with the tip of the soldering iron in order to prevent the crack on the ferrite material due to the thermal shock.



#### 11.5 Solder Volume


- ·Solder shall be used not to be exceeded the upper limits as shown below.
- •Accordingly increasing the solder volume, the mechanical stress to Chip is also increased. Exceeding solder volume may cause the failure of mechanical or electrical performance.



#### 11.6 Product's location

The following shall be considered when designing and laying out P.C.B.'s.

(1) P.C.B. shall be designed so that products are not subject to the mechanical stress due to warping the board.




Products shall be located in the sideways direction (Length: a b) to the mechanical stress.

(2) Components location on P.C.B. separation.

It is effective to implement the following measures, to reduce stress in separating the board.


It is best to implement all of the following three measures; however, implement as many measures as possible to reduce stress.

Contents of Measures	Stress Level
(1) Turn the mounting direction of the component parallel to the board separation surface.	A > D*1
(2) Add slits in the board separation part.	A > B
(3) Keep the mounting position of the component away from the board separation surface.	A > C



- \*1 A > D is valid when stress is added vertically to the perforation as with Hand Separation. If a Cutting Disc is used, stress will be diagonal to the PCB, therefore A > D is invalid.
- (3) Mounting Components Near Screw Holes

When a component is mounted near a screw hole, it may be affected by the board deflection that occurs during the tightening of the screw. Mount the component in a position as far away from the screw holes as possible.





#### 11.7 Cleaning Conditions

Products shall be cleaned on the following conditions.

- (1) Cleaning temperature shall be limited to 60°C max. (40°C max for IPA.)
- (2) Ultrasonic cleaning shall comply with the following conditions with avoiding the resonance phenomenon at the mounted products and P.C.B.

Power: 20 W / I max. Frequency: 28kHz to 40kHz Time: 5 min max.

- (3) Cleaner
  - 1. Alcohol type cleaner Isopropyl alcohol (IPA)
  - 2. Aqueous agent PINE ALPHA ST-100S
- (4) There shall be no residual flux and residual cleaner after cleaning. In the case of using aqueous agent, products shall be dried completely after rinse with de-ionized water in order to remove the cleaner.
- (5) Other cleaning Please contact us.

#### 11.8 Resin coating

The impedance value may change and/or it may affect on the product's performance due to high cure-stress of resin to be used for coating/molding products. So please pay your careful attention when you select resin.

In prior to use, please make the reliability evaluation with the product mounted in your application set.

#### 11.9 Caution for use


There is possibility that the impedance value change due to magnetism. Don't use a magnet or a pair of tweezers with magnetism when chip noise filters are handled. (The tip of the tweezers should be molded with resin or pottery.)


#### 11.10 Handling of a substrate

After mounting products on a substrate, do not apply any stress to the product caused by bending or twisting to the substrate when cropping the substrate, inserting and removing a connector from the substrate or tightening screw to the substrate.

Excessive mechanical stress may cause cracking in the product.

Bending Twisting







#### 11.11 Storage and Handing Requirements

(1) Storage period

Use the products within 6 months after delivered. Solderability should be checked if this period is exceeded.

#### (2) Storage conditions

• Products should be stored in the warehouse on the following conditions.

Temperature : -10°C to 40°C

Humidity : 15% to 85% relative humidity No rapid change on temperature and humidity

Don't keep products in corrosive gases such as sulfur, chlorine gas or acid, or it may cause oxidization of electrode, resulting in poor solderability.

- Products should be stored on the palette for the prevention of the influence from humidity, dust and so on.
- Products should be stored in the warehouse without heat shock, vibration, direct sunlight and so on.
- Products should be stored under the airtight packaged condition.

#### (3) Handling Condition

Care should be taken when transporting or handling product to avoid excessive vibration or mechanical shock.

### 12. /! Note

- (1)Please make sure that your product has been evaluated in view of your specifications with our product being mounted to your product.
- (2) You are requested not to use our product deviating from the reference specifications.
- (3) The contents of this reference specification are subject to change without advance notice. Please approve our product specifications or transact the approval sheet for product specifications before ordering.

### **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Ferrite Beads category:

Click to view products by Murata manufacturer:

Other Similar products are found below:

CZB1EGTTP700P CZB1JGTTD152P CZB2AFTTD800P CZB2AGTTD121P PE-0402FB121ST AB 3X2X3SM DER0705-2.2

NCB0603R301TR050F NCB0805A320TR050F NCB-H1206B680TR300F CZB1JGTTD221P CZB1JGTTD600P CZB2AGTTD301P

CZB2BFTTE301P CZB2BFTTE601P 4221R-1 EMI0805R-600 SBY100505T-100Y-N NCB-GH0402D121TR060F NCB0402P301TR005F

NCB0603R152TR030F NCB0805A121TR050F NCB0805A301TR070F NCB3312K900TR500F NCB-H0805A221TR300F

NCB0402P221TR030F NCB0805A102TR040F NCB1806E151TR020F NCB-H0402P100TR200F NCB-H0603R121TR300F NCB-H0805A220TR600F NCB-H0805A390TR400F NCB-H1206B601TR200F CZB1JGTTD202P CBH160808W221T WLBD1005HCU330TL

WLBD2012HCU121TH WLBD2012HCU221TH WQBD1608HCU121TH WLBD1608K2U252TB VLU0810-102KBC12

WLBD1608K2U800TP BMB2A0080AN4 SZ1608F470TF FBSHC0805-331-302R HFJ100505T-601Y-N HFY100505T-221Y-N

PBY201209T-110Y-N SBY060303T-121Y-N SBY100505T-750Y-N