

PRF Series

PTC Thermistor PRF Series

Features

- Faster response
- Wide Sensing Temperature
- Compact Design to save Board space
- Low profile
- High Reliability
- RoHS Compliant and Halogen Free
- Safety Standard (UL : E137188 VDE, TUV etc.)



Applications

- Automotive (LED Lamp/Navigation/Motor/Electrical Component)
- LED Bulb
- Mobile phone
- Note PC, Tablet PC
- Battery
- Power Supply
- Motor and Motor Controller

Overview

Exploiting the PTC characteristic (a sharp increase in resistance above a certain temperature), the PRF series chip PTC thermistors are used for overheat sensing in FETs, power ICs, and other heat generating areas. Use of the sharp change in electrical resistance translates into outstanding noise resistance. Sharp changes in resistance make it possible to accurately detect overheating in multiple areas using a very simple circuit connecting PTC thermistors in series.

This allows the customer to reduce the number of IC ports, thereby downsizing equipment.

Attention:

This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd.

Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

http://www.murata.com



TABLE OF CONTENT

1. Introduction	1
 2.1 Part Numbering 	3
3. Specifications	4
3.1 Line up	
3.2 Resistance-Temperature Characteristics Typical Curve	
3.3 Electrical characteristics	
3.4 Mechanical characteristics	
3.5 Environmental characteristics	
4. Measurement direction	8
4.1 Resistance - Temperature characteristics Range (Reference)	
4.2 Circuit (Reference)	
5. Dimension, Land Pattern	9
6.1 Taping Specification	10
6.2 Reeling	
7. ACAUTION	12

Attention:




2. Selection Guide

2.1 Part Numbering

PTC Thermistors (POSISTOR®) for Overheat Sensing Chip Type

(Part Number)



1. Product ID

Product ID	
PR	PTC Thermistors Chip Type

2.Series

Code	Series
F	for Overheat Sensing

3. Dimensions

Code	Dimensions
15	1.00 × 0.50mm
18	1.60 × 0.80mm
21	2.00 × 1.25mm

4. Temperature Characteristics

1			
Code	Temperature Characteristics		
AS	Curie Point 130°C		
AR	Curie Point 120°C		
BA	Curie Point 110°C		
BB	Curie Point 100°C		
BC	Curie Point 90°C		
BD	Curie Point 80°C		
BE	Curie Point 70°C		
BF	Curie Point 60°C		
BG	Curie Point 50°C		

5. Resistance

Expressed by three figures. The unit is (Ω) .

The firstand second figures are significant digits, and the third figure expresses the number of zeros which follow the two figures.

Ex.)

Code	Resistance
471	470 Ω
102	1k Ω
103	10k Ω

6. Resistance Tolerance

Code	Sensing Temp. Tolerance
Q	+/-5 °C
R	+/-3 °C

7. Individual Specifications

Ex.)

Code	Individual Specifications	
B5, B6, B7	Structure, others	

8. Packaging

Code	Packaging	
RA	Plastic Taping 4mm Pitch (4000pcs.)	
RB	Paper Taping 4mm Pitch (4000pcs.)	
RC	Paper Taping 2mm Pitch (10000pcs.)	

Attention:

This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd.

Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.



3. Specifications


3.1 Line up

			*at 4.7kohm	*at 47kohm		
Size		Resistance	Sensing	Sensing	Max. Voltage	Operation Temp
[mm/in.]	Part Number	at 25°C [ohm]	Temparature(°C)	Temparature(2) (°C)	[VDC]	. [°C] .
	PRF21AS471QB5RA	470+/-50%	145+/-5	-	32V	-20~+ 160
ſ	PRF21AR471QB5RA	470+/-50%	135+/-5	-	32V	-20~+ 150
Ī	PRF21BA471QB5RA	470+/-50%	125+/-5	-	32V	-20~+ 140
2012/0805	PRF21BB471QB5RA	470+/-50%	115+/-5	-	32V	-20~+ 130
Ī	PRF21BC471QB5RA	470+/-50%	105+/-5	-	32V	-20~+ 120
	PRF21BD471QB5RA	470+/-50%	95+/-5	-	32V	-20~+ 110
	PRF21BE471QB5RA	470+/-50%	85+/-5	-	32V	-20~+ 100
	PRF18AS471QB5RB	470+/-50%	145+/-5	-	32V	-20~+160
Ī	PRF18AR471QB5RB	470+/-50%	135+/-5	150+/-7	32V	-20~+ 160
Ī	PRF18BA471QB5RB	470+/-50%	125+/-5	140+/-7	32V	-20~+150
	PRF18BB471QB5RB	470+/-50%	115+/-5	130+/-7	32V	-20~+140
	PRF18BC471QB5RB	470+/-50%	105+/-5	120+/-7	32V	-20~+130
[PRF18BD471QB5RB	470+/-50%	95+/-5	110+/-7	32V	-20~+120
	PRF18BE471QB5RB	470+/-50%	85+/-5	100+/-7	32V	-20~+110
	PRF18BF471QB5RB	470+/-50%	75+/-5	90+/-7	32V	-20~+100
1608/0603	PRF18BG471QB5RB	470+/-50%	65+/-5	80+/-7	32V	-20~+ 90
1608/0603	PRF18BB471RB5RB	470+/-50%	115+/-3	130+/-7	32V	-20~+140
Ī	PRF18BC471RB5RB	470+/-50%	105+/-3	120+/-7	32V	-20~+130
Ī	PRF18BD471RB5RB	470+/-50%	95+/-3	110+/-7	32V	-20~+120
ſ	PRF18BE471RB5RB	470+/-50%	85+/-3	100+/-7	32V	-20~+110
Ī	PRF18BF471RB5RB	470+/-50%	75+/-3	90+/-7	32V	-20~+100
Ī	PRF18BG471RB5RB	470+/-50%	65+/-3	80+/-7	32V	-20~+ 90
Ī	PRF18BC471MB7RB	470+/-20%	105+/-3	-	32V	-20~+130
	PRF18BD471MB7RB	470+/-20%	95+/-3	-	32V	-20~+120
	PRF18BE471MB7RB	470+/-20%	85+/-3	-	32V	-20~+110
			*at 10kohm	*at 100kohm		
Size	Part Number	Resistance	Sensing	Sensing	Max. Voltage	Operation Temp
[mm/in.]	Part Number	at 25°C [ohm]	Temparature(°C)	Temparature(2) (°C)	[VDC]	[℃]
	PRF15AR102RB6RC	1k+/-50%	135+/-5	150+/-3	32V	-40~+ 160
Ī	PRF15BA102RB6RC	1k+/-50%	125+/-5	140+/-3	32V	-40~+150
	PRF15BB102RB6RC	1k+/-50%	115+/-5	130+/-3	32V	-40~+140
	PRF15BC102RB6RC	1k+/-50%	105+/-5	120+/-3	32V	-40~+130
1005/0402	PRF15BD102RB6RC	1k+/-50%	95+/-5	110+/-3	32V	-40~+120
	PRF15BE102RB6RC	1k+/-50%	85+/-5	100+/-3	32V	-40~+110
[PRF15BF102RB6RC	1k+/-50%	75+/-5	90+/-3	32V	-40~+100
	PRF15BG102RB6RC	1k+/-50%	65+/-5	80+/-3	32V	-40~+90
			*at 100kohm	*at 4.7Mohm		
Size	Dort Number	Resistance	Sensing	Sensing	Max. Voltage	Operation Temp
[mm/in.]	Part Number	at 25°C [ohm]	Temparature(°C)	Temparature(2) (°C)	[VDC]	[°°]
-	PRF15BB103RB6RC	10k+/-50%	>110	130+/-3	32V	-20~+140
1005/0100	PRF15BE103RB6RC	10k+/-50%	-	100+/-3	32V	-20~+110
1005/0402	PRF15BG103RB6RC	10k+/-50%	-	80+/-3	32V	-20~+90

Attention:



3.2 Resistance-Temperature Characteristics Typical Curve



Attention:



3.3 Electrical characteristics

	Item	Specification	Test Condition
3.3.1	Resistance value at 25°C	Within the specified range	After applying maximum operating voltage for 3 mins. and leaving for 2 hours in 25°C, measured by applying voltage less than DC1.0V.
3.3.2	Temperature characteristics	The resistance change with temperature typical curve shown in Graph-1.	Resistance at each ambient temperature is Measured by the measurement current of 1mA or less.

3.4 Mechanical characteristics

	Item	Specification	Test Condition
3.4.1	Vibration	Resistance (R25) change:	Reference standard: IEC 60068-2-6 (1995)
		Less than +/-20% (#)	•Soldered PTC to PCB (##)
		Appearance:	•Frequency range: 10~55Hz
		No defects or abnormalities	•Amplitude: 1.5mm
			•Sweep rate: 1octave/min.
			•Direction: X-Y-Z (3 direction)
			•24 cycles in each axis
3.4.2	Solderability	Wetting of soldering area:	Reference standard: IEC 60068-2-58 (2004)
		<u>></u> 95%	•Solder: Sn-3.0Ag-0.5Cu
			•Solder temp.: 245+/-5°C
			•Immersion time: 3+/-0.3s
3.4.3	Resistance to	Resistance (R25) change:	Reference standard: IEC 60068-2-58 (2004)
	soldering heat	Less than +/-20% (#)	[Solder bath method]
		Appearance:	•Solder: Sn-3.0Ag-0.5Cu
		No defects or abnormalities	•Preheat: 150+/-5°C, 90~120s
			•Solder temp.: 260+/-5°C
			•Immersion time: 10+/-1s

Attention:



3.5 Environmental characteristics

	Item	Specification		Test Condition		
3.5.1	Dry Heat		Reference standard: IEC 60068-2-2 (2007)			
			Soldered PTC to PCB (##)			
			• (Max. o	operating temp.)+/-2°C		
			• 1000+4	48/-0 hrs.		
3.5.2	Cold		Referen	ce standard: IEC 60068-2-1 (2007)	
			Soldered PTC to PCB (##)			
			• (Min. c	perating temp.)+/-3°C		
			• 1000+48/-0 hrs			
3.5.3	Damp heat		Reference standard: IEC 60068-2-67 (1995)			
	• Resistance (I		Soldered PTC to PCB (##)			
			• +85+/-2°C, 85+/-5%RH			
		Resistance (R25) change:	• 1000+48/-0 hrs			
3.5.4	Thermal shock	 Appearance: No defects or abnormalities 	Reference standard: IEC 60068-2-14 (2009)			
			[Test Na]			
			Soldered PTC to PCB (##)			
			• Transport time: <u><</u> 3 min.			
			Test co	ondition: See below table		
			Step	Condition	Time	
			1	(Min. operating temp.)+/-3°C	30min.	
			2	(Max. operating temp.)+/-2°C	30min.	
			• Test cy	/cle: 5cycles		
3.5.5	High		Reference standard: IEC 60068-2-2 (2007)			
	temperature		Soldered PTC to PCB (##)			
	load		• (Max. operating temp.)+/-2°C			
			Applied max. voltage			
			• 1000+48/-0 hrs.			

The resistance value after the test,

It is measured by applying voltage less than DC1.0V after left at 25±2°C for 2hrs.

Above mentioned soldering is done following condition at our side.

- Glass-Epoxy PC board
- Standard land dimension
- Standard solder paste
- Standard solder profile

Above conditions are mentioned in Notice.


Attention:



4. Measurement direction

4.1 Resistance - Temperature characteristics Range (Reference)

Example PRF18 Series / BB Type




Attention:




4.2 Circuit (Reference)


Example



5. Dimension, Land Pattern



- (1) Electrode (Ag thick film + Ni plating + Sn plating)
- (2) BaTiO₃ Semiconductive Ceramic



Size[mm/in.]	L1	W	Н	L2 and L3	L4 (Min.)
1005/0402	1.00±0.05	0.50±0.05	0.50±0.05	0.15~0.35	0.3
1608/0603	1.60±0.15	0.80±0.15	0.80±0.15	0.10 ~ 0.60	-
2012/0805	2.00±0.20	1.25±0.20	0.90±0.20	Min. 0.20	Min. 0.50

Attention:

This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd.


Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.



6. Packing

6.1 Taping Specification

6.1.1 Dimensions of plastic tape (*Typical data of PRF18_RB Series)



(1) Products shall be packaged in the cavity of the base tape and sealed by top tape and bottom tape.


(2) Top tape and bottom tape have no joints and products shall be packaged and sealed in the cavity of the base tape, continuously.

6.1.2 Tape strength

(1)Pull strength of top tape and bottom tape shall be specified as follows:

Size[mm/in.]	Plastic tape	Cover tape	
1005/0603	5N minimum	5N minimum	
1608/0402			
2012/0805	5N minimum	10N minimum	

(2) Peeling force of top tape



*1 peeling angle : 165 to 180 degree against the fixed surface of tape.

*2 peeling speed : 300mm/min.

*3 Peeling force : 0.1 ~ 0.6 N

Attention:




6.2 Reeling

6.1.1 Quantity (Standard Quantity)

Part Number	Products quantity in a reel
PRF15_RC	10,000 pcs. /reel
PRF18_RB	4,000 pcs. /reel
PRF21_RA	4,000 pcs. /reel

(2) A tape in a reel contains Leader unit and Trailer unit where products are not packed.


(See the following figure.)



- * The reeling specification above shall not be applied for the order less than Standard Quantity.
- (3) The plastic tape and cover tape are not attached at the end of the tape (Vacant section) for a minimum of 5 pithes.
- (4) A label shall be attached on the reel.

(MURATA's part number, inspection number and quantity shall be marked on the lavel.)

(5) Dimensions of reel.



6.1.2 Packing

The reeling shall be packed in a package. The label shall be attached on the package.

(Customer's name, order number, customer's part number, MURATA's part number and quantity shall be

marked on a label.)

Attention:

This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd.

Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice.

Please check with our sales representatives or product engineers before ordering.



7. Caution



- 1. This product is designed for application, which is used under ordinary environment. (room temperature, normal humidity, normal pressure) Do not expose this to the following environments, because all these factors can deteriorate the characteristic of this and can cause failure or burn out.
 - (1) Corrosive gas or deoxidizing gases (CI_2 , H_2S , NH_3 , SOx, NOx etc.)
 - (2) Volatile, flammable gas
 - (3) Dusty place
 - (4) Place in a vacuum, reducing or putting pressure
 - (5) Place in splashed water, or high humidity and dewing place
 - (6) Salt water, oil, chemical liquid and solvent
 - (7) Vibratile place
 - (8) Other place equivalent to the above
- 2. Limitation of Applications

Please contact us before using our products for the under-mentioned applications requiring especially high reliability in order to prevent defects which might directly cause damage to other party's life body or property (listed below).

- (1) Aircraft equipment (2) Aerospace equipment (3) Undersea equipment
- (4) Power plant control equipment (5) Medical equipment
- (6) Transportation equipment (automobiles, trains, ships, etc.) (7) Traffic signal equipment
- (8) Disaster prevention / Crime prevention equipment (9) Data-processing equipment
- (10) Applications of similar complexity or with reliability requirements comparable to the applications listed in the above
- 3. Be sure to provide an appropriate fail-safe function on your product to prevent a second damage that may be caused by the abnormal function or the failure of our product.



- 1. Do not apply abnormal voltage exceeding the specified maximum value. Because they may deteriorate or destroy PTC element.
- 2. Use this product within the specified temperature. A higher temperature may deteriorate the characteristic or material.
- 3. The body of this product is not insulated. Please keep an adequate distance to surrounding components and wiring.

Attention:



4. Storage conditions

To keep solderability from declining, following storage condition is recommended.

(1) Condition Temperature : -10 to +40°C

Humidity : Less than 75%RH (not dewing condition)

(2) Term: Please use this POSISTOR within 6 months after shipment by first-in and first-out stocking system.

(3) Handling after seal open: After unpacking of the minimum package, reseal it promptly or store it

inside a sealed container with a drying agent.

(4) Place: Do not store this product in corrosive gas (SOx, Cl etc) or under sunlight.

5. Solder and Flux

(1) Solder Paste

Use Sn:Pb=60:40wt% , Sn:Pb=63:37wt% , Sn:Ag:Cu=96.5:3.0:0.5wt% or equivalent type of solder paste.

Do not use strong acidic flux (with halide content exceeding 0.2wt%). Use of the solder containing Zn may reduce adhesive strength. When you use the solder containing Zn, please contact us in advance. For your reference, we are using

'63Sn/37Pb RMA9086 90-3-M18', manufactured by Alpha Metals Japan Ltd.,

'96.5Sn/3.0Ag/0.5Cu M705-GRN360-K2-V', manufactured by Senju Metal Industry Co., LTD. for any Internal tests of this product.

(2) Flux

Use rosin type flux in soldering process.

If below flux is used, some problems might be caused in the product characteristics and reliability. Please do not use below flux.

·Strong acidic flux (with halide content exceeding 0.2wt%).

•Water-soluble flux(*Water-soluble flux can be defined as non rosin type flux including wash-type flux and non-wash-type flux.)

- 6. For removing the flux after soldering, observe the following points in order to avoid deterioration of the characteristics or any change of the external electrodes quality.
 - (1) Cleaning Conditions

Solvent	Dipping Cleaning	Ultrasonic Cleaning
2-propanol	Less than 5 min. at room temp. or Less than 2 min. at 40°C max.	Less than 1 min. 20W/L max. Frequency of several 10 kHz to several 100 kHz.

A sufficient cleaning shall be applied to remove flux completely.

(2) Drying: After cleaning, dry promptly this product.

This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd.

Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice.

Please check with our sales representatives or product engineers before ordering.




7. In your mounting process, observe the following points in order to avoid deterioration of the characteristics or destruction of this product. The mounting quality of this product may also be affected by the mounting conditions, shown the points below.

This product is for only reflow soldering. Flow soldering shall not be allowed.

Please mount this product by soldering. When mounted by other methods, such as conductive adhesives, please contact us in advance.


(1) Standard Land Size

Too big land size gives too much solder paste on the land. It may cause destruction of this product, because of the mechanical stress especially in the case of board bending.



Soldering Methods	Size(mm/inch)	а	b	С
Flow Soldering	2012/0805	1.0~1.2	0.9~1.0	1.0~1.2
Reflow Soldering	2012/0805	1.0~1.2	0.5~0.7	1.0~1.2
Flow Soldering	1608/0603	0.6~1.0	0.8~0.9	0.6~0.8
Reflow Soldering	1608/0603	0.6~0.8	0.6~0.7	0.6~0.8
Reflow Soldering	1005/0402	0.5	0.4~0.5	0.5


- (2) Printing Conditions of Solder Paste
 - i. Standard thickness of solder paste printing shall be from 0.10 to 0.15 mm.
 - ii. After soldering, the solder fillet shall be a height from 0.2 mm to the thickness of this product.
 - (See the figures below.)



0.15 mm ≦T≦E

- iii. Too much solder gives too strong mechanical stress to this product, such stress may cause cracking or any mechanical damage. And also, it can destroy the electrical performance of this product.
- (3) Reflow soldering conditions

The following figure and table show our recommended reflow profile.



Attention:



	Standard profile	Limit profile	
Preheat	150~180°C, 90±30s		
Soldering time (<u>></u> 220°C)	30~60s	90s	
Soldering time	20s(245°C)	45s(250°C)	
Peak temp.	250°C	270°C	
Reflow cycle	Max. 2times	Max. 2times	

I. Insufficient preheating may cause a crack on ceramic body.

The temperature difference between preheat and peak should be control within 100°C to prevent this.

II. The excessive soldering conditions may cause dissolution of metallization or deterioration of solder-wetting on the external electrode.

III. Rapid cooling by dipping in solvent or by other means is not recommended.

IV. Please evaluate it on your condition if you will do mounting using not applying condition to the above-mentioned.

(5) There is a fear of unexpected failures (tombstone, insufficient solder-wetting, etc.) in your mounting process, caused by the mounting conditions. Please evaluate if this product is correctly mounted under your mounting conditions.

(6) Conditions with Soldering Iron

When hand soldering by iron is applied, be sure to keep following conditions.

Item	Conditions		
Preheating	at 150°C for 1 to 2 minute		
Temperature of Iron-tip	350°C max.		
Soldering Iron Wattage	30W max.		
Diameter of Iron-tip	3mm dia. max.		
Soldering Time	5sec. max.		
Solder	H60A (Sn:Pb=60:40wt%) type , H63A (Sn:Pb=63:37wt%) type, Sn:Ag:Cu=96.5:3.0:0.5wt% or equivalent type.		
Flux	Do not use strong acidic flux (with halide content exceeding 0.2wt%).		
Caution	Do not allow the iron-tip to directly touch the ceramic body. Preheat the ceramic body and mounting board.		

8. Do not give this product a strong press-force nor a mechanical shock. Because such mechanical forces

may cause cracking or chipping of this ceramic product.

9. Rapid cooling or heating during soldering is not recommended. Such treatment may destroy the element.

10. Resin coating


Please select the resin of which hardness shrinkage is much less, on selecting a resin materials.

Attention:




11. Location on Printed Circuit Board(PC Board)

<Component Direction> Locate this product horizontal to the direction in which stress acts.



<Mounting Close to Board Separation Line> Put this product on the PC Board near the Slit, not near the Perforation Holes. Keep this product on the PC Board away from the Separation Line.





- 1. Please make sure that your product has been evaluated in view of your specifications with our product being mounted to your product.
- 2. You are requested not to use our product deviating from the agreed specifications.
- 3. We consider it not appropriate to include any terms and condition with regard to the business transaction in the product specification, drawings or other technical documents. Therefore, if your technical documents as above include such terms and conditions such as warranty clause, product liability clause, intellectual property infringement liability clause, or export control clause, they will be deemed to be invalid.

Attention:

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for PTC (Positive Temperature Coefficient) Thermistors category:

Click to view products by Murata manufacturer:

Other Similar products are found below :

 PTCAUX7-36-5C
 PTCCL09H251FBE
 PTCTL3MR100GTE
 PTCCL05H630HTE
 B59346A1502P020
 PTCTT95R100GTE

 PTCLL05P131TBE
 PTCCL09H541DBE
 TFPT0805L1800FV
 B59725T1120A062
 B59116S0225B010
 B59008C0150A040

 B59100M1090A070
 B59100M1145A070
 B59873C0120A070
 102PS1G
 B59300M1150A070
 B59339A1501P020
 B59770B0120A070

 B59995C0120A070
 YQR100R060
 YQS5751PTO
 YQS5856PTF
 YQS5930PTO
 YS5675
 YS5918PTO
 YQS58868PTF

 YQD100N1000
 KTY81/210,112
 B59010D1135B40
 B59606A110A62
 B59807A90A62
 B59830C120A70
 B59874C120A70

 B59960C160A70
 YQD120N0025
 PTGL12AR270M9C01B0
 PTGL12AR100M6C01B0
 PTGL07AS2R7K2B51A0
 PTGL07AS1R8K2B51B0

 PTS120601B100RPU00
 PTGL10AR3R9M3P51B0
 PTGL07BD220N3B51B0
 PTGL07AS5R6K4B51B0
 PTGL07AS150K6B51A0

 PTGL07AR8R2M3P51B0
 PTGL07AR560M9A51B0
 PTGL04AS220K4N51B0
 PTFL04BD471Q2N34B0