

Reference Specification

Leaded MLCC for General Purpose RDE Series

Product specifications in this catalog are as of Jun. 2022, and are subject to change or obsolescence without notice. Please consult the approval sheet before ordering.Please read rating and Cautions first.

1. OPERATING VOLTAGE

When DC-rated capacitors are to be used in AC or ripple current circuits, be sure to maintain the Vp-p value of the applied voltage or the Vo-p which contains DC bias within the rated voltage range. When the voltage is started to apply to the circuit or it is stopped applying, the irregular voltage may be generated for a transit period because of resonance or switching. Be sure to use a capacitor within rated voltage containing these irregular voltage.

When DC-rated capacitors are to be used in input circuits from commercial power source (AC filter), be sure to use Safety Recognized Capacitors because various regulations on withstand voltage or impulse withstand established for each equipment should be taken into considerations.

inpulse maletan		ouon oquipinoni c			•
Voltage	DC Voltage	DC+AC Voltage	AC Voltage	Pulse Voltage(1)	Pulse Voltage(2)
Positional Measurement	Vo-p			Vp-p	Vp-p

2. OPERATING TEMPERATURE AND SELF-GENERATED HEAT

Keep the surface temperature of a capacitor below the upper limit of its rated operating temperature range. Be sure to take into account the heat generated by the capacitor itself.

When the capacitor is used in a high-frequency current, pulse current or the like, it may have the selfgenerated heat due to dielectric-loss. In case of Class 2 capacitors (Temp.Char. : X7R,X7S,X8L, etc.), applied voltage should be the load such as self-generated heat is within 20 °C on <u>the condition of</u> <u>atmosphere temperature 25 °C</u>. Please contact us if self-generated heat is occurred with Class 1 capacitors (Temp.Char. : C0G,U2J,X8G, etc.). When measuring, use a thermocouple of small thermal capacity-K of Φ 0.1mm and be in the condition where capacitor is not affected by radiant heat of other components and wind of surroundings. Excessive heat may lead to deterioration of the capacitor's characteristics and reliability.

3. FAIL-SAFE

Be sure to provide an appropriate fail-safe function on your product to prevent a second damage that may be caused by the abnormal function or the failure of our product.

4. OPERATING AND STORAGE ENVIRONMENT

The insulating coating of capacitors does not form a perfect seal; therefore, do not use or store capacitors in a corrosive atmosphere, especially where chloride gas, sulfide gas, acid, alkali, salt or the like are present. And avoid exposure to moisture. Before cleaning, bonding, or molding this product, verify that these processes do not affect product quality by testing the performance of a cleaned, bonded or molded product in the intended equipment. Store the capacitors where the temperature and relative humidity do not exceed 5 to 40 °C and 20 to 70%. Use capacitors within 6 months.

5. VIBRATION AND IMPACT

Do not expose a capacitor or its leads to excessive shock or vibration during use.

6. SOLDERING

When soldering this product to a PCB/PWB, do not exceed the solder heat resistance specification of the capacitor. Subjecting this product to excessive heating could melt the internal junction solder and may result in thermal shocks that can crack the ceramic element.

7. BONDING AND RESIN MOLDING, RESIN COAT

In case of bonding, molding or coating this product, verify that these processes do not affect the quality of capacitor by testing the performance of a bonded or molded product in the intended equipment. In case of the amount of applications, dryness / hardening conditions of adhesives and molding resins containing organic solvents (ethyl acetate, methyl ethyl ketone, toluene, etc.) are unsuitable, the outer coating resin of a capacitor is damaged by the organic solvents and it may result, worst case, in a short circuit.

The variation in thickness of adhesive or molding resin may cause a outer coating resin cracking and/or ceramic element cracking of a capacitor in a temperature cycling.

8. TREATMENT AFTER BONDING AND RESIN MOLDING, RESIN COAT

When the outer coating is hot (over 100 °C) after soldering, it becomes soft and fragile. So please be careful not to give it mechanical stress.

Failure to follow the above cautions may result, worst case, in a short circuit and cause fuming or partial dispersion when the product is used.

9. LIMITATION OF APPLICATIONS

Please contact us before using our products for the applications listed below which require especially high reliability for the prevention of defects which might directly cause damage to the third party's life, body or property.

1. Aircraft equipment

5. Medical equipment

- 2. Aerospace equipment
- 3. Undersea equipment
- Power plant control equipment
 Transportation equipment (vehicles, trains, ships, etc.)
- 7. Traffic signal equipment
 8. Disaster prevention / crime prevention equipment
- 9. Data-processing equipment exerting influence on public
- 10. Application of similar complexity and/or reliability requirements to the applications listed in the above.

NOTICE

1. CLEANING (ULTRASONIC CLEANING)

To perform ultrasonic cleaning, observe the following conditions. Rinse bath capacity : Output of 20 watts per liter or less. Rinsing time : 5 min maximum. Do not vibrate the PCB/PWB directly.

Excessive ultrasonic cleaning may lead to fatigue destruction of the lead wires.

2. SOLDERING AND MOUNTING

Insertion of the Lead Wire

- When soldering, insert the lead wire into the PCB without mechanically stressing the lead wire.
- Insert the lead wire into the PCB with a distance appropriate to the lead space.

3. CAPACITANCE CHANGE OF CAPACITORS

• Class 2 capacitors (Temp.Char. : X7R,X7S,X8L etc.)

Class 2 capacitors an aging characteristic, whereby the capacitor continually decreases its capacitance slightly if the capacitor leaves for a long time. Moreover, capacitance might change greatly depending on a surrounding temperature or an applied voltage. So, it is not likely to be able to use for the time constant circuit.

Please contact us if you need a detail information.

- 1. Please make sure that your product has been evaluated in view of your specifications with our product being mounted to your product.
- 2. You are requested not to use our product deviating from this specification.

1. Application

This product specification is applied to Leaded MLCC RDE series used for General Electronic equipment. Do not use these products in any automotive power train or safety equipment including battery chargers for electric vehicles and plug-in hybrids.

2. Rating

Part Number Configuration

ex.)	RDE	R7	2E	102	K	1	K1	H03	В
	Series	Temperature	Rated	Capacitance	Capacitance	Dimension	Lead	Individual	Package
		Characteristics	Voltage		Tolerance	(LxW)	Style	Specification	

<u>Temperature Characteristics</u>

Code	Temp. Char.	Temp. Range	Cap. Change	Standard Temp.	Operating Temp. Range
R7	X7R (EIA code)	-55~125°C	+/-15%	25°C	-55~125°C

Rated Voltage

Code	Rated voltage
2E	DC250V
2H	DC500V
2J	DC630V
3A	DC1000V

Capacitance

The first two digits denote significant figures ; the last digit denotes the multiplier of 10 in pF. ex.) In case of 102

 $10 \times 10^2 = 1000 \text{pF}$

Capacitance Tolerance

Code	Capacitance Tolerance						
K	+/-10%						
М	+/-20%						

• Dimension (LxW)

Please refer to [Part number list].

Lead Style

*Lead wire is "solder coated CP wire".

Code	Lead Style	Lead spacing (mm)
B1	Straight type	5.0+/-0.8
E1	Straight taping type	5.0+0.6/-0.2
K1	Inside crimp type	5.0+/-0.8
M1	Inside crimp taping type	5.0+0.6/-0.2

Individual Specification

Murata's control code.

Please refer to [Part number list].

Reference only

Package

Code	Package
A	Taping type of Ammo
В	Bulk type

3. Marking


Temp. char. Capacitance Capacitance tolerance	:	Letter code : C (X7R Char. Except dimension code : 1) 3 digit numbers Code
Rated voltage	•	Letter code : 4 (DC250V. Except dimension code : 1)
C C		Letter code : 9 (DC500V. Except dimension code : 1) Letter code : 7 (DC630V)
Company name code	:	Letter code : A (DC1000V) Abbreviation : M (Except dimension code : 1)

(Ex.)


Rated voltage	DC250V	DC500V	DC630V	DC1000V		
1	103K	103K	_	_		
2	(m ⁴⁷³ K4C	(m ¹⁵³ K9C	Gr 153 K7C	@ 152 KAC		
3,4	(M 154 K4C	(Cm 104 K9C	(m 104 K7C	(m 473 KAC		
5,U	684 K4C	474 K9C	474 M7C	Cr 224 MAC		

- Inside Crii (Lead Style				• Straigh (Lead S	tyle:B1)			-				
P = 0.8 F ± 0.8	L max. T max. \vdots \vdots \vdots \vdots \vdots \vdots \vdots \vdots \vdots \vdots	05			L m xew <u>5</u> ; -	25.0 min. W max.		T max.), 5 ⊧0. 05			
	[DC				Dime	ension (mm)		Unit : mm	_
Customer Part Number	Murata Part Number	T.C.	Rated Volt. (V)	Cap.	Cap. Tol.	L	W	W1	mm) F	т	Dimension (LxW) Lead Style	qty
	RDER72E102K1K1H03B	X7R	250	1000pF	±10%	4.5	3.5	5.0	5.0	3.15	1K1	50
	RDER72E152K1K1H03B	X7R	250	1500pF	±10%	4.5	3.5	5.0	5.0	3.15		50
	RDER72E222K1K1H03B	X7R	250	2200pF	±10%	4.5	3.5	5.0	5.0	3.15	1K1	50
	RDER72E332K1K1H03B	X7R	250	3300pF	±10%	4.5	3.5	5.0	5.0	3.15	1K1	50
	RDER72E472K1K1H03B	X7R	250	4700pF	±10%	4.5	3.5	5.0	5.0	3.15	1K1	50
	RDER72E682K1K1H03B	X7R	250	6800pF	±10%	4.5	3.5	5.0	5.0	3.15		50
	RDER72E103K1K1H03B	X7R	250	10000pF	±10%	4.5	3.5	5.0	5.0	3.15	1K1	50
	RDER72E153K1K1H03B	X7R	250	15000pF	±10%	4.5	3.5	5.0	5.0	3.15		50
	RDER72E223K1K1H03B	X7R	250	22000pF	±10%	4.5	3.5	5.0	5.0	3.15		50
	RDER72E333K2K1H03B	X7R	250	33000pF	±10%	5.5	4.0	6.0	5.0	3.15		50
	RDER72E473K2K1H03B	X7R	250	47000pF	±10%	5.5	4.0	6.0	5.0	3.15		50
	RDER72E683K2K1H03B RDER72E104K2K1H03B	X7R X7R	250 250	68000pF 0.1µF	±10% ±10%	5.5 5.5	4.0 4.0	6.0 6.0	5.0 5.0	3.15 3.15		50 50
	RDER72E104K2K1H03B	X7R	250	0.15µF	±10%	5.5 5.5	4.0 5.0	7.5	5.0 5.0	4.0	3K1	50
	RDER72E224K3K1H03B	X7R	250	0.13µľ 0.22µF	±10%	5.5	5.0	7.5	5.0	4.0	3K1	50
	RDER72E334K4K1H03B	X7R	250		±10%	7.5	5.5	8.0	5.0	4.0	4K1	50
	RDER72E474K4K1H03B	X7R	250	0.47µF	±10%	7.5	5.5	8.0	5.0	4.0	4K1	50
	RDER72E684K5B1H03B	X7R	250	0.68µF	±10%	7.5	7.5	-	5.0	4.5	5B1	50
	RDER72E105K5B1H03B	X7R	250	1.0µF	±10%	7.5	7.5	-	5.0	4.5	5B1	50
	RDER72E474K4K1H03B RDER72E684K5B1H03B	X7R X7R	250 250	0.68µF	±10% ±10%	7.5 7.5	5.5 7.5		5.0 5.0	4.0 4.5	4K1 5B1	5 5

• Straight Lor (Dimension(L: 0 2 5 7 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	x₩) Lead Style:UB1) L max. T max. x w y y y y y y y y y y y y y y y y y y	5). 05			Style:K*		\rightarrow	max. ↓ ₩ \$\$\$ 0. ±	5 0. 05			
Customer Part Number	Murata Part Number	T.C.	DC Rated Volt.	Cap.	Cap. Tol.		Dime	ension (įmm)		Unit : mm Dimension (LxW)	qty.
			(V)		101.	L	W	W1	F	Т	Lead Style	(pcs)
	RDER72E225MUB1H03B	X7R	250	2.2µF	±20%	7.7	12.5	-	5.0	4.5	UB1	200
	RDER72H102K1K1H03B	X7R	500	1000pF	±10%	4.5	3.5	5.0	5.0	3.15		500
	RDER72H152K1K1H03B	X7R	500	1500pF	±10%	4.5	3.5	5.0	5.0	3.15	1K1	500
	RDER72H222K1K1H03B	X7R	500	2200pF	±10%	4.5	3.5	5.0	5.0	3.15	1K1	500
	RDER72H332K1K1H03B	X7R	500	3300pF	±10%	4.5	3.5	5.0	5.0	3.15	1K1	500
	RDER72H472K1K1H03B	X7R	500	4700pF	±10%	4.5	3.5	5.0	5.0	3.15	1K1	500
	RDER72H682K1K1H03B	X7R	500	6800pF	±10%	4.5	3.5	5.0	5.0	3.15	1K1	500
	RDER72H103K1K1H03B	X7R	500	10000pF	±10%	4.5	3.5	5.0	5.0	3.15	1K1	500
	RDER72H153K2K1H03B	X7R	500	15000pF	±10%	5.5	4.0	6.0	5.0	3.15	2K1	500
	RDER72H223K2K1H03B	X7R	500	22000pF	±10%	5.5	4.0	6.0	5.0	3.15	2K1	500
	RDER72H333K2K1H03B	X7R	500	33000pF	±10%	5.5	4.0	6.0	5.0	3.15		500
	RDER72H473K2K1H03B	X7R	500	47000pF	±10%	5.5	4.0	6.0	5.0	3.15		500
	RDER72H683K3K1H03B	X7R	500	68000pF	±10%	5.5	5.0	7.5	5.0	4.0		500
	RDER72H104K3K1H03B	X7R	500	0.1µF	±10%	5.5	5.0	7.5	5.0	4.0		500
	RDER72H154K4K1H03B	X7R	500	0.15µF	±10%	7.5	5.5	8.0	5.0	4.0		500
	RDER72H224K4K1H03B	X7R	500	0.22µF	±10%	7.5	5.5	8.0	5.0	4.0	4K1	500



	LxW) Lead Style:UB1) L max. T max. T max. 	5). 05			Style K*			max. ⊢ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓	5 0. 05			
Customer	Murata Part Number	T.C.	DC Rated	Cap.	Cap.		Dime	ension (mm)		Unit : mm Dimension (LxW)	
Part Number	Mulata Fait Number	1.0.	Volt. (V)	Cap.	Tol.	L	W	W1	F	Т	Lead Style	qty. (pcs)
	RDER72J474MUB1H03B	X7R	630	0.47µF	±20%	7.7	13.0	-	5.0	4.0	UB1	200
	RDER73A471K2K1H03B	X7R	1000	470pF	±10%	5.5	4.0	6.0	5.0	3.15	2K1	500
	RDER73A681K2K1H03B	X7R	1000	680pF	±10%	5.5	4.0	6.0	5.0	3.15	2K1	500
	RDER73A102K2K1H03B	X7R	1000	1000pF	±10%	5.5	4.0	6.0	5.0	3.15	2K1	500
	RDER73A152K2K1H03B	X7R	1000	1500pF	±10%	5.5	4.0	6.0	5.0	3.15	2K1	500
	RDER73A222K2K1H03B	X7R	1000	2200pF	±10%	5.5	4.0	6.0	5.0	3.15	2K1	500
	RDER73A332K2K1H03B	X7R	1000	3300pF	±10%	5.5	4.0	6.0	5.0	3.15	2K1	500
	RDER73A472K2K1H03B	X7R	1000	4700pF	±10%	5.5	4.0	6.0	5.0	3.15	2K1	500
-	RDER73A682K2K1H03B	X7R	1000	6800pF	±10%	5.5	4.0	6.0	5.0	3.15	2K1	500
	RDER73A103K2K1H03B	X7R	1000	10000pF	±10%	5.5	4.0	6.0	5.0	3.15		500
	RDER73A153K3K1H03B	X7R	1000	15000pF	±10%	5.5	5.0	7.5	5.0	4.0		500
	RDER73A223K3K1H03B	X7R	1000	22000pF	±10%	5.5	5.0	7.5	5.0	4.0		500
	RDER73A333K4K1H03B	X7R	1000	33000pF	±10%	7.5	5.5	8.0	5.0	4.0		500
	RDER73A473K4K1H03B	X7R	1000	47000pF	±10%	7.5	5.5	8.0	5.0	4.0		500
	·											



n Pa qt (pc 200 200 200 200 200
e (pc 200 200 200 200 200 200
200 200 200 200
200 200 200 200
20 20 20
20 20
20
20
20
20
20
20
20
20
20
20
20
15
15
15
15
15

(Lead Sty	/le∶M*) Lmax	T max	ι.	(Lea	d Style∶E	*)	L	max.		Tmax. ⊣ ⊧			
	S 0 0 + 0.5 S 0		-		H + 0.5		F ^{±0.6}	⊮ ≊	0.5 ±0.05				
	-	1										Unit : mm	1
Customer			DC Rated		Cap.		D	mensi	on (mr	n)		Dimension	Pad
Part Number	Murata Part Number	T.C.	Volt. (V)	Cap.	Tol.	L	W	W1	F	т	H/H0	(LxW) Lead Style	qty (pc
	RDER72H102K1M1H03A	X7R	500	1000pF	±10%	4.5	3.5	5.0	5.0	3.15	16.0	1M1	200
	RDER72H152K1M1H03A	X7R	500	1500pF	±10%	4.5	3.5	5.0	5.0	3.15		1M1	200
	RDER72H222K1M1H03A	X7R	500	2200pF	±10%	4.5	3.5	5.0	5.0	3.15	16.0	1M1	200
	RDER72H332K1M1H03A	X7R	500	3300pF	±10%	4.5	3.5	5.0	5.0	3.15	16.0	1M1	200
	RDER72H472K1M1H03A	X7R	500	4700pF	±10%	4.5	3.5	5.0	5.0	3.15	16.0	1M1	200
	RDER72H682K1M1H03A	X7R	500	6800pF	±10%	4.5	3.5	5.0	5.0	3.15		1M1	200
	RDER72H103K1M1H03A	X7R	500	10000pF	±10%	4.5	3.5	5.0	5.0	3.15			200
	RDER72H153K2M1H03A	X7R	500	15000pF	±10%	5.5	4.0	6.0	5.0	3.15		2M1	200
	RDER72H223K2M1H03A	X7R	500	22000pF	±10%	5.5	4.0	6.0	5.0	3.15			200
	RDER72H333K2M1H03A	X7R	500	33000pF	±10%	5.5	4.0	6.0	5.0	3.15			200
	RDER72H473K2M1H03A	X7R	500	47000pF	±10%	5.5	4.0	6.0	5.0	3.15			200
	RDER72H683K3M1H03A	X7R	500	68000pF	±10%	5.5	5.0	7.5	5.0	4.0			200
	RDER72H104K3M1H03A	X7R	500	0.1µF	±10%	5.5	5.0	7.5	5.0	4.0			200
	RDER72H154K4M1H03A	X7R	500	0.15µF	±10%	7.5	5.5	8.0	5.0	4.0			150
	RDER72H224K4M1H03A	X7R	500	0.22µF	±10%	7.5	5.5	8.0	5.0	4.0			150
	RDER72H334K5E1H03A	X7R	500	0.33µF	±10%	7.5	7.5	-	5.0	4.5			150
	RDER72H474K5E1H03A	X7R	500	0.47µF	±10%	7.5	7.5	-	5.0	4.5			150
	RDER72H684MUE1H03A RDER72H105MUE1H03A	X7R	500 500	0.68µF 1.0µF	±20% ±20%	7.7	12.5 12.5	-	5.0 5.0	4.5	17.5 17.5		150 150

H0 ± 0.5	Lmax. F ± 0.6 F ± 0.6 Lmax. Kem Lmax. Kem Lmax. Kem Lmax. Kem Lmax. Kem Lmax.				ight Tapin d Style∶E								
\[J[J	$F_{\pm 0.2}^{0.6}$ $\phi 0.5$ ± 0.0		(.) = 1 = 0 = 0 = 0 = 0 = 0 = 0 = 0 = 0		F ±0.6	Ϋ́	0.5 ± 0.05	T max.			
			1									Unit : mm	
Customer			DC Batad		Can		D	imensio	on (mn	n)		Dimension	Pack
Part Number	Murata Part Number	T.C.	Rated Volt. (V)	Cap.	Cap. Tol.	L	W	W1	F	т	H/H0	(LxW) Lead Style	qty. (pcs
	RDER72J102K2M1H03A	X7R	630	1000pF	±10%	5.5	4.0	6.0	5.0	3.15	16.0	2M1	200
	RDER72J152K2M1H03A	X7R	630	1500pF	±10%	5.5	4.0	6.0	5.0	3.15	16.0		2000
	RDER72J222K2M1H03A	X7R	630	2200pF	±10%	5.5	4.0	6.0	5.0	3.15	16.0		200
	RDER72J332K2M1H03A	X7R	630	3300pF	±10%	5.5	4.0	6.0	5.0	3.15	16.0		200
	RDER72J472K2M1H03A	X7R	630	4700pF	±10%	5.5	4.0	6.0	5.0	3.15	16.0		200
	RDER72J682K2M1H03A	X7R	630	6800pF	±10%	5.5	4.0	6.0	5.0	3.15	16.0		200
	RDER72J103K2M1H03A	X7R	630	10000pF	±10%	5.5	4.0	6.0	5.0	3.15	16.0		200
	RDER72J153K2M1H03A	X7R	630	15000pF	±10%	5.5	4.0	6.0	5.0	3.15	16.0		200
	RDER72J223K2M1H03A	X7R	630	22000pF	±10%	5.5	4.0	6.0	5.0	3.15	16.0		200
	RDER72J333K3M1H03A	X7R	630	33000pF	±10%	5.5	5.0	7.5	5.0	4.0	16.0		200
	RDER72J473K3M1H03A	X7R	630	47000pF	±10%	5.5	5.0	7.5	5.0	4.0	16.0		200
	RDER72J683K4M1H03A	X7R	630	68000pF	±10%	7.5	5.5	8.0	5.0	4.0	16.0		150
	RDER72J104K4M1H03A	X7R	630	0.1µF	±10%	7.5 7.5	5.5	8.0	5.0	4.0	16.0		150
	RDER72J154K5E1H03A RDER72J224K5E1H03A	X7R X7R	630 630	0.15µF 0.22µF	±10% ±10%	7.5 7.5	8.0 8.0	-	5.0 5.0	4.5 4.5	17.5 17.5		150 150
								-					
	RDER72J474MUE1H03A	X7R	630	0.47µF	±20%	7.7	13.0		5.0	4.0	17.5	UE1	150

Lmax. Lmax. <thlint: imax.<="" th=""> Lmax.</thlint:>
Customer Part Number Murata Part Number T.C. DC Rated Volt. (V) Cap. (V) Cap. Tol. Dimension (mm) Dimension (LXW) La Dimension (LXW) W1 F T H/H0 Lead Style P (LW) Murata Part Number RDER73A471K2M1H03A X7R 1000 470pF ±10% 5.5 4.0 6.0 5.0 3.15 16.0 2M1 2M RDER73A681K2M1H03A X7R 1000 680pF ±10% 5.5 4.0 6.0 5.0 3.15 16.0 2M1 2M RDER73A102K2M1H03A X7R 1000 1500pF ±10% 5.5 4.0 6.0 5.0 3.15 16.0 2M1 2M RDER73A152K2M1H03A X7R 1000 1500pF ±10% 5.5 4.0 6.0 5.0 3.15 16.0 2M1 2M RDER73A322K2M1H03A X7R 1000 2200pF ±10% 5.5 4.0 6.0 5.0 3.15 16.0 2M1 2M RDER
Customer Part Number Murata Part Number T.C. Rated Volt. (V) Cap. (V) Cap. Tol. Cap. Tol. Cap. Tol. Cap. Tol. Dimension (IIIII) Dimension (IIIII) Dimension (IIIII) Dimension (ILXW) (LXW) P (LXW) RDER73A471K2M1H03A X7R 1000 470pF ±10% 5.5 4.0 6.0 5.0 3.15 16.0 2M1 2M RDER73A681K2M1H03A X7R 1000 680pF ±10% 5.5 4.0 6.0 5.0 3.15 16.0 2M1 2M RDER73A102K2M1H03A X7R 1000 1000pF ±10% 5.5 4.0 6.0 5.0 3.15 16.0 2M1 2M RDER73A152K2M1H03A X7R 1000 1500pF ±10% 5.5 4.0 6.0 5.0 3.15 16.0 2M1 2M RDER73A322K2M1H03A X7R 1000 3300pF ±10% 5.5 4.0 6.0 5.0 3.15 16.0 2M1 2M RDER73A4
Image: Non-system Non-system L W W1 F T H/H0 Lead Style P RDER73A471K2M1H03A X7R 1000 470pF ±10% 5.5 4.0 6.0 5.0 3.15 16.0 2M1 2M RDER73A681K2M1H03A X7R 1000 680pF ±10% 5.5 4.0 6.0 5.0 3.15 16.0 2M1 2M RDER73A102K2M1H03A X7R 1000 1000pF ±10% 5.5 4.0 6.0 5.0 3.15 16.0 2M1 2M RDER73A152K2M1H03A X7R 1000 1500pF ±10% 5.5 4.0 6.0 5.0 3.15 16.0 2M1 2M RDER73A152K2M1H03A X7R 1000 2200pF ±10% 5.5 4.0 6.0 5.0 3.15 16.0 2M1 2M RDER73A322K2M1H03A X7R 1000 3300pF ±10% 5.5 4.0 6.0 5.0 3.15
RDER73A681K2M1H03A X7R 1000 680pF ±10% 5.5 4.0 6.0 5.0 3.15 16.0 2M1 2M RDER73A102K2M1H03A X7R 1000 1000pF ±10% 5.5 4.0 6.0 5.0 3.15 16.0 2M1 2M RDER73A102K2M1H03A X7R 1000 1500pF ±10% 5.5 4.0 6.0 5.0 3.15 16.0 2M1 2M RDER73A152K2M1H03A X7R 1000 1500pF ±10% 5.5 4.0 6.0 5.0 3.15 16.0 2M1 2M RDER73A222K2M1H03A X7R 1000 2200pF ±10% 5.5 4.0 6.0 5.0 3.15 16.0 2M1 2M RDER73A32K2M1H03A X7R 1000 3300pF ±10% 5.5 4.0 6.0 5.0 3.15 16.0 2M1 2M RDER73A472K2M1H03A X7R 1000 4700pF ±10% 5.5 4
RDER73A102K2M1H03A X7R 1000 1000pF ±10% 5.5 4.0 6.0 5.0 3.15 16.0 2M1 2M RDER73A152K2M1H03A X7R 1000 1500pF ±10% 5.5 4.0 6.0 5.0 3.15 16.0 2M1 2M RDER73A152K2M1H03A X7R 1000 2200pF ±10% 5.5 4.0 6.0 5.0 3.15 16.0 2M1 2M RDER73A222K2M1H03A X7R 1000 2200pF ±10% 5.5 4.0 6.0 5.0 3.15 16.0 2M1 2M RDER73A322K2M1H03A X7R 1000 3300pF ±10% 5.5 4.0 6.0 5.0 3.15 16.0 2M1 2M RDER73A472K2M1H03A X7R 1000 4700pF ±10% 5.5 4.0 6.0 5.0 3.15 16.0 2M1 2M RDER73A682K2M1H03A X7R 1000 6800pF ±10% 5.5 <td< td=""></td<>
RDER73A152K2M1H03A X7R 1000 1500pF ±10% 5.5 4.0 6.0 5.0 3.15 16.0 2M1 2M RDER73A152K2M1H03A X7R 1000 2200pF ±10% 5.5 4.0 6.0 5.0 3.15 16.0 2M1 2M RDER73A222K2M1H03A X7R 1000 2200pF ±10% 5.5 4.0 6.0 5.0 3.15 16.0 2M1 2M RDER73A332K2M1H03A X7R 1000 3300pF ±10% 5.5 4.0 6.0 5.0 3.15 16.0 2M1 2M RDER73A472K2M1H03A X7R 1000 4700pF ±10% 5.5 4.0 6.0 5.0 3.15 16.0 2M1 2M RDER73A682K2M1H03A X7R 1000 6800pF ±10% 5.5 4.0 6.0 5.0 3.15 16.0 2M1 2M RDER73A103K2M1H03A X7R 1000 10000pF ±10% 5.5 <t< td=""></t<>
RDER73A222K2M1H03A X7R 1000 2200pF ±10% 5.5 4.0 6.0 5.0 3.15 16.0 2M1 2M RDER73A32K2M1H03A X7R 1000 3300pF ±10% 5.5 4.0 6.0 5.0 3.15 16.0 2M1 2M RDER73A332K2M1H03A X7R 1000 3300pF ±10% 5.5 4.0 6.0 5.0 3.15 16.0 2M1 2M RDER73A472K2M1H03A X7R 1000 4700pF ±10% 5.5 4.0 6.0 5.0 3.15 16.0 2M1 2M RDER73A682K2M1H03A X7R 1000 6800pF ±10% 5.5 4.0 6.0 5.0 3.15 16.0 2M1 2M RDER73A103K2M1H03A X7R 1000 10000pF ±10% 5.5 4.0 6.0 5.0 3.15 16.0 2M1 2M RDER73A103K2M1H03A X7R 1000 10000pF ±10% 5.5 <t< td=""></t<>
RDER73A332K2M1H03A X7R 1000 3300pF ±10% 5.5 4.0 6.0 5.0 3.15 16.0 2M1 2M RDER73A472K2M1H03A X7R 1000 4700pF ±10% 5.5 4.0 6.0 5.0 3.15 16.0 2M1 2M RDER73A472K2M1H03A X7R 1000 6800pF ±10% 5.5 4.0 6.0 5.0 3.15 16.0 2M1 2M RDER73A682K2M1H03A X7R 1000 6800pF ±10% 5.5 4.0 6.0 5.0 3.15 16.0 2M1 2M RDER73A103K2M1H03A X7R 1000 10000pF ±10% 5.5 4.0 6.0 5.0 3.15 16.0 2M1 2M RDER73A103K2M1H03A X7R 1000 10000pF ±10% 5.5 5.0 7.5 5.0 4.0 16.0 3M1 2M
RDER73A472K2M1H03A X7R 1000 4700pF ±10% 5.5 4.0 6.0 5.0 3.15 16.0 2M1 2M2 RDER73A682K2M1H03A X7R 1000 6800pF ±10% 5.5 4.0 6.0 5.0 3.15 16.0 2M1
RDER73A682K2M1H03A X7R 1000 6800pF ±10% 5.5 4.0 6.0 5.0 3.15 16.0 2M1 2M1 RDER73A103K2M1H03A X7R 1000 10000pF ±10% 5.5 4.0 6.0 5.0 3.15 16.0 2M1 2M1 2M1 RDER73A103K2M1H03A X7R 1000 15000pF ±10% 5.5 5.0 7.5 5.0 4.0 16.0 3M1 2M1
RDER73A103K2M1H03A X7R 1000 10000pF ±10% 5.5 4.0 6.0 5.0 3.15 16.0 2M1 2M1 RDER73A153K3M1H03A X7R 1000 15000pF ±10% 5.5 5.0 7.5 5.0 4.0 16.0 3M1 2M1
RDER73A153K3M1H03A X7R 1000 15000pF ±10% 5.5 5.0 7.5 5.0 4.0 16.0 3M1 20
RDER73A223K3M1H03A X7R 1000 22000pF ±10% 5.5 5.0 7.5 5.0 4.0 16.0 3M1 20
RDER73A333K4M1H03A X7R 1000 33000pF ±10% 7.5 5.5 8.0 5.0 4.0 16.0 4M1 19
RDER73A473K4M1H03A X7R 1000 47000pF ±10% 7.5 5.5 8.0 5.0 4.0 16.0 4M1 19
RDER73A683K5E1H03A X7R 1000 68000pF ±10% 7.5 8.0 - 5.0 4.5 17.5 5E1 15
RDER73A104K5E1H03A X7R 1000 0.1μF ±10% 7.5 8.0 - 5.0 4.5 17.5 5E1 19 DEED73A004W154W004 VZD 4000 0.00 F 0000 7.5 8.0 - 5.0 4.5 17.5 5E1 19
RDER73A224MUE1H03A X7R 1000 0.22µF ±20% 7.7 13.0 - 5.0 4.0 17.5 UE1 1


5. SPI	ECIFICATIONS	AND TEST ME	THODS						
No.	lt	em	Specification	Test Method					
1	Appearance		No defects or abnormalities.	Visual inspection.					
2	Dimension and	I Marking	Within the specified dimensions and Marking.	Visual inspection, Using Caliper.					
3	Dielectric Strength	Between Terminals	No defects or abnormalities.	The capacitor should not be damaged when voltage in Table is applied between the terminations for 1 to 5 seconds. (Charge/Discharge current ≦ 50mA.) Rated voltage Test voltage DC250V 200% of the rated voltage DC500V, DC630V 150% of the rated voltage DC1kV 120% of the rated voltage					
		Body Insulation	No defects or abnormalities.	The capacitor is placed in a container with metal balls of 1mm diameter so that each terminal, short-circuit, is kept approximately 2mm from the balls as shown in the figure, for 1 to 5 seconds between capacitor terminals and metal balls. (Charge/Discharge current ≤ 50mA.) Rated voltage DC250V, DC500V 200% of the rated voltage DC630V, DC1kV DC1300V					
4	Insulation	Between	10 000MΩ or 100MΩ•μF min.	The insulation resistance should be measured with					
	Resistance (I.R.)	Terminals	(Whichever is smaller)	DC500V (DC250V in case of rated voltage : DC250V) at normal temperature and humidity and within 2 minutes of charging. (Charge/Discharge current \leq 50mA.)					
5	Capacitance		Within the specified tolerance.	The capacitance, D.F. should be measured at 25°C at the frequency and voltage shown in the table.					
6	Dissipation Fac (D.F.)	ctor	0.025 max.	Frequency Voltage 1±0.1kHz AC1±0.2V (r.m.s.)					
	Characteristics			Step Temperature(°C) 1 25±2 2 -55±3 3 25±2 4 125±3 5 25±2 • Pretreatment Perform a heat treatment at 150+0/-10°C for one hour and then set at *room condition temperature for 24±2 hours.					
8	Terminal Strength	Tensile Strength	Termination not to be broken or loosened.	As in the figure, fix the capacitor body, apply the force gradually to each lead in the radial direction of the capacitor until reaching 10N and then keep the force applied for 10 ± 1 seconds.					
		Bending Strength	Termination not to be broken or loosened.	Each lead wire should be subjected to a force of 2.5N and then be bent 90° at the point of egress in one direction. Each wire is then returned to the original position and bent 90° in the opposite direction at the rate of one bend per 2 to 3 seconds.					
9	Vibration	Appearance	No defects or abnormalities.	The capacitor should be subjected to a simple harmonic motion having					
	Resistance	Capacitance D.F.	Within the specified tolerance. 0.025max.	a total amplitude of 1.5mm, the frequency being varied uniformly between the approximate limits of 10Hz and 55Hz. The frequency range, from 10Hz to 55Hz and return to 10Hz, shall be traversed in approximately 1 minute. This motion shall be applied for a period of 2 hours in each 3 mutually perpendicular directions (total of 6 hours).					
10	Solderability of		Solder is deposited on unintermittently immersed portion in axial direction covering 3/4 or more in circumferential direction of lead wires.	The terminal of capacitor is dipped into a solution of ethanol (JIS K 8101) and rosin (JIS K 5902) (25% rosin in weight propotion). Immerse in solder solution for 2±0.5 seconds. In both cases the depth of dipping is up to about 1.5 to 2mm from the terminal body. Temp. of solder : 245±5°C Lead Free Solder (Sn-3.0Ag-0.5Cu) 235±5°C H60A or H63A Eutectic Solder sphere pressure : 86 to 106kPa					

Reference only

۱o.	I	tem	Specification				Test Meth	bd			
1-1	Resistance	Appearance	No defects or abnormalities.	The le	ad wires s	hould be imme	ersed in the m	elted solder 1.	5 to 2.0mm		
	to Soldering Heat	Capacitance Change	Within ±7.5%	from the root of terminal at 260±5°C for 10±1 seconds.							
ĺ	(Non- Dielectric		No defects.	Pre-treatment							
ľ	Preheat) Strength			• Pre-treatment Capacitor should be stored at 150+0/-10°C for one hour, then place							
ľ		(Between									
ľ		terminals)		at *room condition for 24±2 hours before initial measurement. • Post-treatment							
ľ		,		Capac	itor should	d be stored for	24+2 hours a	at *room condit	ion.		
11-2	Resistance	Appearance	No defects or abnormalities.			or should be st					
	to Soldering Capacitance Within ±7.5%					vires should be					
I	Heat Change					om the root of te					
ľ	(On-	Dielectric	No defects.				511111al at 201				
ſ	Preheat)	Strength		• Pre-t	reatment						
I	i ronout)	(Between				d be stored at	150+0/-10°C	for one hour th	nen place		
ſ		terminals)		-		on for 24 ± 2 hou			-		
ľ		terminais)			-treatment			a measureme	int.		
						d be stored for	24+2 hours (t *room condit	ion		
1-3	Resistance	Appearance	No defects or abnormalities.		ondition				1011.		
1-0	to Soldering	Capacitance	Within ±7.5%								
ĺ	Heat	Capacitance	Within 11.370	-	Temperature of iron-tip : 350±10°C Soldering time : 3.5±0.5 seconds Soldering position						
ĺ	(soldering	Dielectric	No defects.								
	(soldering iron method)						from the root	of terminal			
		Strength (Between			-	1.5 to 2.0mm f .5 to 2.0mm fro					
ĺ		(Between terminals)		Cim	Leau. I.	5 10 2.011111 110		ieau Denu.			
ĺ		terrinais)		. Dro +	reatment						
ĺ						the stored at	150.0/ 1000	for one hour t			
ſ						d be stored at			•		
ſ				at *room condition for 24±2 hours before initial measurement. • Post-treatment							
ľ							04.0 h a				
10	- .					d be stored for			ion.		
12	Temperature	Appearance	No defects or abnormalities.			according to th	he 4 heat trea	tments			
ľ	Cycle	Capacitance	Within ±12.5%			wing table.					
ſ		Change		Set at	*room con	ndition for 24±2	hours, then i	measure.			
ľ		D.F.	0.05 max.		Step	1	2	3	4		
ľ						Min.		Max.			
ľ		I.R.	1,000MΩ or 50MΩ•μF min.		Temp.	Operating	Room	Operating	Room		
ſ			(Whichever is smaller)		(°C)	Temp. ±3	Temp.	Temp. ±3	Temp.		
ſ		Dielectric	No defects or abnormalities.		Time		_				
I		Strength			(min.)	30±3	3 max.	30±3	3 max.		
ĺ		(Between				<u>. </u>					
ĺ		Terminals)			eatment		/				
						reatment at 15					
	•• •	1.	<u> </u>			et at *room con		2 hours.			
13	Humidity	Appearance	No defects or abnormalities.			r at 40±2°C an					
ľ	(Steady	Capacitance	Within ±12.5%			5% for 500+24					
	State)	Change		Remov	ve and set	t at *room cond	lition for 24±2	hours, then m	easure.		
		D.F.	0.05 max.								
ĺ		I.R.	1,000MΩ or 50MΩ • μF min.		eatment						
ĺ			(Whichever is smaller)			reatment at 15					
		Marking	Legible.	hour a	nd then se	et at *room con	dition for 24±	2 hours.			
14	Humidity	Appearance	No defects or abnormalities.	Apply	the rated v	oltage at 40±2	°C and relativ	/e			
	Load	Capacitance	Within ±12.5%	humidi	ity of 90 to	95% for 500+	24/-0 hours.				
ĺ		Change		Remov	ve and set	t at *room cond	lition for 24±2	hours, then m	easure.		
ĺ		D.F.	0.05 max.	(Charç	je/Dischar	ge current ≤ 5	50mA.)				
ĺ		I.R.	500MΩ or 25MΩ+μF min.								
ĺ		1	(Whichever is smaller)	Pretr	eatment						
				Perfor	m a heat ti	reatment at 15	0+0/-10°C for	one			
		1		h	nd than ac	t at *room oon	dition for 24±	2 hours			
				nour a	nu men se	at room con		z nours.			

Reference only


			Refer		
No.		em	Specification		Test Method
	High	Appearance	No defects or abnormalities.	Apply voltage in Table for 1000+4	
	Temperature	Capacitance	Within ±12.5%	maximum operating temperature	
	Load	Change		Remove and set at *room condition	
		D.F.	0.04 max.	(Charge/Discharge current \leq 50r	mA.)
		I.R.	1,000MΩ or 50MΩ • μF min.	Rated voltage	Test voltage
			(Whichever is smaller)	DC250V	150% of the rated voltage
				DC500V, DC630V	120% of the rated voltage
				DC1kV	110% of the rated voltage
				Pretreatment	
				Apply test voltage for one hour at	test temperature.
				Remove and set at *room condition	on for 24±2 hours.
16	Solvent	Appearance	No defects or abnormalities.	The capacitor should be fully imm	nersed, unagitated,
	Resistance	Marking	Legible.	in reagent at 20 to 25°C for 30±5	seconds. and then
				remove gently. Marking on the su	Irface of the
				capacitor shall immediately be vis	sually examined.
				Regent : Isopropyl alcohol	
"roon	n condition" T	emperature : 15	to 35°C, Relative humidity : 45 to 75%, A	Atmosphere pressure : 86 to 106kPa	



-Ammo pack taping type (Packing style code : A)

A crease is made every 25 pitches, and the tape with capacitors is packed zigzag into a case. When body of the capacitor is piled on other body under it.

The size of packing case and packing way




7. Taping specification

7-1. Dimension of capacitors on tape

Straight taping type < Lead Style : E1 >


Pitch of component 12.7mm / Lead spacing 5.0mm



Unit : mm

Item	Code	Dimensions	Remarks
Pitch of component	Р	12.7+/-1.0	
Pitch of sprocket hole	P0	12.7+/-0.2	
Lead spacing	F	5.0+0.6/-0.2	
Length from hole center to component center	P2	6.35+/-1.3	Deviation of progress direction
Length from hole center to lead	P1	3.85+/-0.7]
Deviation along tape, left or right defect	ΔS	0+/-2.0	They include deviation by lead bend
Carrier tape width	W	18.0+/-0.5	
Position of sprocket hole	W1	9.0+0/-0.5	Deviation of tape width direction
For straight lead type	Н	17.5+/-0.5	
Protrusion length	l	0.5 max.	
Diameter of sprocket hole	ΦD0	4.0+/-0.1	
Lead diameter	Φd	0.5+/-0.05	
Total tape thickness	t1	0.6+/-0.3	They include hold down tape
Total thickness of tape and lead wire	t2	1.5 max.	thickness.
Deviation corose tone	∆h1	2.0 max. (Dime	ension code : U)
Deviation across tape	∆h2	1.0 max. (exce	pt as above)
Portion to cut in case of defect	L	11.0+0/-1.0	
Hold down tape width	W0	9.5 min.	
Hold down tape position	W2	1.5+/-1.5	
Coating extension on lead	е	2.0 max. (Dime 1.5 max. (exce	ension code:U) pt as above)


Inside crimp taping type < Lead Style : M1 > Pitch of component 12.7mm / Lead spacing 5.0mm



Unit : mm

Item	Code	Dimensions	Remarks
Pitch of component	Р	12.7+/-1.0	
Pitch of sprocket hole	P0	12.7+/-0.2	
Lead spacing	F	5.0+0.6/-0.2	
Length from hole center to component center	P2	6.35+/-1.3	Deviation of progress direction
Length from hole center to lead	P1	3.85+/-0.7]
Deviation along tape, left or right defect	ΔS	0+/-2.0	They include deviation by lead bence
Carrier tape width	W	18.0+/-0.5	
Position of sprocket hole	W1	9.0+0/-0.5	Deviation of tape width direction
Lead distance between reference and bottom plane	H0	16.0+/-0.5	
Protrusion length	l	0.5 max.	
Diameter of sprocket hole	ΦD0	4.0+/-0.1	
Lead diameter	Φd	0.5+/-0.05	
Total tape thickness	t1	0.6+/-0.3	They include hold down tape
Total thickness of tape and lead wire	t2	1.5 max.	thickness
Deviation corose tone	∆h1	2.0 max. (D	imension code : W)
Deviation across tape	∆h2	1.0 max. (ex	(cept as above)
Portion to cut in case of defect	L	11.0+0/-1.0	
Hold down tape width	W0	9.5 min.	
Hold down tape position	W2	1.5+/-1.5	
Coating extension on lead	е	Up to the end of	crimp

ETP1M101A



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Multilayer Ceramic Capacitors MLCC - Leaded category:

Click to view products by Murata manufacturer:

Other Similar products are found below :

010-007220-002REV A M39014/01-1210V M39014/011247 M39014/011267 M39014/011277 M39014/01-1284V M39014/01-1293 M39014/01-1308VTR1 M39014/01-1311TR1 M39014/01-1313V M39014/01-1333V M39014/01-1339V M39014/01-1351TR1 M39014/01-1353V M39014/01-1354V M39014/01-1455V M39014/01-1467 M39014/011513 M39014/011514 M39014/01-1571V M39014/01-1580V M39014/01-1581V M39014/01-1593 M39014/021218 M39014/02-1241V M39014/02-1300V M39014/021303 M39014/02-1315V M39014/02-1350 M39014/02-1356VTR1 M39014/021411 M39014/02-1411V M39014/05-2105 M39014/05-2127 M39014/05-2736 M39014/220593 M39014/22-1097 M39014/230319 Q52-DK AR215F103K4RTR2-3323 C410C201J1G5TATR C420C102J1G5TATR C430C104M1U5TATR SL155C222MAB SL201A102JABTR1 CCR06CG183FM CK60BX101K M39014/011241 M39014/011250 M39014/01-1303V