

CHEAL-CON Nippon Chemi-Con Corporation


G090510A0132Z1-1

1. Scope

This specification defines the requirements for aluminum electrolytic capacitors which comply with the first symbol W of JIS C 5141- 1991.

2. Part Numbering System

Example;



Size code and ca	ase size table
	Case size
Size code	$\phi D \times L mm$
J35	10×35

3. Rating

No.	Item	Specification		
1	Category temperature range	-40 to $+105^{\circ}$ C		
2	Rated voltage	16 VDC		
3	Surge voltage	20 VDC		
4	Nominal capacitance	3300 μF	+20°C, 120Hz	
5	Capacitance tolerance	-20 to $+20%$	+20°C, 120Hz	
6	Dissipation factor	0.2 max.	+20°C, 120Hz	
7	Leakage current	528 μA max.	+20°C, after 2 minutes	
8	Rated ripple current	2460 mArms	+105°C, 100kHz	
9	Impedance	0.023 Ωmax.	+20°C, 100kHz	

4. Performance

Unless otherwise specified, the capacitors shall be measured at ± 15 to $\pm 35^{\circ}$ C, 45 to 75%RH and 86 to 106kPa. However, if any doubt arises on the judgment, the measurement conditions shall be $\pm 20\pm 2^{\circ}$ C, 60 to 70%RH and 86 to 106kPa. The test conditions shall comply with JIS C 5102-1994.

4.1 Leakage current (L.C.)

[Criteria] Shall not exceed the values specified in the item 3.

4.2 Capacitance (Cap.)

[Conditions]	Measuring frequency	: $120Hz \pm 20\%$
	Measuring voltage	: 0.5Vrms max. +1.5 to 2.0VDc
	Measuring circuit	: Series equivalent circuit (O-
[Criteria]	Shall be within the specified capa	citance tolerance.

4.3 Dissipation factor $(\tan \delta)$

[Conditions]	Measuring frequency	$120 Hz \pm 20\%$
	Measuring voltage	: 0.5Vrms max. +1.5 to 2.0VDc
	Measuring circuit	: Series equivalent circuit (0-1
[Criteria]	Shall not exceed the values specif	ied in the item 3.

4.4 Temperature characteristics

[Conditions]

	unit °C	
Step	Temperature	
1	$+20\pm2$	Step 1 : Measure capacitance and impedance (at 120Hz \pm 10%).
2	$-10\pm 3, -25\pm 3, -40\pm 3$	Step 2:Measure impedance (at 100kHz \pm 10%,120Hz \pm 10%).
3	$+20\pm 2$	Step 3 : No measurement for the electrical characteristics.
4	$+105\pm2$	Step 4:Measure capacitance, tan δ and leakage current.
tep 2 :		ed the values specified in the item 3.

[Criteria]

Impedance ratio shall not exceed the values shown in Table-1 attached.

4.5 Terminal strength

(1) Pull strength

[Conditions] The capacitor body shall be held. A force shall be gradually applied to the lead wire in the direction of the axis of the lead wire up to the specified pull force, and retained for 10 ± 1 seconds.

No	omina	11	lea	ad o	lia	me	eter	mm	Pull	force	N
	0ver	0.	5	to	0.	8	inc	1.		10	
		1			,	-	7		 	,	

[Criteria] The lead wire shall neither loosen nor break away.

(2) Lead bending strength

[Conditions] The capacitor shall be held so that the normal axis of the lead wire can be in a vertical position. A weight equivalent to the specified load shall be hung on the end of the lead wire. The capacitor body shall be inclined through 90° and returned to its normal position within 2 to 3 seconds. The consecutive bend shall then be in the opposite direction in the same manner

Over 0.5 to 0.8 incl. 5	Nominal lead diameter mm	Bending load N
	Over 0.5 to 0.8 incl.	5

[Criteria] The lead wire shall neither loosen nor break away.

4.6 Vibration

[Conditions]	Vibration frequency range	: 10 to 55Hz
	Peak to peak amplitude	: 1.5mm
	Sweep rate	: 10 to 55 to 10Hz in about 1 minute
	Direction and period of motion	: 2 hours in each of 3 mutually perpendicular directions (total
		of 6 hours)
Note	: Capacitors shall be mounted on the p	pc board with their lead wires anchored at 4mm max. of their bodies,
	except for the capacitors with the	case size $\phi \; 16 \times 30 L$, whose lead wire shall be anchored at 1mm max.
	of their bodies The body of the capa	citor with 12.5mm or larger in diameter or 25mm or longer in length,
	in addition, shall be anchored to	the pc board with a fixture.
[Criteria]	Capacitance (during test)	: The reading shall be stable.
	Appearance	: No significant damage.
	Capacitance change	: Shall be within $\pm 5\%$ of the initial measured value.

Nippon Chemi-Con Corporation

47	Solderability		
1. 1	[Conditions]	Type of solder	: Sn-3Ag-0. 5Cu
	[conditions]	Flux	: Ethanol solution (25 wt.% rosin)
		Solder temperature	$: +245\pm3$ °C
		Depth of immersion	: Up to 1.5 to 2.0mm
		Speed of immersion	: 1.5mm/sec.
	[Criteria]	Solder shall cover at least 3/4 of	
	[01100110]		
4.8	Soldering heat		
	[Conditions]	Type of solder	: Sn-3Ag-0.5Cu
		Flux	: Ethanol solution(25 wt.% rosin)
		Solder temperature/immersion time	: $+260\pm5$ °C for 10 ± 1 seconds or $+380\pm10$ °C for 3 ± 0.5 seconds.
		Depth of immersion	: Up to 1.5 to 2.0mm from the root of the lead wire covered
			with a thermal screen.
		Speed of immersion	: $25 \pm 2.5 \text{mm/sec}$.
	[Criteria]	Appearance	: No significant damage.
		Leakage current	: Shall not exceed the initial specified value.
		Capacitance change	: Shall be within $\pm 10\%$ of the initial measured value.
		Tan δ	: Shall not exceed the initial specified value.
4.9	Operation of pre	ssure relief vent	
	[Conditions]	Apply a reverse voltage with DC cur	rrent 1 amp.(DC reverse voltage test)
	[Criteria]	When the pressure relief vent opera	ated, the capacitor shall not flame although gas generation or
		expulsion of a part of the inside e	
		If the vent does not operate with t	he voltage applied for 30 minutes, the test is considered to be
		passed.	
4.10	Humidity exposur		
	[Conditions]	Test temperature	$+40\pm 2^{\circ}$
		Relative humidity	: 90 to 95%RH
		Test time	: 240 ± 8 hours
	[Criteria]	Appearance	: No significant damage : Shall not exceed the initial specified value.
		Leakage current	: Shall be within $\pm 20\%$ of the initial measured value.
		Capacitance change Tan δ	: Shall not exceed 120% of the initial specified value.
		Tan o	· Sharr hot exceed 120% of the interal spectric state.
4 11	Endurance		
1, 11	[Conditions]	After the capacitors are subjected to	DC voltage with the rated ripple current applied for the specified
	Foourtioupl		following specifications shall be satisfies when the capacitors
			DC voltage and peak AC voltage must not exceed their full rate
		voltage.	
		Specified test time	: 4,000 ⁺⁷² hours
	[Criteria]	Leakage current	: Shall not exceed the initial specified value.
	-	Capacitance change	: Shall be within $\pm 25\%$ of the initial measured value.
		Tan δ	: Shall not exceed 200% of the initial specified value.
4.12	Shelf life		
	[Conditions]	The capacitor shall be subjected to	o $\pm 105 \pm 2^\circ C$ for $500^{\pm 24}$ hours without voltage applied, and the
			$^{\circ}\mathrm{C}$ for the measurements. Before the measurements, the capacitor
		shall be preconditioned by applyin	g voltage according to item 4.4 of JIS C 5102.
	[Criteria]	Leakage current	: Shall not exceed the initial specified value.
		Capacitance change	: Shall be within $\pm 25\%$ of the initial measured value.
		Tan δ	: Shall not exceed 200% of the initial specified value.

5. Others

5.1 Table

Table-1	
Rated voltage Vpc	16
Z-25°C/Z+20°C	2
Z-40°C/Z+20°C	3

5.2 Multipliers for ripple current

Emogue	
rrequency	multipliers

Frequency Capacitance	120Hz	1kHz	10kHz	100kHz
3300 μF	0.75	0.90	0.95	1.00

When frequency is different from the specified condition shown in the item 3, do not exceed the value obtained by multiplying the permissible maximum ripple current by the multiplier above.

5.3 Export Trade Control Ordinance (When our product our is exported from Japan)

1. Export Trade Control Ordinance (Section 1 through 15 of Appendix Table 1)

Export regulation of the capacitors for pulse use (750V or higher) and the capacitors for high voltage (5,000V or higher) is carried out in (item 41-4) in Section 2 of Appendix Table 1 (Section 49 in Chapter 1 of METI's Ordinance) and (item 7) in Section 7 of Appendix Table 1 (Section 6 in Chapter 6 of METI's Ordinance). Therefore, the aluminum electrolytic capacitors are not applicable to Export Trade Control Ordinance. However, the aluminum electrolytic capacitors are not applicable to Export Trade Control Ordinance.

2. Export Trade Control Ordinance (Section 16 of Appendix Table 1)

The aluminum electrolytic capacitors, which are described in this specification, applicable to goods under Export Regulations (Category 85 of Appendix Table in Customs Tariff Law) based on Section 16 of Appendix Table 1 in Export Trade Control Ordinance.

If the exporter got information that their exporting goods are used to any development of massive weapon, the exporter must apply for exporting permission to Ministry of Economy, Trade and Industry (METI), and get METI's approval.

Regardless of the above, if the exporter is notified by METI that his/her exporting goods are potentially used to any development of extensive destructive weapons, the exporter seek permission from METI to export, and get METI's approval. When Nippon Chemi-Con receives such notice from METI, we will inform it to your company.

5.4 Cleaning of assembly boards

These products are not solvent-proof type capacitors.

5.5 Manufacturing site

CHEMI-CON IWATE CORPORATION P.T. INDONESIA CHEMI-CON TAIWAN CHEMI-CON SAMYOUNG ELECTRONICS CO., LTD. QINGDAO SAMYOUNG ELECTRONICS CO., LTD. CHEMI-CON (WUXI) CO., LTD. 6. Marking

```
      The following items shall be marked on each capacitor. (White marking on Brown sleeve)


      ①Rated voltage
      ⑤Manufacturer's identification mark

      ②Nominal capacitance
      ⑥Capacitance tolerance-(M)

      ③Maximum operating temperature
      ⑦Lot No.


      ④Polarity
```


```
(Example)
```



- 7. Dimension and construction
 - 7.1 Dimension Long lead

Lead forming code : L L






unit mm



φ D	10
L	35
φd	0.6
F	5.0
L	L+1.5 %1
¢ D ´	φD+0.5 %1

 $%1 \phi D, L$: nominal case size



	Compositions		Materials
1	Element	Anode foil	Aluminum
		Cathode foil	Aluminum
		Separator	Paper
		Fixing tape	Polypropylene (PP)
2	Seal		Rubber
3	Aluminum tab		Aluminum
4	Lead wire		Tinned copper clad steel
5	Case		Aluminum
6	Sleeve		Polyester

% No ozone depleting substance has been used. RoHS Compliant

Precautions to User for Non-Solid Aluminum Electrolytic Capacitors

	Precautions to User for Non-Solid Aluminum Electrolytic Capacitors
CLASSIFICATION	ITEM
1.Designing	(1) Make sure that installation and operating environments are within the rated performance limits of
device	capacitors prescribed in their catalogs or product specifications, and select the capacitors to
circuits.	meet the service life of a device. Do not use capacitors at the following conditions,
	a)High temperature (exceeding the maximum rated operating temperature of capacitors)
	b)Excessive current (more than the rated permissible rated ripple current of the capacitors)
	c)Over-voltage (exceeding the rated voltage of the capacitors)
	d)Reverse voltage or AC voltage.
	e) In circuits in which charge and discharge are frequently repeated.
	(2) Electrically isolate the outer can case of a capacitor from the positive and negative terminals
	and the circuits. If the capacitor has a dummy terminal for mounting stability, isolate it as well.
	(3) The outer sleeves of capacitors are not assured as insulation -functioning pars. Do not use the
	capacitors for places that require the outer sleeves functioning as insulation.
	(4) Do not use capacitors to devices exposed to the following environment.
	a)Water, salt water or oil spatters, or dewy places.
	b)Toxic gas (hydrogen sulfide, sulfurous acid, nitrous acid, chlorine, ammonium, etc.) fills into.
	c)Direct sunlight, ozone, ultraviolet rays or radiation is applied to.
	d)Severe vibration or mechanical shock exceeding the limits prescribed in the catalogs or product
	specifications is applied to.
	(5) Design considerations for installing a capacitor to the print circuit board.
	a)Provide the appropriate hole spacing on the printed circuit board to match the terminal spacing
	of the capacitor.
	b)Make an open space over the pressure relief vent of the capacitor.
	c)Do not locate any wire or copper trace over the vent.
	d)If mounting the capacitor with its vent face down on the pc board, provide a ventilation hole
	in the pc board in place. (Application for CEO4 type.)
	e)Do not locate any copper trace under the seal side of a capacitor.
	f)Avoid locating any heat-producing object around a capacitor or on the reverse side of the print
	circuit board under the capacitor.
	g)For surface mount capacitors, design the copper pads of a print circuit board according to the
	product specifications.
	(6) Other precautions in designing devices.
	a)Take account of the changes in the electrical characteristics of capacitors varying with respect
	to temperature and frequency.
	b)If using a double-sided printed circuit board, do not locate any via hole within the pc board
	area under the seal side of the capacitor.
	c)If using more than one capacitor to connect in parallel, balance the currents flowing into the
	individual capacitors.
	d)If using more than one capacitor to connect in series, connect resistors in parallel with the
	individual capacitors for balancing the voltages.
2. Installing	
	(1) Follow the instructions below for installing capacitors in devices.
capacitors in	a)Do not re-use the capacitors already used in devices. The used capacitors are not reusable, except
devices.	the case that they are taken from a device for periodic inspection measuring their electrical
	characteristics and then returned to the device.
	b)Although discharged at manufacturing process, capacitors may have been re-charged by a recovery
	voltage phenomenon. In this case, discharge them through a resistor of approximately 1 k Ω before
	installation.
	c)The capacitors that has been stored for long periods of time may have high leakage current. In
	this case, make pre-conditioning by applying a voltage through a resistor of approximately
	lkΩ.
	d)Make sure of the rated values (nominal capacitance and voltage) and polarity when installation.
	e)Do not drop capacitors on the floor etc. If they should fall down, do not use them.
	f)Do not deform capacitors in installing to a device.
	g)Make sure that the terminal spacing equals the hole spacing of the pc board before installation.
	h)If the lead wires of the capacitor are clinched to the pc board with the clinch unit of an automatic
	insertion machine, adjust the clinch unit not to apply an excessive lead pull force to the lead
	wires of the capacitor.
	i)Note a mechanical shock that is caused by the vacuum head, component checker or centering operation
	of an automatic insertion or mounting machine.
	(2) Follow the instructions below for soldering.
	a)Do not put flux on any part of capacitors other than their terminals.
	,
	b)Soldering conditions (temperature, time and the number of repeats) should be within the limite
	b)Soldering conditions (temperature, time and the number of repeats) should be within the limits
	prescribed in the catalogs or product specifications.

CLASSIFICATION	ITEM		
2. Installing	(3) Do not apply a mechanical stress to the capacitor after soldering to the pc board.		
capacitors in			
devices.	b)Do not take the assembly board by the capacitor in lifting or carrying the assembly board.		
	c)Do not bump or strike any object against the capacitor.		
	(4) Do not wash capacitors by using cleaning agents. If it is necessary to wash capacitors, use the only		
	capacitors that are capable of withstanding the cleaning agents and apply the cleaning conditions		
	within the limits prescribed in the product specifications.		
	(5) Precautions for the washable capacitors.		
	a)Prevent cleaning agents from being contaminated, by controlling their conductivity, pH, specific gravity, water content, etc.		
	b)After washing the capacitors, do not keep them in an atmosphere of the cleaning agents or a closed		
	container. Remove the residual cleaning agents by drying the assembly board by a forced hot air at temperatures less than the maximum rated operating temperature of the capacitors.		
	(6) Do not use any adhesive or coating material containing halogenated solvents.		
	(7) Precautions for using adhesives and coating materials.		
	a)Do not apply adhesives or coating materials with flux or dirt left on the rubber seal of the capacitor		
	or between the pc board surface and the capacitor seal.		
	b)Before applying the adhesives or coating materials to the capacitors, dry and remove the residual		
	cleaning agents. Also, do not cover up the whole surface of the capacitor rubber seal with the		
	adhesives or coating materials.		
	c)For permissible heat conditions for curing adhesives or coating materials, follow the instructions		
	in the product specifications of capacitors.		
3. During	(1) Follow the following precautions for a device in operation.		
operation.	a)Do not touch a capacitor directly with bare hands.		
	b)Do not short-circuit the terminals of a capacitor by applying any conductive object.		
	(2) Do not use devices at the following environment.		
	a)Water, oil or dew spatters on the capacitors.		
	b)Direct sunlight, ozone, ultraviolet rays or radiation is applied to the capacitors.		
	c)Toxic gas (hydrogen sulfide, sulfurous acid, nitrous acid, chlorine, ammonium, etc.) fills into.		
	d)Severe vibration or mechanical shock, exceeding the limits prescribed in the catalogs or product		
	specifications, is applied to the capacitors.		
4. Maintenance	(1) Make periodic inspections for the capacitors that have been used in devices for industrial		
inspection.	application. The appearance and electrical characteristics of the capacitors should be checked for		
mopee tron.	the periodic inspections.		
5. In the event	(1) If the capacitor should blow out gas with its vent open, turn off or unplug the main power supply		
of venting on	of the device.		
capacitors.	(2) When venting, the capacitor blows a hot gas of more than 100°C. Never expose the face close to the		
	venting capacitor. If you should expose your eyes to the spouting gas and inhale it, immediately		
	flush the open eyes and gargle with water. Do not lick the electrolyte of a capacitor. Wash the		
	electrolyte away from the skin with soap and water.		
6.Fumigation.			
o. rumigation.	(1) Funigation process may be required when exporting the end electrical product. The process, actually		
	halogenated ions, may cause the aluminum electrolytic capacitor to corrode. The fumigation solvent		
	must not directly adhere to the electrical product and the solvent must be dried completely. Please		
	consult us if solvent adheres to the aluminum electrolytic capacitors or drying condition is not		
7 Stanage	satisfaction.		
7. Storage.	 Store capacitors indoors at a temperature of 5 to 35℃ and a humidity of less than 75%RH. Denote the state of the state of		
0.0.	(2) Do not store capacitors in the environment prohibited with Section3. (2).		
8.Disposal.	(1) In the interests of the environment and in order to comply with local disposal regulations, ask a		
	specialist for the disposal of industrial wastes.		

* For other precautions and the details of these precautions, refer to Engineering Bulletin No. 634A. The following technical terms have been changed according to change of reference standard from JIS C 5141-1991 to JIS C 5101-1998.

New standard JIS C 5101-1998	Old standard JIS C 5141-1991	
Category temperature range	Operating temperature range	
Rated ripple current	Ripple current	
Endurance	Load life	

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Aluminium Electrolytic Capacitors - Radial Leaded category:

Click to view products by Nippon Chemi-Con manufacturer:

Other Similar products are found below :

LXY50VB4.7M-5X11 RFO-100V471MJ7P# ECE-A1EGE220 B41041A7226M8 B41044A7157M6 NCD681K10KVY5PF NEV1000M25EF-BULK NEV100M35DC NEV100M63DE NEV220M25DD-BULK NEV.33M100AA NEV4700M50HB NEV.47M100AA NEVH1.0M250AB NEVH3.3M250BB NEVH3.3M450CC KME50VB100M-8X11.5 SG220M1CSA-0407 ES5107M016AE1DA ESMG160ETD102MJ16S ESX472M16B 227RZS050M 476CKH100MSA 477RZS050M B41793A9108Q1 UVX1V101KPA1FA UVX1V222MHA1CA KME25VB100M-6.3X11 VTL100S10 VTL470S10 VTL470S16A 511D336M250EK5D 052687X ECE-A1CF471 NRE-S560M16V6.3X7TBSTF RGA221M1CTA-0611G ERZA630VHN182UP54N UPL1A331MPH SK035M0100AZS-0611 NEV1000M6.3DE NEV100M16CB NEV100M50DD-BULK NEV2200M16FF NEV220M50EE NEV2.2M50AA NEV330M63EF NEV4700M35HI NEV4.7M100BA NEV47M16BA NEV47M50CB-BULK