## **Tubular High Energy Bulk Ceramic**

The Ohmite Ceramic Resistor Division Tubular Non-Inductive Bulk Ceramic Resistors provide excellent performance for high peak power or high-energy pulses. Bulk construction advantageously produces an inherently non-inductive resistor; and it allows energy and power to be uniformly distributed through the entire ceramic resistor body – there is no film or wire to fail. Ohmite offers a full line of rugged, reliable ceramic resistors.

Ohmite offers three distinctly different ceramic materials to allow designers to meet the most demanding requirements.



### TYPE SP

Material composition type SP is formulated to withstand high operating temperatures resulting in high power dissipation. Maximum continuous operating temperature is specified at 350°C. This type is suitable for use in oil without an oil-resistant coating.

#### **Appplications**

- Motor drive circuits
- Snubber circuits
- High-frequency circuits
- RF dummy loads
- Dynamic braking
- Transformer protection
- Harmonic filter

## MATERIAL TYPES

### TYPE AS

Material composition type AS is formulated to withstand high energy and high voltage applications. Maximum continuous operating temperature is specified at 230°C. The standard dielectric coating is recommended for use in air, and the oil-resistant coating is recommended for use in oil.

#### Appplications

- Impulse generators
- High-voltage circuits
- X-ray equipment
- High voltage power supplies
- · Laser/Imaging equipment
- Capacitor charge/discharge

### TYPE BA

Material composition type A is formulated with to reach higher resistance values. Maximum continuous operating temperature is specified at 230 C. The standard dielectric coating is recommended for use in air, and the oil-resistant coating is recommended for use in oil.

#### Appplications

- Bleeder
- Capacitor charge/discharge

# Tubular High Energy Bulk Ceramic

SPECIFICATIONS								
Series 800 and 1000 Tubular Resistors are available in a	Туре	Length x Diameter	Resis Min.	tance Max.	Avg. Power @40°C (W)	Peak* Energy (J)	Peak* Voltage** (V)	
wide variety of sizes and ter-	884SP	2" x 1/2"	1.0	200	22.5	250	1,000	
minations from 2" to 24" in	885SP	2 1/2" x 3/4"	1.0	130	45	250	1,000	
length and $\frac{1}{2}$ " to 2" in diameter.	885AS		6.0	1200	15	2,800	8,000	
These resistors can handle up	885A		1500	220K	15	750	3,750	
	886SP	5" x 3/4"	1.0	330	90	500	4,000	
to 1000 watts, 165 kJ and 165	886AS		15.0	3300	30	7,000	20,000	
kV in resistance values from 1	886A		3900	390K	30	1,500	10,000	
ohm to 1 megohm.	887SP	6" x 1"	1.0	330	150	1,600	4,000	
	887AS		12.0	3300	50	13,000	30,000	
* Allowable peak energy/voltage will depend on the resistance value. Consult factory.	887A		3900	390K	50	6,000	12,000	
** Derate by 50% with oil resistant coating on	1026AS	6" x 1 1/2"	5.0	1200	70	30,000	30,000	
Type AS resistors. Energy ratings are based on pulses <10 milliseconds. Type SP ratings can be substantially greater for longer pulses. Consult factory.	888SP	8" x 1"	1.0	390	190	2,100	6,000	
	888AS		15.0	3900	75	16,500	45,000	
	888A		4700	470K	60	7,500	15,000	
	1028AS	8" x 1 1/2"	6.5	1900	100	46,000	45,000	
	889SP	12" x 1"	1.0	680	275	3,200	10,000	
	889AS		25.0	6800	100	27,000	75,000	
	889A		8200	680K	90	12,500	25,000	
	1032AS	12" x 1 1/2"	9.0	2500	150	75,000	75,000	
	890SP	18" x 1"	1.0	1000	375	4,200	16,000	
	890AS		40.0	10K	150	43,000	120,000	
	890A		12K	1M	125	20,000	40,000	
	1038AS	18" x 1 1/2"	15.0	3800	225	119,000	120,000	
	891SP	18" x 2"	1.0	450	750	15,000	16,000	
	892SP	24" x 2"	1.0	600	1000	17,500	22,000	
	1044AS	24" x 1 1/2"	20.0	4800	300	164,000	165,000	
						,	,	

### CHARACTERISTICS

Characteristic	Test	Type SP	Type AS	Туре А	
Operating Temp.		-55°C to +350°C*	-55°C to +230°C	-55°C to +230°C	
Resistance Temp. Coefficient		+0.2 to -0.08 %/°C (+ 2000 ppm - 800 ppm)	+0.0 to -0.08 %/°C (+ 0 ppm - 800 ppm)	+0.0 to -0.2 %/°C (+ 0 ppm - 2000 ppm)	
Voltage Coefficient	Max. % per kilovolt per inch active length	-1.0%	-1.0%	-	
Short Time Overload		±5%	±2%	-	
Load Life	Max. % change after 1,000 hours at rated power	±5%	±5%	-	
Thermal Shock	Max. % change after 10 cycles -55°C to +125°C	±3%	±3%	-	
Moisture Resistance	Max. % change when tested per MIL-STD-202, Method 103	±5%	±5%	±5%	
Density		2.2-2.4 gm/cc	2.2-2.6 gm/cc	2.2-2.6 gm/cc	
Specific Heat		0.24-0.26 cal/gm -°C	0.23-0.25 cal/gm -°C	0.23-0.25 cal/gm -°C	
Thermal Conductivity		0.14-0.16 cal/(cm-°C-sec)	0.003-0.006 cal/(cm-°C-sec)	0.003-0.006 cal/(cm-°C-sec)	

\*When required, Type SP material can withstand short periods of use at red-heat conditions, i.e. up to 550°C to 600°C



## **Tubular High Energy Bulk Ceramic**


#### CHARACTERISTICS

DIMENSIONS

#### Derating


(in.)


Power ratings are based on maximum allowable surface temperature in still air at 40°C ambient temperature.



Surface Temperature

Curve is typical for resistor midpoint with horizontal orientation in still air.





A	В	C (SP & AS)	С (А)	D
2.0	0.50	0.22	-	0.25
2.5	0.75	0.50	N/A*	0.50
5.0	0.75	0.50	N/A*	0.62
6.0	1.00	0.75	0.5	0.50
8.0	1.00	0.75	0.5	0.88
12.0	1.00	0.75	0.5	0.88
18.0	1.00	0.75	0.5	0.88
18.0	2.00	1.50	-	1.00
24.0	2.00	1.50	-	1.00
6.0	1.50	1.00	-	0.50
8.0	1.50	1.00	-	0.88
12.0	1.50	1.00	-	0.88
18.0	1.50	1.00	-	0.88
24.0	1.50	1.00	-	0.88
	2.0 2.5 5.0 6.0 12.0 18.0 18.0 24.0 6.0 8.0 12.0 18.0	2.0         0.50           2.5         0.75           5.0         0.75           6.0         1.00           8.0         1.00           12.0         1.00           18.0         2.00           24.0         2.00           6.0         1.50           12.0         1.50           13.0         1.50	A         B         (SP & AS)           2.0         0.50         0.22           2.5         0.75         0.50           5.0         0.75         0.50           6.0         1.00         0.75           8.0         1.00         0.75           18.0         1.00         0.75           18.0         2.00         1.50           24.0         2.00         1.50           8.0         1.50         1.00           8.0         1.50         1.00           8.0         1.50         1.00           8.0         1.50         1.00           8.0         1.50         1.00           8.0         1.50         1.00           8.0         1.50         1.00	A         B         (SP & AS)         (Å)           2.0         0.50         0.22         -           2.5         0.75         0.50         N/A*           5.0         0.75         0.50         N/A*           5.0         0.75         0.50         N/A*           6.0         1.00         0.75         0.51           8.0         1.00         0.75         0.51           18.0         1.00         0.75         0.51           18.0         2.00         1.50         -           24.0         2.00         1.50         -           6.0         1.50         1.00         -           8.0         1.50         1.00         -           8.0         1.50         1.00         -           8.0         1.50         1.00         -           8.0         1.50         1.00         -           12.0         1.50         1.00         -

Special sizes are available. Consult factory. \*885 and 886 in type A material are solid rods

#### TERMINATION OPTIONS


Electrical connection to the resistive bodies of resistors is made by metal end bands. The standard metal is aluminum for Type SP, silver for Type AS and nickel for Type A. Special terminations of brass, copper or soldered ends are also available.

#### **Mounting Clips**

In most cases, connections to the resistors may be made by using these stock clips.

Material: Beryllium Copper Finish: Electro Tin Plate







Part No.	Resistor series	Resistor OD	Holes	A	В	C	D	Е	F	т	v	W (in.)
35370	884	1/2	1	0.620	0.090	0.560	0.500	N/A	0.093	0.020	0.188	0.375
35267	885, 886	3/4	1	0.940	0.155	0.830	0.750	N/A	0.144	0.020	0.312	0.625
35268	887 - 890	1	2	1.230	0.170	1.070	1.000	0.320	0.128	0.024	0.156	0.625
35371	891, 892	1 1/2	2	1.650	0.100	1.650	1.500	0.925	0.103	0.032	0.250	0.500
35269	1026 - 1044	2	2	2.375	0.544	1.080	2.000	0.375	0.188	0.043	0.375	0.750

## **Tubular High Energy Bulk Ceramic**

### TERMINATION OPTIONS



#### **Optional Radial Tab Termination**



#### **1" Copper Connector Cap**



#### **1" Copper Connector Cap with Strap**

Part No. G-5747 (Lead Free & RoHS Compliant)





# **Tubular High Energy Bulk Ceramic**

## ORDERING INFORMATION

890AS101KDS	Туре	Terminal Option				
$\frac{1}{1}$	SP	No Suffix = Standard aluminum metalized ends           No-arc terminal not available on SP products				
<b>Type</b> For $\ge 100$ : First 2 digits J = $\pm 5\%$ <b>Options</b> are significant, third is K = $\pm 10\%$ see chart						
number of zeros to $L = \pm 20\%$ follow, e.g. 101 = 100Ω For <10Ω: R replaces decimal point, e.g. R50		G = Radial tab, riveted and soldered G1 = Radial tab, riveted and no solder				
= 0.50Ω, 7R5 = 7.5Ω	AS	DS = Standard dielectric coating and silver metalized ends				
	-	N = No-arc terminal and dielectric coating NO = No-arc terminal with oil resistant coating				
	-	DG = Radial tab, riveted and soldered with dielectric coating DG1 = Radial tab, riveted and no solder with dielectric coating GO = Radial tab, riveted and soldered with oil resistant coating				
		TO = Soldered end and oil resistant coating				
-	Α	No Suffix = Standard nickel metalized ends				
	-	D = Dielectric coating DG = Radial tab, riveted and soldered with dielectric coating				
		N = No-arc terminal and dielectric coating NO = No-arc terminal with oil resistant coating				
	-	DG = Radial tab, riveted and soldered with dielectric coating DG1 = Radial tab, riveted and no solder with dielectric coating GO = Radial tab with oil resistant coating				
	-	TO = Soldered end and oil resistant coating				

# **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Ceramic Composition Resistors category:

Click to view products by Ohmite manufacturer:

Other Similar products are found below :

 47250
 CCR21K0KT
 RC1R0EA1K00KE
 109AS502KDS
 250AS280JDS
 109AS333KDS
 890SP501K
 890AS682LDS
 1044AS301KDS
 1 

 1623720-7
 HPC1C394K
 DFN51120
 PCF2CT631R121K
 PCF2C561K
 PCF1CT631R221K
 PCF1/2C683K
 PCF1/2C471K

 PCF1/2C151K
 PCF1/2C100K
 HPC1C681K
 HPC1/2C332K
 HPC1/2C471K
 HPC1/2CT52A102K
 HPC1C102K
 HPC1C103K
 HPC1C121K

 HPC1C123K
 HPC1C153K
 HPC1C1083K
 HPC1C220K
 HPC1C221K
 HPC1C224K
 HPC1C272K
 HPC1C331K
 HPC1C332K

 HPC1C390K
 HPC1C470K
 HPC1C471K
 HPC1C561K
 HPC1C680K
 HPC1C820K
 HPC2C100K
 HPC2C103K
 HPC2C103K
 HPC2C105K

 HPC2C121K
 HPC2C151K
 HPC2C182K
 HPC1C2682K
 HPC2C101K
 HPC2C103K
 HPC2C105K