



## Features

- 1) Conductive polymer used at the cathode for ultra-low ESR.
- 2) Conductive polymer has a self-healing function that prevents failure, resulting in safe, high reliability operating.
- 3) Screening by thermal shock.

## Dimensions



## Part No. Explanation



\*This specification has possibility of charge, due to underdevelopment product. Please ask for latest specification to our sales.

## Rated table

					$(\text{ESR}:m\Omega)$					
Capacitance	Rated voltage (V.DC)									
(μF)	2.5	6.3	10	16	25					
15 (156)					100					
33 (336)			150	100						
47 (476)		70	150							
100 (107)		35 / 45								
150 (157)		35 / 45								
220 (227)	35	35 / 45								
330 (337)	35 / 45									

## Marking

The indications listed below should be given on the surface of a capacitor.

- (1) Polarity: The polarity should be shown by bar. (on the anode side)
- (2) Rated DC voltage: A voltage code is shown as below table.
- (3) Capacitance: A capacitance code is shown as below table.


Voltage Code	Rated DC Voltage (V)
е	2.5
j	6.3
А	10
С	16
E	25

Capacitance Code	Nominal Capacitance ( $\mu$ F)				
е	15				
n	33				
S	47 100				
а					
e	150				
j	220				
n	330				

[B case] EX.)



(1) voltage code (2) capacitance code





## Characteristics

	Item	Performance			Test conditions (based on JIS C 5101–1 and JIS C 5101–3)								
		Voltage reduction when temperature exceeds+85°C											
Maximum operating temperature with no voltage derating		+85°	+85°C										
Rated voltage (\	(.DC)	2.5 6.3 10 16 25						at 85°C					
Category voltage	e (V.DC)	2	5	8	12.8	20		at 105°C					
Surge voltage (\	(.DC)	3.2	+ $+$ $+$ $+$ $+$ $+$ $+$										
DC Leakage current Shall be satisfied the value on "   Standard list "			As per 4.	9 JIS C 5101- 5.1 JIS C 510 <sup>-</sup> Rated voltage	1-3								
Capacitance tole	erance	Shal ±20 <sup>4</sup>		be satisfied allowance range.			ance range.	As per 4. Measurin Measurin	• •	1-3 120 ± 12Hz iVrms + 1.5V.DC			
Tangent of loss	angle (Df, tan δ)		l be : idard			he vo	ltage on "	Measuring circuit : DC Equivalent series circuit     "As per 4.8 JIS C 5101-1     As per 4.5.3 JIS C 5101-3     Measuring frequency : 120 ± 12Hz     Measuring voltage : 0.5Vrms + 1.5V.DC     Measuring circuit : DC Equivalent series circuit     As per 4.10 JIS C 5101-1     As per 4.5.4 JIS C 5101-3     Measuring frequency : 100 ± 10kHz     Measuring voltage : 0.5Vrms or less     Measuring circuit : DC Equivalent series circuit					
ESR			l be : idard			he va	lue on "						
Resistance to Soldering heat	Appearance	There should be no significant abnormality. The indications should be clear.					As per 4.14 JIS C 5101-1 As per 4.6 JIS C 5101-3 Dip in the solder bath						
	L.C.	Less than 150% of initial limit Within ±20% of initial value					ıl limit	Solder temp : 240 ± 5°C Duration : 10 ± 0.5s					
	⊿c/c						alue	After the	Repetition : 1 After the specimens, leave it at room temperature for over 24h and then measure				
Df (tan δ)		Less than 150% of initial limit					ıl limit	the samp	le.				
Temperature cycle	Appearance	There should be no significant abnormality. The indications should be clear.		As per 4. Repetitio	16 JIS C 5101 10 JIS C 5101 n : 5 cycles steps 1 to 4) v	-3 without discontinuation.	Time						
	L.C.	Less	s thai	n 50	0% of	initia	ıl limit	┥┝	1	Temp. -55±3°C	30±3min.		
									2	Room temp.	3min. or less		
									3	105±2°C	30±3min.		
			in +?	20%	of ini	tial va	lue	1 1	4	Room temp.	3min. or less		
	⊿c / c	With	···· ±4						•	ave it at room temperature	e for over 24h and then mea	Isure	
				15	50% of	initia	ıl limit	the samp	le.			louio	
Moisture resistance	∠C / C Df (tan δ) Appearance	Less	s thai re sh orma	ould	d be n	o sigr	Il limit hificant tions should	As per 4. As per 4.	22 JIS C 5101 12 JIS C 5101	-3	c condition that the tempera		
	Df (tan δ)	Less Thei abno be c	thar re sh orma lear.	ould lity.	d be n The ii	o sigr ndicat	nificant	As per 4. As per 4. After leav humidity	22 JIS C 5101 12 JIS C 5101 ring the sampl are 40±2°C ar	-3 e under such atmospheric nd 90 to 95% RH, respecti	ively, for 500±12h leave it a	ure an	
	Df (tan δ) Appearance	Less The abno be c Less	thar re sh orma lear. thar	ould lity. n 15	d be n The in	o sigr ndicat initia	nificant tions should	As per 4. As per 4. After leav humidity	22 JIS C 5101 12 JIS C 5101 ring the sampl are 40±2°C ar	-3 e under such atmospheric	ively, for 500±12h leave it a	ure an	



## **TCO Series B Case**

## Datasheet

	em	Performance	Test conditions (based on JIS C 5101–1 and JIS C 5101–3)				
Temperature Temp. Stability		–55°C	As per 4.29 JIS C 5101-1 As per 4.13 JIS C 5101-3				
	⊿c / c	Within 0/–20% of initial value					
	Df (tan δ)	Shall be satisfied the value on " Standard list "					
	L.C.	-					
	Temp.	+105°C					
	⊿c/c	Within +80/0% of initial value					
	Df (tan δ)	Shall be satisfied the value on " Standard list "					
	L.C.	Less than 1,000% of initial limit					
Surge voltage	Appearance	There should be no significant abnormality.	As per 4.26JIS C 5101-1 As per 4.14JIS C 5101-3				
	L.C.	Less than initial limit	Apply the specified surge voltage via the serial resistance of $1k\Omega$ eve 5±0.5 min. for 30±5 s. each time in the atmospheric condition of 85±2				
	⊿c / c	Within ±20% of initial value	C. Repeat this procedure 1,000 times.				
	Df (tan δ)	Less than initial limit	After the specimens, leave it at room temperature for over 24h and then measure the sample.				
Loading at	Appearance	There should be no significant abnormality. The	As per 4.23 JIS C 5101-1				
High temperature		indications should be clear.	As per 4.15 JIS C 5101-3 — After applying the rated voltage for 1000+72/0 h without discontinuation				
	L.C.	Less than 200% of initial limit	via the serial resistance of $3\Omega$ or less at a temperature of $85\pm2^{\circ}$ C,				
	⊿c/c	Within ±20% of initial value	leave the sample at room temperature / humidity for over 24h and				
	Df (tan δ)	Less than 150% of initial limit	measure the value.				
Terminal strength	Capacitance	The measured value should be stable.	As per 4.35 JIS C 5101-1 As per 4.9 JIS C 5101-3 A force is applied to the terminal until it bends to 1mm and by a				
	Appeorance	There should be no significant abnormality.	prescribed tool maintains the condition for 5s.				
	Appearance	There should be no significant abhormality.	(See the figure below) (Unit: mm)				
			50 F (Apply force)				
			R230				
			thickness=1.6mm				
			45 45				
Adhesiveness		The terminal should not come off.	As per 4.34 JIS C 5101-1				
			As per 4.8 JIS C 5101-3				
			Apply force of 5N in the two directions shown in the figure below for 1 ±1s after mounting the terminal on a circuit board.				
			_				
			product				
			<u>م</u> Apply force				
			a circuit board				
Dimensions		Refer to "External dimensions"	Measure using a caliper of JIS B 7507 Class 2 or higher grade.				
Resistance to solv	ronto	The indication should be clear.	As per 4.32 JIS C 5101-1				
Resistance to solv	ents		As per 4.32 JIS C 5101-1 As per 4.18 JIS C 5101-3				
			Dip in the isopropyl alcohol for 30±5s, at room temperature.				
Solderability		3/4 or more surface area of the solder coated	As per 4 15 2 IIS C 5101-1				
Solderability		terminal dipped in the soldering bath should be	As per 4.15.2 JIS C 5101-1 As per 4.7 JIS C 5101-3 Dip speed=25±2.5mm / s				
		covered with the new solder.					
			Pre-treatment (accelerated aging):				
			Leave the sample on the boiling distilled water for 1h. Solder temp. : 245±5°C				
			Duration : 3±0.5s				
			Solder : M705				
			Flux : Rosin 25% IPA 75%				
	Capacitance	Measure value should not fluctuate during the	As per 4.17 JIS C 5101-1				
Vibration			Frequency : 10 to 55 to 10Hz/min.				
Vibration		measurement.					
Vibration	Appearance	measurement. There should be no significant abnormality.	Frequency : 10 to 55 to 10Hz/min. Amplitude : 1.5mm Time : 2h each in X and Y directions				




4/5


## •Standard products list

Part No.	Rated voltage 85°C	Category voltage 105°C	Surge voltage 85°C	Cap. Toleranc 120Hz e		Leakage current 25° C 1WV.5min	Df 120Hz (%)			ESR 100kHz
	(V)	(V)	(V)	(μF)	(%)	(μA)	–55°C	25°C	105°C	(mΩ)
TCO B 0E 227 M8R-EN1	2.5	2	3.2	220	±20	55	8	8	12	35
TCO B 0E 337 M8R-EN1	2.5	2	3.2	330	±20	82.5	30	15	20	35
TCO B 0E 337 M8R-ES1	2.5	2	3.2	330	±20	82.5	30	15	20	45
TCO B 0J 476 M8R-EW1	6.3	5	8	47	±20	30	8	8	12	70
TCO B 0J 107 M8R-EN1	6.3	5	8	100	±20	63	8	8	12	35
TCO B 0J 107 M8R-ES1	6.3	5	8	100	±20	63	8	8	12	45
TCO B 0J 157 M8R-EN1	6.3	5	8	150	±20	94.5	30	15	20	35
TCO B 0J 157 M8R-ES1	6.3	5	8	150	±20	94.5	30	15	20	45
TCO B 0J 227 M8R-EN1	6.3	5	8	220	±20	139	30	15	20	35
TCO B 0J 227 M8R-ES1	6.3	5	8	220	±20	139	30	15	20	45
TCO B 1A 336 M8R	10	8	13	33	±20	33	8	8	12	150
TCO B 1A 476 M8R	10	8	13	47	±20	47	8	8	12	150
TCO B 1C 336 M8R	16	12.8	20	33	±20	159	10	10	15	100
TCO B 1E 156 M8R	25	20	29	15	±20	113	10	10	20	100

## Packaging specifications



## Reel dimensions



## EIAJ ET-7200A

## •Damp proof package

①One reel is packed in aluminum bag.


The size of aluminum bag is 240(a) x 250(b)mm.

The size up to 230(c)mm is to zipper.

②A desiccant is packed with a reel.

③The aluminum bag is heat-sealed.

 $\textcircled{\sc 4}$  The label of the same as the label on the reel is placed on the aluminum bag.







# Notice

#### Precaution on using ROHM Products

1. Our Products are designed and manufactured for application in ordinary electronic equipment (such as AV equipment, OA equipment, telecommunication equipment, home electronic appliances, amusement equipment, etc.). If you intend to use our Products in devices requiring extremely high reliability (such as medical equipment (Note 1), transport equipment, traffic equipment, aircraft/spacecraft, nuclear power controllers, fuel controllers, car equipment including car accessories, safety devices, etc.) and whose malfunction or failure may cause loss of human life, bodily injury or serious damage to property ("Specific Applications"), please consult with the ROHM sales representative in advance. Unless otherwise agreed in writing by ROHM in advance, ROHM shall not be in any way responsible or liable for any damages, expenses or losses incurred by you or third parties arising from the use of any ROHM's Products for Specific Applications.

(Note1) Medical Equipment Classification of the Specific Applications
-----------------------------------------------------------------------

JAPAN	USA	EU	CHINA		
CLASSⅢ	CLASSI	CLASS II b	CLASSII		
CLASSⅣ	CLASSII	CLASSⅢ	CLASSI		

- 2. ROHM designs and manufactures its Products subject to strict quality control system. However, semiconductor products can fail or malfunction at a certain rate. Please be sure to implement, at your own responsibilities, adequate safety measures including but not limited to fail-safe design against the physical injury, damage to any property, which a failure or malfunction of our Products may cause. The following are examples of safety measures:
  - [a] Installation of protection circuits or other protective devices to improve system safety
  - [b] Installation of redundant circuits to reduce the impact of single or multiple circuit failure
- 3. Our Products are designed and manufactured for use under standard conditions and not under any special or extraordinary environments or conditions, as exemplified below. Accordingly, ROHM shall not be in any way responsible or liable for any damages, expenses or losses arising from the use of any ROHM's Products under any special or extraordinary environments or conditions. If you intend to use our Products under any special or extraordinary environments or conditions (as exemplified below), your independent verification and confirmation of product performance, reliability, etc, prior to use, must be necessary:
  - [a] Use of our Products in any types of liquid, including water, oils, chemicals, and organic solvents
  - [b] Use of our Products outdoors or in places where the Products are exposed to direct sunlight or dust
  - [c] Use of our Products in places where the Products are exposed to sea wind or corrosive gases, including Cl<sub>2</sub>, H<sub>2</sub>S, NH<sub>3</sub>, SO<sub>2</sub>, and NO<sub>2</sub>
  - [d] Use of our Products in places where the Products are exposed to static electricity or electromagnetic waves
  - [e] Use of our Products in proximity to heat-producing components, plastic cords, or other flammable items
  - [f] Sealing or coating our Products with resin or other coating materials
  - [g] Use of our Products without cleaning residue of flux (Exclude cases where no-clean type fluxes is used. However, recommend sufficiently about the residue.); or Washing our Products by using water or water-soluble cleaning agents for cleaning residue after soldering
  - [h] Use of the Products in places subject to dew condensation
- 4. The Products are not subject to radiation-proof design.
- 5. Please verify and confirm characteristics of the final or mounted products in using the Products.
- 6. In particular, if a transient load (a large amount of load applied in a short period of time, such as pulse, is applied, confirmation of performance characteristics after on-board mounting is strongly recommended. Avoid applying power exceeding normal rated power; exceeding the power rating under steady-state loading condition may negatively affect product performance and reliability.
- 7. De-rate Power Dissipation depending on ambient temperature. When used in sealed area, confirm that it is the use in the range that does not exceed the maximum junction temperature.
- 8. Confirm that operation temperature is within the specified range described in the product specification.
- 9. ROHM shall not be in any way responsible or liable for failure induced under deviant condition from what is defined in this document.

#### Precaution for Mounting / Circuit board design

- 1. When a highly active halogenous (chlorine, bromine, etc.) flux is used, the residue of flux may negatively affect product performance and reliability.
- 2. In principle, the reflow soldering method must be used on a surface-mount products, the flow soldering method must be used on a through hole mount products. If the flow soldering method is preferred on a surface-mount products, please consult with the ROHM representative in advance.

For details, please refer to ROHM Mounting specification

#### **Precautions Regarding Application Examples and External Circuits**

- 1. If change is made to the constant of an external circuit, please allow a sufficient margin considering variations of the characteristics of the Products and external components, including transient characteristics, as well as static characteristics.
- 2. You agree that application notes, reference designs, and associated data and information contained in this document are presented only as guidance for Products use. Therefore, in case you use such information, you are solely responsible for it and you must exercise your own independent verification and judgment in the use of such information contained in this document. ROHM shall not be in any way responsible or liable for any damages, expenses or losses incurred by you or third parties arising from the use of such information.

#### **Precaution for Electrostatic**

This Product is electrostatic sensitive product, which may be damaged due to electrostatic discharge. Please take proper caution in your manufacturing process and storage so that voltage exceeding the Products maximum rating will not be applied to Products. Please take special care under dry condition (e.g. Grounding of human body / equipment / solder iron, isolation from charged objects, setting of lonizer, friction prevention and temperature / humidity control).

#### Precaution for Storage / Transportation

- 1. Product performance and soldered connections may deteriorate if the Products are stored in the places where:
  - [a] the Products are exposed to sea winds or corrosive gases, including Cl<sub>2</sub>, H<sub>2</sub>S, NH<sub>3</sub>, SO<sub>2</sub>, and NO<sub>2</sub>
  - [b] the temperature or humidity exceeds those recommended by ROHM
  - [c] the Products are exposed to direct sunshine or condensation
  - [d] the Products are exposed to high Electrostatic
- 2. Even under ROHM recommended storage condition, solderability of products out of recommended storage time period may be degraded. It is strongly recommended to confirm solderability before using Products of which storage time is exceeding the recommended storage time period.
- 3. Store / transport cartons in the correct direction, which is indicated on a carton with a symbol. Otherwise bent leads may occur due to excessive stress applied when dropping of a carton.
- 4. Use Products within the specified time after opening a humidity barrier bag. Baking is required before using Products of which storage time is exceeding the recommended storage time period.

#### **Precaution for Product Label**

A two-dimensional barcode printed on ROHM Products label is for ROHM's internal use only.

#### **Precaution for Disposition**

When disposing Products please dispose them properly using an authorized industry waste company.

#### Precaution for Foreign Exchange and Foreign Trade act

Since concerned goods might be fallen under listed items of export control prescribed by Foreign exchange and Foreign trade act, please consult with ROHM in case of export.

#### **Precaution Regarding Intellectual Property Rights**

- All information and data including but not limited to application example contained in this document is for reference only. ROHM does not warrant that foregoing information or data will not infringe any intellectual property rights or any other rights of any third party regarding such information or data.
- 2. ROHM shall not have any obligations where the claims, actions or demands arising from the combination of the Products with other articles such as components, circuits, systems or external equipment (including software).
- 3. No license, expressly or implied, is granted hereby under any intellectual property rights or other rights of ROHM or any third parties with respect to the Products or the information contained in this document. Provided, however, that ROHM will not assert its intellectual property rights or other rights against you or your customers to the extent necessary to manufacture or sell products containing the Products, subject to the terms and conditions herein.

#### **Other Precaution**

- 1. This document may not be reprinted or reproduced, in whole or in part, without prior written consent of ROHM.
- 2. The Products may not be disassembled, converted, modified, reproduced or otherwise changed without prior written consent of ROHM.
- 3. In no event shall you use in any way whatsoever the Products and the related technical information contained in the Products or this document for any military purposes, including but not limited to, the development of mass-destruction weapons.
- 4. The proper names of companies or products described in this document are trademarks or registered trademarks of ROHM, its affiliated companies or third parties.

#### **General Precaution**

- 1. Before you use our Products, you are requested to carefully read this document and fully understand its contents. ROHM shall not be in any way responsible or liable for failure, malfunction or accident arising from the use of any ROHM's Products against warning, caution or note contained in this document.
- 2. All information contained in this document is current as of the issuing date and subject to change without any prior notice. Before purchasing or using ROHM's Products, please confirm the latest information with a ROHM sales representative.
- 3. The information contained in this document is provided on an "as is" basis and ROHM does not warrant that all information contained in this document is accurate and/or error-free. ROHM shall not be in any way responsible or liable for any damages, expenses or losses incurred by you or third parties resulting from inaccuracy or errors of or concerning such information.

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Tantalum Capacitors - Polymer SMD category:

Click to view products by ROHM manufacturer:

Other Similar products are found below :

2R5TAE680ML T58BB226M025C0150 23484-337 TCJD227M010R0050E TCJC106M035R0200E TCJP105M025R0500E TCJD477M004R0040E TCNX476M035R0150 ASG-P-V-A-1.000GHZ F381A336MSALZT FA1E566M10126VR NTP687M4TRD(12)F T520X477M006AHE040 T541X336M050BH6710 T541X337M016BH6720 TCNT476M016R0200A ETCF680ML 4TCE470ML 4TCE470MIL 4TCE330M 6TCE100M 6TCE150MI 6TCE680M 6TCE220M 10TCE220ML 4TCE220M 4TAE470ML T520Y687M004ATE010 T55V337M6R3C0050 T55V337M004C0025 T55V227M6R3C0050 T55V227M004C0045 T55V157M6R3C0035 T55V157M010C0045 T55D337M004C0050 T55D107M010C0018 T59EE337M016C0025 T55V337M2R5C0025 T55V337M004C0045 T55V227M6R3C0040 T55V227M004C0035 T55V157M6R3C0045 TCJD106M050R0090 T55V157M004C0025 T55D477M004C0040 T55D337M6R3C0045 T55D337M010C0040 T55D227M6R3C0055 T55D227M6R3C0050 T55D227M6R3C0025