

深圳市索瑞达电子有限公司

承 认 书 SPECIFICATION FOR APPROVAL

| 客 户 名 称: Customer Name : | 立创 | |
|-----------------------------|---------------------|--|
| 客户料号: Customer P/N: | | |
| 产 品 名 称: Product Name: | 功率电感 | |
| 索瑞达料号: Sorede P/N: | SCD.7850.DYF681KT00 | |





地址:深圳市观澜镇福城街道新塘村8号源创园陆号A6栋3楼.

Address: 3Rd Floor, Building A6, Yuanchuangyuanlu, No. 8 Xintang Village, Fucheng Street, Guanlan Town, Shenzhen.

电话 Tel: 0755-29803356 传真 Fax: 0755-29803506

电子邮件 E-mail: sorde@vip.163.com

网址 http://www.szsorede.com


修改履历表

Modify Resume

| | Wiodity Resume | |
|---------------|------------------------|-------------|
| 修改日期 | 修改明细 | 修改后版本号 |
| Date modified | Modify Details | Version No. |
| 2023-03-31 | 文件新制订 File formulation | A |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | <u> </u> |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

| 文件编号 File Number | SRD-WI-15371 | 版本号 Version Number | A | 页码 page | 1/8 |
|---------------------|--------------|-----------------------|---|------------|-----|
|---------------------|--------------|-----------------------|---|------------|-----|

1、外形尺寸 Dimension:



单位Unit: mm

| A | 7.8±0.3 |
|---|---------|
| В | 7.0±0.3 |
| C | 5.0±0.3 |
| D | 2.4Ref. |
| Е | 7.5Ref. |
| F | 3.0Ref. |
| G | 2.4Ref. |

2、产品品名构成 Product Spec. Model

SCD 7850 D Y F 681 K T 00 a b c d e f g h i

- a: 系列名称Series name
- b: 产品尺寸Product dimensions (AxBxC)
- C: 绕组(D:单线Single Line、C: 双线Double Line)
- d: 密封方式Sealing way (L: 冷封Cold seal Y: 热封Heat seal)
- e: 印字方向 Lettering direction ▶
- f: 电感值Inductance Value

(1R0:1.0uH; 100: 10uH; 101:100uH)

- g: 电感公差Inductance Tolerance (K:10%; M:20%; N:30%)
- h: 包装Package(T:磁带/卷轴Tape/Reel、B: 散装Bulk)
- i: 编号Numbering (标准standard)

3、结构Structure




4、材料清单MATERIAL LIST

| NO. | PARTS | MATERIAL SPECIFICATIONS | UL FILE NO. | TEMP. CLASS |
|-----|--------|--|----------------|----------------|
| 1 | CORE | JN4H DR 7.8*5.0(SH) B=3.0 F=2.6 OR EQUIVALENT | NA | NA |
| 2 | WIRE | G1 P180 OR EQUIVALENT | E258243 | 180℃ |
| 3 | SOLDER | Sn99.3-Cu0.7 OR EQUIVALENT | NA | NA |

^{*}NA:NOT APPLICABLE.

Lettering direction



| 文件编号 File Number | SRI | D-WI-15371 | | 本号 Number | A | 页码 page | 2/8 |
|---------------------|------|----------------------|-------------------------------|------------------------|------------------|------------------|---------------|
| 5、电性能参数 | 效表 E | lectrical Char | acteristics Lis | st | | | |
| 规格型号 Part NO. | | 电感量 Tolerance(uH) | 测试频率 Test Freq. (kHz/v) | 直流电阻 DCR (Ω)Max. | 饱和电流 Isat (A) | 线径WIRE (φ/mm) | 圈数TS (Ref) |
| SCD.7850.DYF681 | KT00 | 680 | 100 / 0.25 | 2.47 | 0.27 | 0.15 | 134.5 |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

Isat 电流:指使电感量比初始值下降10%Max(The rated DC current is that which cause at 10%Max inductance reduction from the initial value)。

[※]公差Tolerance: N:±30%、M:±20%、K:±10%.


[※]工作温度Operating temperature rang: -40 $^{\circ}$ to +105 $^{\circ}$ (Including Self-heating)

[※]储存温度Storage termperature rang: -40 ℃ to +125℃

| 文件编号 | SRD-WI-15371 | 版本号 | A | 页码 | 3/8 |
|-------------|--------------|----------------|-----|------|------|
| File Number | SIB ((1100)) | Version Number | 7 1 | page | 2, 3 |


6、产品包装 Packaging

1) 载带包装示意图 Tape packing diagram




| ITEM | W | A0 | В0 | K0 | P | Е | F | D0 | Р0 | P2 | Т |
|------|-------|------|------|------|-------|------|------|------|------|------|-------|
| DIM | 16.00 | 8.20 | 7.50 | 5.40 | 12.00 | 7.50 | 1.75 | 1.50 | 4.00 | 2.00 | 0.40 |
| TOLE | ±0.3 | ±0.1 | ±0.1 | ±0.1 | ±0.1 | ±0.1 | ±0.1 | +0.1 | ±0.1 | ±0.1 | ±0.05 |

2)卷盘包装示意图 Tape packing diagram



| Α | 330±0.5 |
|---|----------|
| В | 100±0.5 |
| С | 13.5±0.5 |
| W | 16.5±0.5 |

3) 卷盘包装示意图 Tape packing diagram




| 文件编号 | SRD-WI-15371 | 版本号 | A | 页码 | 4/8 |
|-------------|------------------|----------------|----|------|-----|
| File Number | S165 ((1 100 / 1 | Version Number | 1. | nage | |


4)剥离强度要求Peeling required

①F 力大小: 20~100g;

②面带剥离角度: 165°~180°。




5) 包装数量 Packing quantity



| 项目 (Project) | 数量(PCS) | 尺寸规格(Size:mm) |
|-------------------|---------|-------------------|
| 盘(Reel) | 1000 | 13" |
| 内盒 (Inner box) | 3000 | 340mm*340mm*65mm |
| 外箱 (Out box) | 9000 | 360mm*360mm*235mm |

| 文件编号 File Numbe | SRD-WI-1 | 5371 | 版本号 Version Number | A | 页码 page | 5/8 | | | |
|--------------------|-----------------|-----------|--|----------------------|----------------|-----|--|--|--|
| 7. RELIABIL | ITY TEST METHOD |) | | | | | | | |
| MECHANIC | | | | | | | | | |
| TESTITEM | SPECIFICATION | | | TEST DETAILS | | | | | |
| Substrate bend | dir △ L/Lo≦±5% | The sam | ple shall be soldered | onto the printed o | circuit board | | | | |
| | | in figure | 1 and a load applied | unitil the figure in | the arrow | | | | |
| | There shall be | direction | direction is made approximately 3mm.(keep time 30 seconds) | | | | | | |
| | no mechanical | PCB din | nension shall the page | e 7/9 | | | | | |
| | damage or elec- | | F(P | ressurization) | | | | | |
| | trical damege. | | | П | | | | | |
| | | | <u> </u> | | | | | | |
| | | | R5 45±2 45±2 | | | | | | |
| | | | | | 10/20 | | | | |
| | | | PRESSURE F | ROD | | | | | |
| | | | figure-1 | | R340 | | | | |
| Vibration | | The sam | nple shall be soldered | onto the printed o | circuit board | | | | |
| | | and whe | en a vibration having a | n amplitude of 1.5 | 52mm | | | | |
| | There shall be | and a fr | equency of from 10 to | 55Hz/1 minute re | epeated should | | | | |
| | no mechanical | be appli | ied to the 3 directions | (X,Y,Z) for 2 hour | rs each. | | | | |
| | damage. | (A total | of 6 hours) | | | | | | |
| Solderability | New solder | Flux (ros | sin, isopropyl alcohol{ | JIS-K-1522}) shall | be coated | | | | |
| | More than 90% | over the | whole of the sample I | pefore hard, the sa | ample shall | | | | |
| | | then be | preheated for about 2 | minutes in a tem | perature of | | | | |
| | | 130~15 | $50^\circ\!\!\!\subset$ and after it has b | een immersed to | a depth 0.5mm | | | | |
| | | below fo | r 3±0.2 seconds fully | in molten solder N | /1705 with | | | | |
| | | a tempe | rature of 245±2°€. | | | | | | |
| | | More tha | an 90% of the electroo | de sections shall | be couered | | | | |
| | | with new | v solder smoothly whe | en the sample is t | aken out of | | | | |
| | | the sold | er bath. | | | | | | |

| 文件编号 | SRD-WI-15371 | 版本号 | A | 页码 | 6/8 |
|-------------|--------------|----------------|---|------|-----|
| File Number | | Version Number | | page | 0,0 |



ELECTRICAL

| TEST ITEM | SPECIFICATION | TEST DETAILS |
|------------------------------------|---|---|
| Insulation resistance | There shall be no other damage or problems. | DC 100V voltage shall be applied across this sample of top surface and the terminal. The insulation resistance shall be more than 1 × 10 8 Ω . |
| Dielectric withstand voltage | There shall be no other damage or problems. | AC 100V voltage shall be applied for 1 minute acrosset the top surface and the terminal of this sample |
| Temperature characteristics | △L/L20°C ≦±10% 0~2000 ppm/°C | The test shall be performed after the sample has stabilized in an ambient temperature of - 40 to + 105° C, and the value calculated based on the value applicable in a normal temperature and narmal humidity shall be \triangle L/L 20° C \le ± 10%. |

| 文件编号 File Number SRD-WI-15 | | 15371 | Ver | 版本号 rsion Number | A | 页码 page | 7/8 | | |
|-------------------------------|------------------------|---|--|-----------------------|--------------------|--------------|-----|--|--|
| ENVIROME | NT CHARAC | TERIST | ICS | | | | | | |
| TEST ITEM | | | | SPECIFIC | CATION | | | | |
| High temperature | △L/Lo≦±5% | The sample shall be left for 500hours in an atmospere with | | | | | | | |
| storage | | a temper | a temperature of 105±2℃ and a normal humidity. | | | | | | |
| | There shall be | Upon completion of the measurement shall be made after the | | | | | | | |
| | no mechanical | sample h | sample has been left in a normal temperature and normal | | | | | | |
| | damage. | humidity | humidity for 1 hour. | | | | | | |
| Low temperature | △L/Lo≦±5% | The sample shall be left for 500 hours in an atmosphere with | | | | | | | |
| storage | | a temper | a temperature of -40±3℃. | | | | | | |
| | There shall be | Upon completion of the test, the measurement shall be made | | | | | | | |
| | no mechanical | after the | after the sample has been left in a normal temperature and | | | | | | |
| | damage. | normal h | normal humidity for 1 hour. | | | | | | |
| Change of | △L/Lo≦±5% | The sam | The sample shall be subject to 5 continuos cycles, such as shown | | | | | | |
| temperature | | in the table 2 below and then it shall be subjected to standard | | | | | | | |
| | There shall be | stmospheric conditions for 1 hour, after which measurement | | | | | | | |
| | no other dama- | shall be | made. | | | | | | |
| | ge of problems | | | | | | | | |
| | | | | | table 2 | | | | |
| | | | | Temperature | | Duration | | | |
| | | | 1 | − 40±3°C | | 10 min. | | | |
| | | | | (Themostat No | . 1) | | | | |
| | | | 2 | Standard | | sec. or less | | | |
| | | | | atmospheric | | No.1→No.2 | | | |
| | | | 3 | 105±2℃ | | 30 min. | | | |
| | | | | (Themostat No | 0.2) | | | | |
| | | | 4 | Standard | | sec. or less | | | |
| | | | | atmospheric | | No.2→No.1 | | | |
| | | | | | | | | | |
| Moisuture storage | △L/Lo≦±5% | The sam | ple sh | all be left for 500 l | hours in a tempe | rature of | | | |
| | | 40±2°C a | and a h | numidity(RH) of 90 | 0∼95%. | | | | |
| | There shall be | Upon cor | mpletio | on of the test, the | measurement sl | nall be made | | | |
| | no mechanical | after the sample has been left in a normal temperature and | | | | | | | |
| | damage. | normal humidity more than 1 hour. | | | | | | | |
| Test conditions : | 1 | <u> </u> | | | | | | | |
| _ | | | | | | | | | |
| Th | e sample shall be refl | ow soldered | onto th | ne printed circuit b | poard in every tes | t. | | | |

| 文件编号 | SRD-WI-15371 | 版本号 | A | 页码 | 8/8 |
|-------------|--------------|----------------|---|------|-----|
| File Number | | Version Number | | page | |

8、注意事项 Note

①本承认书保证我司产品作为一个单体时的质量情况。当我司产品被安装到贵司产品上时,请保证 贵司的产品已根据贵司的规范进行了有效评估和确认。

This product specification guarantees the quality of our product as a single unit. Please make sure that your product is evaluated and confirmed against your specifications when our product is mounted to your product.

②如果贵司对我司产品的使用已超过了本承认书所界定的产品功能,那么对于由此引发的失效, 我司将不予保证。

We cannot warrant against failure caused by any use of our product that deviates from the intended use as described in this product specification.

- ③为了保持终端电极的焊接性,并使包装材料保持良好状态,必须控制储存区的温度和湿度。
 To maintain the solderabilty of terminal electrodes and to keep the packing material in good condition, temperature and humidity in the storage area should be controlled.
 - ※建议的条件: -10~+40℃, 30~70%RH。

Recommended conditions: $-10 \sim +40 \,^{\circ}\text{C}$, $30 \sim 70 \,^{\circ}\text{RH}$.

※储存超过六个月的,应在实际使用前进行焊接检验。
In case of storage over 6 months, soldrability shall be checked before actual usage.

※即使在理想的储存条件下,产品的可焊性也随着时间的推移而降低。因此,产品应从交货时算起, 建议8个月之内使用完。

Even under ideal storage conditions, the weldability of the product decreases over time. therefore, the product should be From the time of delivery, it is recommended that it be used within 8 months.

④本承认书在客户收到30天之内,必须签章返回,逾期视为默认。

The Specification Approval should be sent back to the supplier with customer's chop on it within 30 days after receiving it, or we will take it as approved by customer's automatically.

⑤如有特殊规格要求,请事前联络我司技术部人员。

In case of special specifications please contact our technical department prior staff.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Fixed Inductors category:

Click to view products by SOREDE manufacturer:

Other Similar products are found below:

CR32NP-100KC CR54NP-470LC 70F224AI MGDQ4-00004-P MHQ1005P10NJ MHQ1005P1N0S MHQ1005P2N4S MHQ1005P3N6S MHQ1005P5N1S MHQ1005P8N2J PE-53601NL PE-53602NL PG0936.113NLT 9220-20 9310-16 PM06-2N7 PM06-39NJ A01TK 1206CS-471XJ HC2-R47-R HC8-1R2-R HCF1305-3R3-R 1206CS-151XG RCH664NP-140L RCH664NP-4R7M RCP1317NP-391L RCR110DNP-331L DH2280-4R7M DS1608C-106 B10TJ B82498B3101J000 ELJ-RE27NJF2 1812CS-153XJ 1812CS-183XJ 1812CS-223XJ 1812LS-104XJ 1812LS-105XJ 1812LS-124XJ 1812LS-154XJ 1812LS-223XJ 1812LS-224XJ 1812LS-563XJ 1812LS-683XJ 1812LS-824XJ NIN-FB101JTR110F NIN-FB471JTR62F NIN-FC1R5JTR220F NIN-HCR15JTRF NIN-HCR33JTRF NIN-HDR22JTRF