# SPECIFICATIONS

Customer	
Product Name	Wire Wound SMD Power Inductor
Sunlord Part Number	SWPA4030S221MT
Customer Part Number	

[⊠New Released, ☐Revised]
[This SPEC is total 12 pages.]
[ROHS Compliant Parts]

SPEC No.: SWPA1002220019

Approved By	Checked By	Issued By
	居鬥	走 美主

# Shenzhen Sunlord Electronics Co., Ltd.

Address: Sunlord Industrial Park, Dafuyuan Industrial Zone, Baoan, Shenzhen, China

Tel: 0086-755-29832333

Fax: 0086-755-82269029

E-Mail: sunlord@sunlordinc.com

Qualification Status: Full Restricted Rejected						
Approved By	Verified By	Re-checked By	Checked By			
omments:						

# 【Version change history】

Rev.	Effective Date	Changed Contents	Change Reasons	Approved By
01	Jun.09,2022	New released	/	Qintian Hou

#### Caution

All products listed in this specification are developed, designed and intended for use in general electronics equipment. The products are not designed or warranted to meet the requirements of the applications listed below, whose performance and/or quality require especially high reliability, or whose failure, malfunction or trouble might directly cause damage to society, person, or property. Please understand that we are not responsible for any damage or liability caused by use of the products in any of the applications below. Please contact us for more details if you intend to use our products in the following applications.

- 1. Aircraft equipment
- 2. Aerospace equipment
- 3. Undersea equipment
- 4. nuclear control equipment
- 5. military equipment
- 6. Power plant equipment
- 7. Medical equipment
- 8. Transportation equipment (automobiles, trains, ships, etc.)
- 9. Traffic signal equipment
- 10. Disaster prevention / crime prevention equipment
- 11. Data-processing equipment
- 12. Applications of similar complexity or with reliability requirements comparable to the applications listed in the above

# 1 Scope

This specification applies to the SWPA4030S221MT of wire wound SMD power inductor.

# 2 Product Description and Identification (Part Number)

1) Description:

SWPA4030S221MT of Wire wound SMD power inductor.

2) Product Identification (Part Number)

<u>SWPA</u>	<u>4030</u>	<u>s</u>	<u>221</u>	<u>M</u>	<u>T</u>
1	2	3	4	(5)	6

1	Туре
SWPA	Wire wound SMD power
SWFA	inductor

③ Feature type			
S	Standard Type		

⑤ Inductance Tolerance			
	М		±20%

⑥ Packing				
Т	Tape Carrier Package			

2	2 External Dimensions(LxWxH) [mm]				
	4030	4.0X4.0X 3.0			

4	Nominal	Inductance			
Example		Example			
221		220uH			

# 3. Shape and Dimensions

Dimensions and recommended PCB pattern for reflow soldering, please see Fig.3-1, Fig. 3-2 and Table 3-1.




Fig.3-1

Series	А	В	С	D	Е	F	а	b	С
SWPA4030S	4.0±0.2	4.0±0.2	3.0Max.	3.3±0.2	0.95±0.2	2.1±0.2	1.9Тур.	1.1Typ.	3.7Тур.

Fig.3-2

 $\Delta f : Clearance \ between \ terminal \ and \ the \ surface \ of \ plate \ must \ be \ 0.1mm \ max \ when \ coil \ is \ placed \ on \ a \ flat \ plate.$ 

# 4. Electrical Characteristics

Please refer to Item 6.

- 1) Operating and storage temperature range (individual chip without packing): -40°C ~ +125°C (Including Self-heating)

# 5. Test and Measurement Procedures

# **5.1 Test Conditions**

5.1.1 Unless otherwise specified, the standard atmospheric conditions for measurement/test as:

- a. Ambient Temperature: 20±15°C
  b. Relative Humidity: 65±20%
  c. Air Pressure: 86kPa to 106kPa
- 5.1.2 If any doubt on the results, measurements/tests should be made within the following limits:
  - a. Ambient Temperature: 20±2°C
    b. Relative Humidity: 65±5%
    c. Air Pressure: 86kPa to 106kPa

#### 5.2 Visual Examination

Inspection Equipment: Visual.

#### 5.3 Electrical Test

- 5.3.1 Inductance (L)
  - a. Refer to Item 6.Test equipment: WK3260B LCR meter or equivalent.
  - b. Test Frequency and Voltage: refers to Item 6.
- 5.3.2 Direct Current Resistance (DCR)
  - a. Refer to Item 6.
  - b. Test equipment: HIOKI 3540 or equivalent.
- 5.3.3 Saturation Current (Isat)
  - a. Refer to Item 6.
  - b. Test equipment: WK3260B LCR meter or equivalent.
- 5.3.4 Temperature rise current (Irms)
  - Refer to Item 6.
  - b. Test equipment (see Fig. 5.3.4-1, Fig. 5.3.4-2): Electric Power, Electric current meter, Thermometer.
  - c. Measurement method
    - 1. Set test current to be 0 mA.
    - 2. Measure initial temperature of choke surface.
    - 3. Gradually increase current and measure choke temperature for corresponding current.
    - 4. Definition of Temperature rise current: DC current that causes the temperature rise (Δ T) from ambient temperature




Fig. 5.3.4-1




Fig. 5.3.42

- 5.3.5 Self-resonant frequency(SRF)
  - a. Refer to Item 6.
  - b.Test equipment: Agilent E4991A+16197or equivalent

#### 6. Electrical Characteristics


Customer P/N	Part Number	Inductance	Min. Self-resonant	DC Resistance		Saturation Current		Heat Rating Current		
		0.1MHz/1V	frequency	Max.	Тур.	Max.	Тур.	Max.	Тур.	Marking
	Units	μH	MHz	Ω	Ω	Α	Α	Α	Α	
	Symbol	L	SRF	DO	CR	Is	at	Irr	ns	-
	SWPA4030S221MT	220±20%	4.2	3.250	2.500	0.40	0.50	0.35	0.40	221


Note: \*\*1 : Rated current: Isat (max.) or Irms (max.), whichever is smaller;

- \*2: Saturation Current: Max. Value, DC current at which the inductance drops less than 30% from its value without current;
  - Typ. Value, DC current at which the inductance drops 30% from its value without current;
- $\frak{3}$ : Irms: DC current that causes the temperature rise ( $\Delta T$ ) from 20°C ambient.
- For Max. Value,  $\Delta T < 40^{\circ}C$ ; for Typ. Value,  $\Delta T$  is approximate  $40^{\circ}C$ .

The part temperature (ambient + temp. rise) should not exceed 125 °C under worst case operating conditions. Circuit design, component placement, PCB trace size and thickness, airflow and other cooling provisions all affect the part temperature. Part temperature should be verified in the end application.


Typical Electrical Characteristics:





# 7. Structure

The structure of SWPA4030S product, please refer to Fig.7-1 and Table 7-1.



# [Table 7-1]

No.	Components	Material
① Ferrite Core		Ni-Zn Ferrite
2	Wire	Polyurethane system enameled copper wire
3	Magnetic Glue	Epoxy resin and magnetic powder
4	Electrodes	Sn Alloy

# 8. Product Marking

Please refer to Fig. 8-1.

The content of marking please refers to Item 6.



# 9. Reliability Test

Items	Requirements	Test Methods and Remarks
9.1 Terminal Strength	No removal or split of the termination or other defects shall occur.  Y direct  X direct  Fig.9.1-1  No visible mechanical damage.	<ol> <li>Solder the inductor to the testing jig (glass epoxy board shown in Fig.9.1-1) using eutectic solder. Then apply a force in the direction of the arrow.</li> <li>10N force.</li> <li>Keep time: 5s</li> </ol> Solder the chip to the test jig (glass epoxy board) using
Resistance to Flexure	R230 10 fluxure 2mm	eutectic solder. Then apply a force in the direction shown as Fig.9.2-1.  ② Flexure: 2mm  ③ Pressurizing Speed: 0.5mm/sec  ④ Keep time: 30±1s  ⑤ Test board size: 100X40X1.0  ⑥ Land dimension: Please see Fig.3-1
9.3 Vibration	No visible mechanical damage.     Inductance change: Within ±10%	<ol> <li>Solder the chip to the testing jig (glass epoxy board shown as the following figure) using eutectic solder.</li> <li>The chip shall be subjected to a simple harmonic motion having total amplitude of 1.5mm, the frequency being varied uniformly between the approximate limits of 10 and 55 Hz.</li> <li>The frequency range from 10 to 55 Hz and return to 10 Hz shall be traversed in approximately 1 minute. This motion shall be applied for a period of 2 hours in each 3 mutually perpendicular directions (total of 6 hours).</li> </ol>
9.4 Temperature coefficient	Inductance change: Within ±20%	<ul> <li>① Temperature: -40℃~+125℃</li> <li>② With a reference value of +20℃, change rate shall be calculated</li> </ul>
9.5 Solder ability	90% or more of electrode area shall be coated by new solder.	The test samples shall be dipped in flux, and then immersed in molten solder.      Solder temperature: 245±5℃     Duration: 5±1 sec.      Solder: Sn/3.0Ag/0.5Cu     Flux: 25% resin and 75% ethanol in weight     Immersion depth: all sides of mounting terminal shall be immersed
9.6 Resistance to Soldering Heat	No visible mechanical damage.     Inductance change: Within ±10%	Re-flowing Profile: Please refer to Fig. 9.6-1.  Test board thickness: 1.0mm  Test board material: glass epoxy resin  The chip shall be stabilized at normal condition for 1~2 hours before measuring  Peak.260.°Cmax


9.7	No visible mechanical damage.	① Temperature and time: -40±3℃ for 30±3 min→125℃
Thermal Shock	② Inductance change: Within ±10%	for 30±3min, please refer to Fig. 9.7-1.
		② Transforming interval: Max. 20 sec
	$125^{\circ}$ C 30 min. 30 min.	③ Tested cycle: 100 cycles
	Ambient	4 The chip shall be stabilized at normal condition for
	Temperature 30 min. 20sec. (max.)	1~2 hours before measuring
	Fig.9.7-1	
9.8	No visible mechanical damage	① Temperature: -40±3°C
Resistance to Low	② Inductance change: Within ±10%	② Duration: 1000 <sup>±24</sup> hours
Temperature		③ The chip shall be stabilized at normal condition for
		1~2 hours before measuring
9.9	No mechanical damage.	① Temperature: 125±2°C
Resistance to High	② Inductance change: Within ±10%	② Duration: 1000 <sup>±24</sup> hours
Temperature		The chip shall be stabilized at normal condition for
		1~2 hours before measuring.
9.10	① No mechanical damage.	① Temperature: 60±2°C
Damp Heat	② Inductance change: Within ±10%	② Humidity: 90% to 95%RH
		③ Duration: 1000 <sup>±24</sup> hours
		The chip shall be stabilized at normal condition for
		1~2 hours before measuring
9.11	No mechanical damage.	① Temperature: 60±2°C
Loading Under	② Inductance change: Within ±10%	② Humidity: 90% to 95% RH
Damp Heat		③ Applied current: Rated current
		4 Duration:1000 <sup>±24</sup> hours
		⑤ The chip shall be stabilized at normal condition for
		1~2 hours before measuring
9.12	No mechanical damage.	① Temperature: 85±2°C
Loading at High	② Inductance change: Within ±10%	② Applied current: Rated current
Temperature		③ Duration: 1000 <sup>±24</sup> hours
		The chip shall be stabilized at normal condition for
		1~2 hours before measuring

# 10. Packaging, Storage and Transportation

# 10.1 Tape and Reel Packaging Dimensions


10.1.1 Taping Dimensions (Unit: mm)

Please refer to Fig. 10.1.1 and Table 10.1.1.




[Table 10.1.1]

Series	$A_0$	$B_0$	W	E	F	$P_0$	P <sub>1</sub>	$P_2$	D <sub>0</sub>	Т	K <sub>0</sub>
SWPA4030S	4.3±0.1	4.3±0.1	12.0±0.3	1.75±0.1	5.5±0.1	4.0±0.1	8.0±0.1	2.0±0.1	1.5+0.1/-0.0	0.4±0.03	3.2±0.1



# 10.1.3 Reel Dimensions (Unit: mm)

Please refer to Fig. 10.1.3.



# 10.1.4 Top tape strength

Peel-off strength: 10~100gf.

Peel-off angle: 165°~180°, refers to Fig.10.1.4.

Peel-off speed: 300mm/min.

10.1.5 The number of components

A tape & reel package contains 2000 inductors.

10.1.6 The allowable number of empty chip cavities

165°~180° Flg.10.1.3-1 Top cover tape

Fig. 10.1.4

Fig.10.2.3-1

Maximum two (2) chip cavities missing product may exist in a reel but they may not be consecutive two cavities.

# 10.2 Packing Documents and Marking

# 10.2.1 Packing Documents

Packing documents include the following:

- Packaging list 1)
- 2) Certificate of compliance (COC)

#### 10.2.2 Packing QTY.


- Inner Box: 1 reel in each box. 1)
- 2) Outer Box:2 or 4 inner boxes in each outer case.
- 3) 2 or 4 reels in each outer case.

# 10.2.3 Marking

1)Marking label information on reels includes (see Fig.10.2.3-1, Fig.10.2.3-2A/2B):

Fig.10.2.3-2A: Shipping labels

- a). P/O No.
- b). Customer Part No.
- Sunlord Part No. c).
- Quantity.. d).
- e). Lot No.
- Date code



- Inspection stamp g).
- h). MFG address as 'Made In China'.

Fig.10.2.3-2B: Production labels

- a). P/O No.
- b). Quantity...
- Lot No. c).
- d). Inspe No
- Inspection stamp e).
- f). MFG address as 'Made In China'.
- sequence number g).




Fig.10.2.3-2A




Fig.10.2.3-2B

1)Marking label information on inner box

- Inner box please refers to Fig.10.2.3-3 and Table 10.2.3-1
- Marking Label on inner box N/A

2)Marking on outer case (see Fig.10.2.3-4~6):


Out case size pleases reefers to Table 10.2.3-2.

- Manufacturer: Sunlord ID:
  - "Shenzhen Sunlord Electronics Co., Ltd."
- Packing label include the following: b).
  - Customer
  - ii) Manufacturer
  - iii) Date code
  - iv) C/No.

Example; "1/10" means that this case is the 1st one

Of total 10 cases

- P/O No. V)
- Customer Part No. vi)
- vii) Sunlord Part No.
- viii) Quantity.
- ix) Inspection Stamp.



Packaging type	A(mm)	B(mm)	C(mm)
Inner box	[Tabje <sub>0</sub> 10.2.3	<b>3</b> -1] 30	340

[Table 10.2.3-2]

Packaging type	L(mm)	W(mm)	H(mm)
Type1	380	380	250
Type2	380	380	190




Fig. 10.2.3-4




Fig.10.2.3-5




Fig.10.2.3-6

11. Visual inspection standard of product

File No:		Applied to	REV:01		
Effectiv	e date:	<b>Аррие</b> й (с	o Wire Wound SMD Power Inductor Series	REV.01	
No.	Defect Item	Graphic	Graphic Rejection identification		
1	Core defect		The defect length/width (I or w) more than L/6 or W/6, NG.	AQL=0.65	
2	Core crack		Visual cracks, NG.	AQL=0.65	
3	Starvation	W S	<ol> <li>Resin starved length, <i>I</i>, more than L/2, NG.</li> <li>IF <i>W</i>&gt;2mm, resin starved width, <i>w</i>, more than W/2, NG.</li> <li>IF <i>W</i>≤2mm, resin starved width, <i>w</i>, don't control.</li> </ol>	AQL=0.65	
4	Excessive glue		The length, width or height of product beyond specified value, NG.	AQL=0.65	
5	Cold solder		Cold solders I more than 1mm, NG.	AQL=0.65	
6	Solder icicle	Δf	<ol> <li>The height <i>H</i> of product beyond specified value, NG;</li> <li>The clearance Δf beyond specified value listed in Item 5, NG;</li> </ol>	AQL=0.65	
7	Electrode uneven	Δf	The clearance <b>Δf</b> beyond specified value listed in <b>Item 5</b> , NG;	AQL=0.65	

#### 12. **Recommended Soldering Technologies**

#### 12.1Re-flowing Profile:

△ Preheat condition: 150 ~200°C/60~120sec.


 $\triangle$ Allowed time above 217°C: 60~90sec.


Δ Max temp: 260°C

Max time at max temp: 5sec.  $\wedge$ Δ Solder paste: Sn/3.0Ag/0.5Cu

Allowed Reflow time: 2x max Please refer to Fig. 12.1-1.

[Note: The reflow profile in the above table is only for qualification and is not meant to specify board assembly profiles. Actual board assembly profiles must be based on the customer's specific board design, solder paste and process, and should not exceed the parameters as the Reflow profile shows.]





△ Iron soldering power: Max. 30W

Pre-heating: 150°C/60sec.

 $\wedge$ Soldering Tip temperature: 350°C Max.

Δ Soldering time: 3sec. Max. Δ Solder paste: Sn/3.0Ag/0.5Cu Max.1 times for iron soldering Please refer to Fig. 12.2-1.

[Note: Take care not to apply the tip of the soldering iron to the terminal electrodes.]




Fig. 12.2-1.

# 13. Precautions

#### 13.1 Surface mounting

- Mounting and soldering condition should be checked beforehand.
- Applicable soldering process to this product is reflow soldering only.
- Recommended conditions for repair by soldering iron:
- Preheat the circuit board with product to repair at 150°C for about 1 minute.

Put soldering iron on the land-pattern.

Soldering iron's temperature: 350°C maximum/Duration: 3 seconds maximum/1 time for each terminal.

The soldering iron should not directly touch the inductor.

Product once removes from the circuit board may not be used again.

#### 13.2 Handing

- Keep the products away from all magnets and magnetic objects.
- Be careful not to subject the products to excessive mechanical shocks.
- Please avoid applying impact to the products after mounted on pc board.
- Avoid ultrasonic cleaning.

# 13.3 Storage

- To maintain the solderability of terminal electrodes and to keep the packing material in good condition, temperature and humidity in the storage area should be controlled.
- Recommended conditions: -10°C~40°C, 70%RH (Max.)
- Even under ideal storage conditions, solderability of products electrodes may decrease as time passes. For this reason, product should be used with one year from the time of delivery.
- In case of storage over 6 months, solderability shall be checked before actual usage.

#### 13.4 Regarding Regulations

- Any Class- I or Class-II ozone-depleting substance (ODS) listed in the Clean Air Act in US for regulation is not included in the products or applied to the products at any stage of whose manufacturing processes.
- Certain brominated flame retardants (PBBs,PBDEs) are not used at all.
- The products of this specification are not subject to the Export Trade Control Order in China or the Export Administration Regulations in US.

# 13.5 Guarantee

- The guaranteed operating conditions of the products are in accordance with the conditions specified in this specification.
- Please note that Sunlord takes no responsibility for any failure and/or abnormality which is caused by use under other than the aforesaid operating conditions.

# **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Fixed Inductors category:

Click to view products by Sunlord manufacturer:

Other Similar products are found below:

CR32NP-151KC CR32NP-180KC CR32NP-181KC CR32NP-1R5MC CR32NP-390KC CR32NP-3R9MC CR32NP-680KC CR32NP820KC CR32NP-8R2MC CR43NP-390KC CR43NP-560KC CR43NP-680KC CR54NP-181KC CR54NP-470LC CR54NP-820KC
CR54NP-8R5MC 70F224AI MGDQ4-00004-P MHL1ECTTP18NJ MHQ1005P10NJ MHQ1005P1N0S MHQ1005P2N4S MHQ1005P3N6S
MHQ1005P5N1S MHQ1005P8N2J PE-51506NL PE-53601NL PE-53602NL PE-53630NL PE-53824SNLT PE-92100NL PG0434.801NLT
PG0936.113NLT 9220-20 9310-16 PM06-2N7 PM06-39NJ A01TK 1206CS-471XJ HC2LP-R47-R HC2-R47-R HC3-2R2-R HCF13053R3-R 1206CS-151XG RCH664NP-140L RCH664NP-4R7M RCH8011NP-221L RCP1317NP-332L RCP1317NP-391L RCR1010NP-470M