Wire Wound Type Common Mode Filter

WCM4532F2SF-142T20-HI


1. Features


- High common mode impedance at high frequency cause excellent noise suppression performance.
- 2. WCM4532F2SF series realizes small size and low profile. 4.5x3.2x2.8 mm.
- 3. 100% Lead(Pb) & Halogen-Free and RoHS compliant.
- 4. Operating temperature-40~+125°C (Including self temperature rise)






2. Dimension





Recommended PC Board Pattern



Series	A(mm)	B(mm)	C(mm)	D1(mm)	D2(mm)	L(mm)	H(mm)	G1(mm)	G2(mm)
4532F2SF	4.5±0.2	3.2±0.2	2.8±0.2	0.90±0.15	1.05±0.15	5.0	3.6	3.0	1.2

Units: mm

3. Part Numbering



A: Series B: Dimension

C: Material Ferrite Core
D: Number of Lines 2=2 lines

E: Type S=Shielded , N=Unshielded


F: Lead free

G: Impedance $142=1400\,\Omega$ H: Packaging T=Taping and Reel I: Rated Current 20=2000mA


J: Control S/N

4. Specification

TAI-TECH Part Number					Rated Current (mA) max.	Rated Volt. (Vdc) max.	Withstand Volt. (Vdc) max.	IR (Ω) min.
WCM4532F2SF-142T20-HI	1000 min.	1400 typ.	100	0.100	2000	50	125	10M




5. Schematic Diagram



6. Materials

No.	Description	Specification
a.	Upper Plate	Ferrite
b.	Core	Ferrite Core
С	Termination	Ag/Ni/Sn
d	Wire	Enameled Copper Wire



7. Reliability and Test Condition

Item	Performance	Test Condition
Operating temperature	-40~+125℃(Including self - temperature rise)	
Storage temperature and	-40~+125°C (on board)	
Humidity range		
Electrical Performance Tes	st	
Z(common mode)	Refer to standard electrical characteristics list.	Agilent-4291A+ Agilent -16197A
DCR	relet to standard electrical characteristics list.	Agilent-4338B
I.R.		Agilent4339
Temperature Rise Test	Rated Current , ∆T :40°C typ.	1.Applied the allowed DC current. 2.Temperature measured by digital surface thermometer
Reliability Test		
Life Test		Preconditioning: Run through IR reflow for 2 times.(IPC/JEDECJ-STD-020DClassification Reflow Profiles) Temperature: 125±2°C (Inductor) Applied current: rated current Duration: 1000±12hrs Measured at room temperature after placing for 24±2 hrs.
Low Temperature Unload Life Test		Preconditioning:Run through IR reflow for 2 times.(IPC/JEDEC J-STD-020DClassification Reflow Profiles Temperature:-40±2°C Time: 500±8hr. Recovery: 4 to 24hrs of recovery under the standard condition after the removal from test chamber.
Load Humidity		Preconditioning: Run through IR reflow for 2 times. (IPC/JEDECJ-STD-020DClassification Reflow Profiles) Humidity: 85±2% R.H, Temperature: 85°C±2°C Duration: 1000hrs Min. with 100% rated current Measured at room temperature after placing for 24±2 hrs.
Moisture Resistance	Appearance: No damage. Impedance: within±15% of initial value Inductance: within±10% of initial value Q: Shall not exceed the specification value. RDC: within ±15% of initial value and shall not exceed the specification value	Preconditioning: Run through IR reflow for 2 times.(IPC/JEDECJ-STD-020DClassification Reflow Profiles) 1. Baked at50℃ for 25hrs, measured at room temperature after placing for 4 hrs. 2. Raise temperature to 65±2℃ 90-100%RH in 2.5hrs, and keep 3 hours, cool down to 25℃ in 2.5hrs. 3. Raise temperature to 65±2℃ 90-100%RH in 2.5hrs, and keep 3 hours, cool down to 25℃ in 2.5hrs,keep at 25℃ for 2 hrs then keep at -10℃ for 3 hrs 4. Keep at 25℃ 80-100%RH for 15min and vibrate at the frequency of 10 to 55 Hz to 10 Hz, measure at room temperature after placing for 1~2 hrs.
Thermal shock		Preconditioning: Run through IR reflow for 2 times. (IPC/JEDECJ-STD-020DClassification Reflow Profiles) Condition for 1 cycle Step1: -40±2℃ 30±5min Step2: 25±2℃ ≤0.5min Step3: 125±2℃ 30±5min Number of cycles: 500 Measured at room fempraturc after placing for 24±2 hrs. Preconditioning: Run through IR reflow for 2
Vibration		times.(IPC/JEDECJ-STD-020DClassification Reflow Profiles) Oscillation Frequency: 10~2K~10Hz for 20 minutes Equipment: Vibration checker Total Amplitude:1.52mm±10% Testing Time: 12 hours(20 minutes, 12 cycles each of 3 orientations)

Item	Performance			Te	st Cor	ndition		
Bending	Appearance: No damage. Impedance: within±15% of initial value	Shall be mounted on a FR4 substrate of the following dimensions: >=0805 inch(2012mm):40x100x1.2mm <0805 inch(2012mm):40x100x0.8mm Bending depth: >=0805 inch(2012mm):1.2mm <0805 inch(2012mm):0.8mm duration of 10 sec.						m
Shock	Inductance: within±10% of initial value Q: Shall not exceed the specification value. RDC: within ±15% of initial value and shall not exceed the specification value	Туре	Peak value (g's)	Nor duratio (m	on (D) is)	Wave form	Velocity change (Vi)ft/sec	
		SMD	50 50	1		Half-sine Half-sine	11.3	
Solder ability	More than 95% of the terminal electrode should be covered with solder。	Preheat: 150°C,60sec.。 Solder: Sn96.5% Ag3% Cu0.5% Temperature: 245±5°C ∘ Flux for lead free: Rosin. 9.5% ∘ Dip time: 4±1sec ∘ Depth: completely cover the termination						
Resistance to Soldering Heat		Tempera	ature(°C) 0 ±5 r temp)		Tem ramp/ and em	nation aperature immersion nersion rate //s ±6 mm/s	Number of heat cycles	
Terminal Strength	Appearance: No damage. Impedance: within±15% of initial value Inductance: within±10% of initial value Q: Shall not exceed the specification value. RDC: within ±15% of initial value and shall not exceed the specification value	Preconditioning: Run through IR reflow for 2 times.(IPC/JEDEC J-STD-020DClassification Reflow Profiles With the component mounted on a PCB with the device to be tested, apply a force(>0805.14b, <=0805:0.5kg)to the side of a device being tested. This force shall be applied for 60 +1 seconds. Also the force shall be applied gradually as not to apply a shock to the component being tested.					to be de of a conds.	
Calcingti		DUT wide thick						

8. Soldering and Mounting

8-1. Soldering

Mildly activated rosin fluxes are preferred. TAI-TECH terminations are suitable for all wave and re-flow soldering systems. If hand soldering cannot be avoided, the preferred technique is the utilization of hot air soldering tools.


8-1.1 Solder re-flow:

Recommended temperature profiles for re-flow soldering in Figure 1.

8-1.2 Soldering Iron(Figure 2):


Products attachment with a soldering iron is discouraged due to the inherent process control limitations. In the event that a soldering iron must be employed the following precautions are recommended.

- Preheat circuit and products to 150°C Never contact the ceramic with the iron tip Use a 20 watt soldering iron with tip diameter of 1.0mm
- 350°C tip temperature (max) 1.0mm tip diameter (max) Limit soldering time to 4~5 sec.



Reflow times: 3 times max.

Fig.1




Iron Soldering times: 1 times max.

Fig.2


9. Packaging Information

9-1. Reel Dimension



Туре	A(mm)	B(mm)	C(mm)	D(mm)	
7"x12mm	13.5±0.5	60±2	13.5±0.5	178±2	

9-2. Tape Dimension / 12mm




Series	P(mm)	Po(mm)	P2(mm)	Bo(mm)	Ao(mm)	Ko(mm)	D(mm)	E(mm)	F(mm)	W(mm)	t(mm)
WCM4532F2S	8.00±0.10	4.00±0.10	2.00±0.05	4.90±0.10	3.60±0.10	3.00±0.10	1.05+0.10/-0.00	1.75±0.10	5.50±0.05	12.00±0.10	0.26±0.05

9-3. Packaging Quantity

Chip size	Chip/Reel	Inner Box	Middle Box	Carton
WCM4532F2S	500	2000	10000	20000

9-4. Tearing Off Force



The force for tearing off cover tape is 15 to 80 grams in the arrow direction under the following conditions.

Room Temp.	Room Humidity	Room atm	Tearing Speed
(℃)	(%)	(hPa)	mm/min
5~35	45~85	860~1060	300

Application Notice

- Storage Conditions(component level)
 - To maintain the solderability of terminal electrodes:
 - 1. TAI-TECH products meet IPC/JEDEC J-STD-020D standard-MSL, level 1.

 - 3. Recommended products should be used within 12 months form the time of delivery.
 - 4. The packaging material should be kept where no chlorine or sulfur exists in the air.
- Transportation
 - 1. Products should be handled with care to avoid damage or contamination from perspiration and skin oils.
 - 2. The use of tweezers or vacuum pick up is strongly recommended for individual components.
 - ${\it 3. } \ {\it Bulk handling should ensure that abrasion and mechanical shock are minimized.}$

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Common Mode Chokes / Filters category:

Click to view products by Tai-Tech manufacturer:

Other Similar products are found below:

PE-64683 RD5122-6-9M6 RD6137-6-7M5 RD8147-16-3M0 ST6118T-R FE3X025-10-7NL RD7147-25-0M7 TCM0806G-350-2P-T TCM0806G-650-2P-T IND-0110 UAL21VR0802000 UALSC023000000 UALSC1020JH000 UALSU10VD20010 UALSU9VD070100 36-00037 UALW21HS072450 UALSU9H0208000 UAL24VK06450CH PLT10HH501100PNB PLT10HH401100PNB PLT10HH1026R0PNB 36-00029-01 PE-67531 TLH10UB 113 0R5 2752045447 7351V CMF16-153131 RD7147-6-6M0 T8116NLT FE2X10-4-2NL 36-00029-07 T8003NLT CTX01-13663 CTX66-19521-R RC212-0.5-10M RC112-0.4-15M RC212-0.6-6M8 RC212-0.4-15M RC112-0.3-30M WTCF2012Z0M751PB PH9408.814NLT PAC6006.364NLT PAC6006.444NLT PAC6006.204NLT PH9407.204NLT PAC6006.264NLT PH9408.105NLT PH9408.494NLT PAC6006.104NLT