

Type 3522 Series

Key Features

3 Watts at 70°C

Small size to power ratio

Supplied on tape

Value marked on resistor


Available via distribution

500 volt maximum overload

250 volt working voltage

Terminal finish matte Sn over Ni

AEC-Q200 Qualified



TE Connectivity is pleased to announce that our 3522 series resistor is now AEC-Q200 qualified. This low cost high power device, suitable for auto placement in volume and for most applications, including high frequency operations, owing to the short lead structure is supplied as standard on 7 inch Reels of 2000 pieces per reel.

Characteristics – Electrical

3W
2.5A
10A
250V
500V
500V
-55°C ~ +155°C
70°C

^{*} Rated continuous working voltage (RCWV) shall be determined from


RCWV = Rated Power x Resistance Value, or Maximum RCWV listed above, whichever is less

**Recommended Circuit Board Design - If this device is anticipated to run at full continuous power then action to improve the cooling should be taken. This can be a metal substrate, copper pad left under the chip, an opening in the PCB or enlarged silver conductor pads each end.




Power derating curve

For resistors operated in ambient temperatures above 70°C, power rating must be derated in accordance with this curve.



Construction and dimensions



L ± 0.10	W ± 0.15	$H \pm 0.10$	ℓ1 ± 0.25	ℓ2 ± 0.20
6.35	3.20	1.10	0.60	1.80

Power rating	Tolerance %	Resistance	Standard series
@70°C		Range	
	Jumper	<50mΩ	
3W	± 1%	1Ω - 10ΜΩ	E96
	± 5%	1Ω - 10ΜΩ	E24



Performance specification

Characteristics	Limits	Test Methods		
G.14.4666.166.65		125½, at35% of operating power,		
	±(1%+0.1Ω)max	1000H(1.5 hours "ON", 0.5 hour		
Operational life	_(=///	"OFF"). (MIL-STD-202)		
	<100mΩ	Apply to rate current for 0Ω		
		Parametrically test per lot and		
	1Ω ≤ R ≤10Ω ≤ ±400PPM/°C	sample size requirements, summary		
Temperature	$10\Omega < R \le 100\Omega \le \pm 200PPM/^{\circ}C$	to show Min, Max, Mean and		
Coefficient of	$100\Omega < R \le 10M\Omega \le$	Standard deviation at room as well as		
Resistance	±100PPM/°C	Min and Max operating		
		temperatures. (User Spec)		
		Electrical test not required. Inspect		
Fortage al Marcal	No Marchaginal Days	device construction, marking and		
External Visual	No Mechanical Damage	workmanship		
		(MIL-STD-883 Method 2009)		
		Verify physical dimensions to the		
Dhysical	Deference 2.0 Dimension	applicable device detail specification		
Physical dimension	Reference 2.0 Dimension standards	Note: User(s) and Suppliers spec.		
difficusion	Standards	Electrical test not required.		
		(JESD22 MH Method JB-100)		
		Note: Add Aqueous wash chemical –		
Resistance to	Marking Hasmanrad	OKEM Clean or equivalent.		
solvent	Marking Unsmeared	Do not use banned solvents.		
		(MIL-STD-202 Method 215)		
Terminal	Not broken	Force of 1.8kg for 60 seconds.		
Strength	Not broken	(JIS-C-6429)		
High		1000hrs. @T=155°C.Unpowered.		
Temperature	±(1%+0.1Ω)max	Measurement at 24±2 hours after		
Exposure		test conclusion.		
(storage)		(MIL-STD-202 Method 108)		
(Storage)	<50mΩ	Apply to rate current for 0Ω		
	Resistance change rate is ±(0.5%+0.1Ω) Max	1000 Cycles (-55°C to +155°C).		
Temperature		Measurement at 24±2 hours after		
cycling		test conclusion		
, , , , , ,		(JESD22 Method JA-104)		
	<50mΩ	Apply to rate current for 0 Ω		
Moisture Resistance	Resistance change rate is $\pm (0.5\% + 0.1\Omega)$ Max.	2FC 25 No. 3 No. 35 No. 25 No. 35 No. 25 No. 35 No. 10 No.		
		T=24 hours /cycle. Unpowered.		
		Measurement at 24±2 hours		
		after test conclusion.		
	zE0m0	(MIL-STD-202 Method 106)		
	<50mΩ	Apply to rate current for 0 Ω		
		10% rated power, 85°C/85% RH,		
	Resistance change rate is	1000H,		
Biased Humidity	± (1%+0.1Ω) Max.	Measurement at 24 hours after test		
		conclusion (MIL-STD-202 Method 103)		
	<100mΩ			
	ZT0011175	Apply to rate current for 0Ω		




Characteristics	Limits	Test Methods		
		Wave Form: Tolerance for half sine		
Mechanical	1/40/ - 0.40\	shock pulse. Peak value is 100g's.		
Shock	±(1%+0.1Ω)max	Normal duration (D) is 6.		
		(MIL-STD-202 Method 213)		
		5g's for 20 min., 12cycle each of 3		
		orientations		
		Note: Use 8"*5"PCB. 031" thick 7		
		secure points on one long side and 2		
Vibration	±(1%+0.1Ω)max	secure points at corners of opposite		
		sides. Parts mounted within 2' from		
		any secure point.		
		Test from 10-2000Hz.		
		(MIL-STD-202 Method 204)		
		-55°C/+155°C, Note: Number of		
		cycles required - 300,		
	±(1%+0.1Ω)max	Maximum transfer time -20 seconds,		
Thermal Shock		Dwell time -15 minutes. Air-Air.		
		(MIL-STD-202 Method 107)		
	<50mΩ	Apply to rate current for 0Ω		
	10011122	With the electrometer in direct		
		contact with the discharge tip, verify		
		the voltage setting at levels of		
		±500V, ±1KV, ±2KV, ±4KV, ±8KV, The		
ESD	±(10%+0.1Ω)max	electrometer reading shall be within		
		±10% for voltages from 500V to		
		≤800V.		
		(AEC-Q200-002)		
		For both leaded & SMD. Electrical		
		test not required.		
		Magnification 50X. Conditions:		
		a) Method B 4hrs at 155°C dry heat,		
Solderability	95% coverage Min.	the dip in bath with 245°C, 5s.		
		b) Method B: at 215°C, 5s.		
		c) Method D: at 260°C, 60s.		
	No ignition of the tissue parer	(J-STD-002)		
Flammability	No ignition of the tissue paper or scorching of the pinewood board	V-0 or V-1 are acceptable. Electrical test not required.		
Fidililiability		The state of the s		
		(UL-94) 2mm (Min) (JIS-C-6429)		
Board Flex	±(1%+0.05Ω)max <50mΩ			
	~5011122	Apply to rate current for 0Ω Temperature sensing at 500°C,		
Flame	No flame	Voltage power subjected to 32VDC		
Retardance	No flame	current clamped up to 500ADC and		
		decreased in 1.0VDC/hour.		
		(AEC-Q200-001)		
	±(1%+0.05Ω) max.	Condition B No per-heat of samples.		
Posistanas to		Note: Single Wave Solder - Procedure 2 for SMD and Procedure 1 for		
Resistance to		Leaded with solder within 1.5mm of		
Soldering Heat				
		device body.		
	4F0m0	(MIL-STD-202 Method 210)		
* C. If + ' + '	<50mΩ	Apply to rate current for 0 W		
* Sulfuration test: H2S 3~5PPM 50 ±2 91%~93%RH 1000H				



Marking:

Marking for E-96 series in 2512 size: 4 digit marking

First three digits are significant figures of resistance and the fourth digit represents the number of following zeros. N.B. For values below 100Ω the letter R denotes decimal point eg. $1R80 = 1.8\Omega$




Marking for E-24 series in 2512 size: 3 digit marking

First two digits are significant figures, and the third digit represents the number of zeros




Packing specification:

Taping dimensions (mm)




Peeling strength of Top Cover Tape

Test Condition 0.1 to 0.7 N at a peel-off speed of 300mm / min.





Reel dimension (mm)



Qty / Reel	A ±0.5	B ±0.5	C ±0.5	D ±1	M ±2	W ±1
2000	2	13	21	60	178	13.5

Environment Related Substance

This product complies to EU RoHS directive, EU PAHs directive, EU PFOS directive and Halogen free.

Ozone layer depleting substances.

Ozone depleting substances are not used in our manufacturing process of this product.

This product is not manufactured using Chlorofluorocarbons (CFCs), Hydrochlorofluorocarbons (HCFCs), Hydrobromofluorocarbons (HBFCs) or other ozone depleting substances in any phase of the manufacturing process.

Storage Condition

The performance of these products, including the solderability, is guaranteed for a year from the date of arrival at your company, provided that they remain packed as they were when delivered and stored at a temperature of $25^{\circ}\text{C} \pm 10^{\circ}\text{C}$ and a relative humidity of $60\%\text{RH} \pm 10\%\text{RH}$, chemical and dust free atmosphere


Even within the above guarantee periods, do not store these products in the following conditions, otherwise, their electrical performance and/or solderability may be deteriorated, and the packaging materials (e.g. taping materials) may be deformed or deteriorated, resulting in mounting failures.

1. In salty air or in air with a high concentration of corrosive gas, such as Cl2, H2S, NH3, SO2, or NO2

2. In direct sunlight



Recommended solder pad



Α	В	С
3.70	3.30	2.70

4 layers PCB specification:

- 1) Outside 2 layers (Top and Bottom) with copper foil thickness at 2oz.
- 2) Inside 2 layers (Middle layers) with copper foil thickness at 4 oz.

AEC-Q200

The 3522 series is qualified to AEC-Q200 standard at Grade"4"

How To Order

3522	1K0	F	T
Common Part	Resistance Value	Tolerance	Pack Style
	1 ohm 1R0		
3522	1K ohm 1000 ohms 1K0	F – 1% J – 5%	T – 2000 reel
	1 Meg ohm 1000000 ohms 1M0	3 3/0	reci

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Thick Film Resistors - SMD category:

Click to view products by TE Connectivity manufacturer:

Other Similar products are found below:

CRCW04028R20JNEE CRCW06036K80FKEE CRG1206F1K58 CRL0603-FW-R700ELF M55342K06B6E19RWL RC1005F1072CS

RC1005F471CS RC1005F4751CS RCP0603W100RGED RCWP72251K47FKWB RLR05C7501GPB14 RLR07C5111FSBSL ERJ
IGMF1R00C ERJ-1GMF1R20C ERJ-1GMF2R55C ERJ-1GMF8R66C 25121WF1003T4E 25.501.3653.0 290-1.0M-RC 292-1.0M-RC 292
2.2K-RC 292-4.7K-RC 25121WF4700T4E 292-470K-RC 302-1.0M-RC CPG1206F10KC CRCW02011R00FXED CRCW060315K0FKEE

CRCW060320K5FKEE CRG0201F10K RCG0402150RFKED RCG04023K92FKED RCP2512B100RGWB RCWP110010R0FKS3

RCWP11002K00FKS3 RCWP12061K00FKS2 3520510RJT 352075KJT M55342K11B9E53RUL RMC16-102JT RMC1JPTE TR0603MR
075K1L 5-2176094-4 35202K7JT WF06Q1000FTL ERJ-S03J1R0V ERJ-S14J4R7U CHP2512L4R30GNT CPCC10270R0JE32

RCWP11001K00FKS3