SPECIFICATION CONTROL DRAWING

10614



.0250

(.635 mm)

.048 ± .002

 $(1.22 \pm .05 mm)$

032

(.813 mm)

.113

(2.87 mm)

.125

(3.18 mm)

.142

(3.61 mm)

.158

(4.01 mm)

77 OHM, AWG 24, 19 STRANDS OF AWG 36, EMP HARDENED. DATA BUS CABLE, MIL-STD-1553

2-13-18 Date: Κ

THIS SPECIFICATION SHEET FORMS A PART OF THE LATEST ISSUE OF RAYCHEM SPECIFICATION 1200.

CONSTRUCTION DETAILS

ELECTRICAL CHARACTERISTICS

DIMENSIONS ARE NOMINAL VALUES IN INCHES, UNLESS OTHERWISE

CONDUCTORS

DIELECTRICS

FILLERS

1st SHIELD

AWG 38,

Optimized

Mu-Metal

2nd SHIELD

AWG 38,

Optimized

JACKET

Tin-Coated Copper,

Radiation-Crosslinked,

Modified ETFE

WRAP

Tin-Coated Copper,

Modified ETFE

Modified ETFE

19 Strands of AWG 36.

Silver-Coated High-

Strength Copper Alloy

Radiation-Crosslinked,

Radiation-Crosslinked.

Colors - Light Blue/White

AWG 24.

CHARACTERISTIC IMPEDANCE MUTUAL CAPACITANCE ATTENUATION

77 ± 5 ohms, Method C at 1 MHz 30.0 pF/ft. (98.4 pF/m) (maximum) 1.4 dB/100 ft. (4.59 dB/100 m) (maximum)

Revision:

at 1 MHz

SURFACE TRANSFER IMPEDANCE 0.2 milliohms/meter (maximum)

(Per SAE AS85485)

at 30 MHz

ADDITIONAL REQUIREMENTS

COMPONENT WIRE PRIOR TO CABLING

(Test procedures per SAE AS22759) CONDUCTOR RESISTANCE 26.5 ohms/1000 ft. (86.9 ohms/km) (nominal)

CROSSLINKING PROOF TEST

300 ± 3°C for 1 hour,

.500 inch (12.7 mm) mandrel, .375 lb (170 g), 2.5 kV dielectric test

INSULATION (DIELECTRIC)

ELONGATION 50% (minimum)

5000 lbf/in² (34.5 N/mm²) (minimum) TENSILE STRENGTH

NSULATION FLAWS

SPARK TEST 3.0 kV (rms) IMPULSE TEST 8.0 kV (peak)

INSULATION RESISTANCE 5000 megohms for 1000 ft. (1524 megohms-km) (minimum)

LOW TEMPERATURE-COLD BEND -65 \pm 3°C for 4 hours,

.750 inch (19.1 mm) mandrel, 1.00 lb (454 g), 2.5 kV dielectric test

SHRINKAGE 200 ± 3°C for 1 hour,

.125 inch (3.18 mm) (maximum)

in 12 inches (305 mm)

200°C for 6 hours

FINISHED CABLE

(Test procedures per NEMA WC 27500, unless otherwise specified)

BLOCKING CABLE LAY LENGTH

.75 inch (19.1 mm) (minimum),

CROSSLINKED VERIFICATION

1.25 inches (31.8 mm) (maximum) 300 ± 5°C for 6 hours,

FLAMMABILITY

6.00 inch (152 mm) mandrel 3 seconds (maximum);

(Method B of Spec 1200)

3 inches (76.2 mm) (maximum); no flaming of facial tissue

IACKET

ELONGATION 50% (minimum)

5000 lbf/in² (34.5 N/mm²) (minimum) TENSILE STRENGTH

JACKET FLAWS

SPARK TEST 1.0 kV (rms) IMPULSE TEST 6.0 kV (peak)

JACKET THICKNESS LOW TEMPERATURE-COLD BEND

.008 inch (.203 mm) (nominal) -55 ± 5 °C for 4 hours,

VOLTAGE WITHSTAND

6.00 inch (152 mm) mandrel 1000 volts (rms) (minimum)

(DIELECTRIC) WRAP

.002 inch (.051 mm) thick (nominal),

25% overlap (minimum)

29.1 lbs/1000 ft. (43.3 kg/km) (maximum) WEIGHT CABLE IDENTIFICATION: Outer jacket shall be marked in contrasting color at 12 inch (305 mm) (nominal) intervals between marks as follows: "10614 RAYCHEM"

ENGINEERING REFERENCE

TEMPERATURE RATING 150°C (maximum)

The conductor AWG size and outer jacket color will be appended to the part number. Unless otherwise specified, outer jacket color will be white designated by a "-9" in accordance with MIL-STD-681, (e.g. 10614-24-9).

Other codes and suffixes may be added to the part number, as necessary, to capture any additional requirements imposed by the purchase order.

Users should evaluate the suitability of this product for their application. Specifications are subject to change without notice. TE Connectivity also reserves the right to make changes in materials or processing, which do not affect compliance with any specification, without notification to Buyer.

Cheminax, Raychem, TE Connectivity, and TE connectivity (logo) are trademarks.



Page 1 of 1

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Coaxial Cables category:

Click to view products by TE Connectivity manufacturer:

Other Similar products are found below:

89880-003-1000 89913-010-1000 633938-009-U1000 633948-877-1000 639948-877-1000 643948-877-U1000 CY2389-000 8213-010-1000 8221-010-U1000 8233-010-1000 88281-010-500 1322R-010-1000 1505A-N3U-1000 1523AP-010-1000 1807A-B59-U1000 9167-010-1000 9251-010-1000 9275-010-U1000 935240-000 9659-010-1000 980704-001 1855P-010-1000 CF2823-000 33312-010-500 CY2581-000 CY2582-000 CZ1589-000 5022W0809-0CS3263 10610-4-4 EF8108-000 6139B8-009-1000 613948-009-1000 1673B TIN100 633938-877-U1000 672525-001 1530AP-877-1000 144517-000 1369R-010-1000 134655-000 8-1616396-1 8263-010-U1000 8263 010U500 480414-000 8262 010U1000 7915A 009U1000 5024A1311-0 TRC-75-1 1281S5 010250 1281S5 000250 1530A 010U1000