

REV.	DESIGN	MATERIAL	SURFACE	WIRE RANGE	INSULATION	STRIP FORM	CRIMP DATA	AND	CRIMP TOOL			
REV.	Ausführung	Werkstoff	Oberfläche	Drahtgrößen	Isolations	WIRE CRIMP	CRIMP DIMENSION (mm)	AND	Crimpdaten u.			
				Bereich	(mm)	160-Crimp	CRIMP DIMENSION (mm)		Crimpwerkzeuge			
						Bandware	CRIMP DIMENSION (mm)					
2367105-6	A	CuSn4	PRET INNED vorverzinkt	0.35-0.5 FLR	1.1-1.4	E = 2.4 G = 2.3 D <sub>Dr</sub> = 1.0	H = 2.9 K = 2.9 D = 1.4	2.5	3.8	5.7	18.8	0.2
2367105-3	A	CuSn4	PRET INNED vorverzinkt	0.35-0.5 FLR	1.1-1.4	E = 2.4 G = 2.3 D <sub>Dr</sub> = 1.0	H = 2.9 K = 2.9 D = 1.4	2.5	3.8	5.7	18.8	0.2
2367105-1	A	CuFe2	PRET INNED vorverzinkt	0.35-0.5 FLR	1.1-1.4	E = 2.4 G = 2.3 D <sub>Dr</sub> = 1.0	H = 2.9 K = 2.9 D = 1.4	2.5	3.8	5.7	18.8	0.2
965901-1	A	CuSn4	PRET INNED vorverzinkt	0.5-1.0 FLR	1.4-2.3	E = 2.6 G = 2.8 D <sub>Dr</sub> = 1.1	H = 3.6 K = 3.9 D = 1.8	3	4	5.5	18.8	0.4
965899-1	A	CuSn4	PRET INNED vorverzinkt	0.5-1.0 FLR	1.4-2.3	E = 2.6 G = 2.8 D <sub>Dr</sub> = 1.1	H = 3.6 K = 3.9 D = 1.8	3	4	5.5	18.8	0.4
928876-1	A	CuSn4	PLAIN BLANK	0.5-1.0 FLK	2.0-2.7	E = 2.6 G = 2.8 D <sub>Dr</sub> = 1.1	H = 3.9 K = 4.1 D = 2.4	3	4	5.5	18.8	0.4
927775-7	M	CuNi12Zn24	PRET INNED vorverzinkt	0.5-1.0 FLK	2.0-2.7	E = 2.6 G = 2.8 D <sub>Dr</sub> = 1.1	H = 3.9 K = 4.1 D = 2.4	3	4	5.5	18.8	0.4
927775-6	M	CuSn4	PRET INNED vorverzinkt	0.5-1.0 FLK	2.0-2.7	E = 2.6 G = 2.8 D <sub>Dr</sub> = 1.1	H = 3.9 K = 4.1 D = 2.4	3	4	5.5	18.8	0.4
927775-3	M	CuSn4	PRET INNED vorverzinkt	0.5-1.0 FLK	2.0-2.7	E = 2.6 G = 2.8 D <sub>Dr</sub> = 1.1	H = 3.9 K = 4.1 D = 2.4	3	4	5.5	18.8	0.4
927775-1	M	CuFe2	PRET INNED vorverzinkt	0.5-1.0 FLK	2.0-2.7	E = 2.6 G = 2.8 D <sub>Dr</sub> = 1.1	H = 3.9 K = 4.1 D = 2.4	3	4	5.5	18.8	0.4
928810-1	A	CuFe2	PRET INNED vorverzinkt	0.5-1.0 FLR	1.4-2.3	E = 2.6 G = 2.8 D <sub>Dr</sub> = 1.1	H = 3.6 K = 3.9 D = 1.8	3.0	4.0	5.5	18.8	0.4
963884-1	A	CuSn4	PRET INNED vorverzinkt	0.5-1.0 FLR	1.4-2.3	E = 2.6 G = 2.8 D <sub>Dr</sub> = 1.1	H = 3.6 K = 3.9 D = 1.8	3.0	4.0	5.5	18.8	0.4
927773-3	N	CuSn4	PRET INNED vorverzinkt	0.5-1.0 FLR	1.4-2.3	E = 2.6 G = 2.8 D <sub>Dr</sub> = 1.1	H = 3.6 K = 3.9 D = 1.8	3.0	4.0	5.5	18.8	0.4
2-927768-1	R	CuSn4	PRET INNED vorverzinkt	0.5-1.0 FLR	1.4-2.3	E = 2.6 G = 2.8 D <sub>Dr</sub> = 1.1	H = 3.6 K = 3.9 D = 1.8	3.0	4.0	5.5	18.8	0.4
1-927768-1	R	CuFe2	PRET INNED vorverzinkt	0.5-1.0 FLR	1.4-2.3	E = 2.6 G = 2.8 D <sub>Dr</sub> = 1.1	H = 3.6 K = 3.9 D = 1.8	3.0	4.0	5.5	18.8	0.4
927768-9	P	CuSn4	PRET INNED vorverzinkt	0.5-1.0 FLR	1.4-2.3	E = 2.6 G = 2.8 D <sub>Dr</sub> = 1.1	H = 3.6 K = 3.9 D = 1.8	3.0	4.0	5.5	18.8	0.4
927768-8	P	CuFe2	PRET INNED vorverzinkt	0.5-1.0 FLR	1.4-2.3	E = 2.6 G = 2.8 D <sub>Dr</sub> = 1.1	H = 3.6 K = 3.9 D = 1.8	3.0	4.0	5.5	18.8	0.4
927768-6	P	CuSn4	PRET INNED vorverzinkt	0.5-1.0 FLR	1.4-2.3	E = 2.6 G = 2.8 D <sub>Dr</sub> = 1.1	H = 3.6 K = 3.9 D = 1.8	3.0	4.0	5.5	18.8	0.4
927768-3	P	CuSn4	PRET INNED vorverzinkt	0.5-1.0 FLR	1.4-2.3	E = 2.6 G = 2.8 D <sub>Dr</sub> = 1.1	H = 3.6 K = 3.9 D = 1.8	3.0	4.0	5.5	18.8	0.4
927768-1	P	CuFe2	PRET INNED vorverzinkt	0.5-1.0 FLR	1.4-2.3	E = 2.6 G = 2.8 D <sub>Dr</sub> = 1.1	H = 3.6 K = 3.9 D = 1.8	3.0	4.0	5.5	18.8	0.4
1719810-1	A	CuSn4	PRET INNED vorverzinkt	0.5-1.0 FLR	1.4-2.3	E = 2.6 G = 2.8 D <sub>Dr</sub> = 1.1	H = 3.6 K = 3.9 D = 1.8	3.0	4.0	5.5	18.8	0.4
2-927771-2	N	CuSn4	PRET INNED vorverzinkt	0.5-1.0 FLR	1.4-2.3	E = 2.6 G = 2.8 D <sub>Dr</sub> = 1.1	H = 3.6 K = 3.9 D = 1.8	3.0	4.0	5.5	18.8	0.4
2-927771-1	N	CuSn4	PRET INNED vorverzinkt	0.5-1.0 FLR	1.4-2.3	E = 2.6 G = 2.8 D <sub>Dr</sub> = 1.1	H = 3.6 K = 3.9 D = 1.8	3.0	4.0	5.5	18.8	0.4
1-927771-1	N	CuFe2	PRET INNED vorverzinkt	0.5-1.0 FLR	1.4-2.3	E = 2.6 G = 2.8 D <sub>Dr</sub> = 1.1	H = 3.6 K = 3.9 D = 1.8	3.0	4.0	5.5	18.8	0.4
927771-9	M	CuSn4	PRET INNED vorverzinkt	0.5-1.0 FLR	1.4-2.3	E = 2.6 G = 2.8 D <sub>Dr</sub> = 1.1	H = 3.6 K = 3.9 D = 1.8	3.0	4.0	5.5	18.8	0.4
927771-8	N	CuSn4	PRET INNED vorverzinkt	0.5-1.0 FLR	1.4-2.3	E = 2.6 G = 2.8 D <sub>Dr</sub> = 1.1	H = 3.6 K = 3.9 D = 1.8	3.0	4.0	5.5	18.8	0.4
927771-6	M	CuSn4	PRET INNED vorverzinkt	0.5-1.0 FLR	1.4-2.3	E = 2.6 G = 2.8 D <sub>Dr</sub> = 1.1	H = 3.6 K = 3.9 D = 1.8	3.0	4.0	5.5	18.8	0.4
927771-3	M	CuSn4	PRET INNED vorverzinkt	0.5-1.0 FLR	1.4-2.3	E = 2.6 G = 2.8 D <sub>Dr</sub> = 1.1	H = 3.6 K = 3.9 D = 1.8	3.0	4.0	5.5	18.8	0.4
927771-1	M	CuFe2	PRET INNED vorverzinkt	0.5-1.0 FLR	1.4-2.3	E = 2.6 G = 2.8 D <sub>Dr</sub> = 1.1	H = 3.6 K = 3.9 D = 1.8	3.0	4.0	5.5	18.8	0.4
2-927774-1	C	CuSn4	PRET INNED vorverzinkt	0.2-0.5 FLR	1.0-1.6	E = 2.1 G = 2.1 D <sub>Dr</sub> = 0.8	H = 2.7 K = 2.8 D = 1.4	2.5	3.5	5.6	18.8	0.4
1-927774-1	C	CuFe2	PRET INNED vorverzinkt	0.2-0.5 FLR	1.0-1.6	E = 2.1 G = 2.1 D <sub>Dr</sub> = 0.8	H = 2.7 K = 2.8 D = 1.4	2.5	3.5	5.6	18.8	0.4
927774-6	B	CuSn4	PRET INNED vorverzinkt	0.2-0.5 FLR	1.0-1.6	E = 2.1 G = 2.1 D <sub>Dr</sub> = 0.8	H = 2.7 K = 2.8 D = 1.4	2.5	3.5	5.6	18.8	0.4
927774-3	B	CuSn4	PRET INNED vorverzinkt	0.2-0.5 FLR	1.0-1.6	E = 2.1 G = 2.1 D <sub>Dr</sub> = 0.8	H = 2.7 K = 2.8 D = 1.4	2.5	3.5	5.6	18.8	0.4
927774-1	B	CuFe2	PRET INNED vorverzinkt	0.2-0.5 FLR	1.0-1.6	E = 2.1 G = 2.1 D <sub>Dr</sub> = 0.8	H = 2.7 K = 2.8 D = 1.4	2.5	3.5	5.6	18.8	0.4
963708-1	B	CuFe2	PRET INNED vorverzinkt	0.08-0.2 Sonderleitung	1.5-1.8	E = 1.7 G = 1.7 D <sub>Dr</sub> = 0.6	H = 3.1 K = 3.2 D = 1.6	2.5	3.7	5.9	18.8	0.4
969137-1	A	CuSn4	PRET INNED vorverzinkt	0.2-0.5 FLR	1.2-2.3	E = 2.1 G = 2.1 D <sub>Dr</sub> = 0.8	H = 3.5 K = 3.6 D = 2	2.5	3.5	5	18.8	0.4
1-927778-1	D	CuFe2	PRET INNED vorverzinkt	0.2-0.5 FLR	1.2-2.3	E = 2.1 G = 2.1 D <sub>Dr</sub> = 0.8	H = 3.5 K = 3.6 D = 2.0	2.5	3.5	5	18.8	0.4
927778-3	C	CuSn4	PRET INNED vorverzinkt	0.2-0.5 FLR	1.2-2.3	E = 2.1 G = 2.1 D <sub>Dr</sub> = 0.8	H = 3.5 K = 3.6 D = 2.0	2.5	3.5	5	18.8	0.4
927778-1	C	CuFe2	PRET INNED vorverzinkt	0.2-0.5 FLR	1.2-2.3	E = 2.1 G = 2.1 D <sub>Dr</sub> = 0.8	H = 3.5 K = 3.6 D = 2.0	2.5	3.5	5	18.8	0.4
2112132-1	A	CuSn4	PLAIN BLANK	0.2-0.5 FLR	1.15-1.6	E = 2.4 G = 2.3 D <sub>Dr</sub> = 1	H = 2.9 K = 2.9 D = 1.4	2.5	3.5	5.6	18.8	0.2
2-927766-1	E	CuSn4	PRET INNED vorverzinkt	0.5-1.0 FLR	1.4-2.1	E = 2.6 G = 2.8 D <sub>Dr</sub> = 1.1	H = 5.4 K = 4.6 D = 3.2	3	5.4	7	21	0.6
1-927766-1	E	CuFe2	PRET INNED vorverzinkt	0.5-1.0 FLR	1.4-2.1	E = 2.6 G = 2.8 D <sub>Dr</sub> = 1.1	H = 5.4 K = 4.6 D = 3.2	3	5.4	7	21	0.6
927766-3	D	CuSn4	PRET INNED vorverzinkt	0.5-1.0 FLR	1.4-2.1	E = 2.6 G = 2.8 D <sub>Dr</sub> = 1.1	H = 5.4 K = 4.6 D = 3.2	3	5.4	7	21	0.6
927766-1	D	CuFe2	PRET INNED vorverzinkt	0.5-1.0 FLR	1.4-2.1	E = 2.6 G = 2.8 D <sub>Dr</sub> = 1.1	H = 5.4 K = 4.6 D = 3.2	3	5.4	7	21	0.6
2-929937-1	E	CuSn4	PRET INNED vorverzinkt	0.5-1.0 FLR	1.4-2.1	E = 2.6 G = 2.8 D <sub>Dr</sub> = 1.1	H = 5.4 K = 4.6 D = 3.2	3	5.4	7	21	0.6
1-929937-1	E	CuFe2	PRET INNED vorverzinkt	0.5-1.0 FLR	1.4-2.1	E = 2.6 G = 2.8 D <sub>Dr</sub> = 1.1	H = 5.4 K = 4.6 D = 3.2	3	5.4	7	21	0.6
929937-6	E	CuSn4	PRET INNED vorverzinkt	0.5-1.0 FLR	1.4-2.1	E = 2.6 G = 2.8 D <sub>Dr</sub> = 1.1	H = 5.4 K = 4.6 D = 3.2	3	5.4	7	21	0.6
929937-3	E	CuSn4	PRET INNED vorverzinkt	0.5-1.0 FLR	1.4-2.1	E = 2.6 G = 2.8 D <sub>Dr</sub> = 1.1	H = 5.4 K = 4.6 D = 3.2	3	5.4	7	21	0.6
929937-1	E	CuFe2	PRET INNED vorverzinkt	0.5-1.0 FLR	1.4-2.1	E = 2.6 G = 2.8 D <sub>Dr</sub> = 1.1	H = 5.4 K = 4.6 D = 3.2	3	5.4	7	21	0.6
2-929939-1	E	CuSn4	PRET INNED vorverzinkt	0.5-1.0 FLR	1.4-2.1	E = 2.6 G = 2.8 D <sub>Dr</sub> = 1.1	H = 5.4 K = 4.6 D = 3.2	3	5.4	7	21	0.6
1-929939-1	E	CuFe2	PRET INNED vorverzinkt	0.5-1.0 FLR	1.4-2.1	E = 2.6 G = 2.8 D <sub>Dr</sub> = 1.1	H = 5.4 K = 4.6 D = 3.2	3	5.4	7	21	0.6
929939-6	E	CuSn4	PRET INNED vorverzinkt	0.5-1.0 FLR	1.4-2.1	E = 2.6 G = 2.8 D <sub>Dr</sub> = 1.1	H = 5.4 K = 4.6 D = 3.2	3	5.4	7	21	0.6
929939-3	E	CuSn4	PRET INNED vorverzinkt	0.5-1.0 FLR	1.4-2.1	E = 2.6 G = 2.8 D <sub>Dr</sub> = 1.1	H = 5.4 K = 4.6 D = 3.2	3	5.4	7	21	0.6
929939-1	E	CuFe2	PRET INNED vorverzinkt	0.5-1.0 FLR	1.4-2.1	E = 2.6 G = 2.8 D <sub>Dr</sub> = 1.1	H = 5.4 K = 4.6 D = 3.2	3	5.4	7	21	0.6
2-927770-1	G	CuSn4	PRET INNED vorverzinkt	0.5-1.0 FLR	1.4-2.1	E = 2.6 G = 2.8 D <sub>Dr</sub> = 1.1	H = 5.4 K = 4.6 D = 3.2	3	5.4	7	18.8	0.6
1-927770-1	G	CuFe2	PRET INNED vorverzinkt	0.5-1.0 FLR	1.4-2.1	E = 2.6 G = 2.8 D <sub>Dr</sub> = 1.1	H = 5.4 K = 4.6 D = 3.2	3	5.4	7	18.8	0.6
927770-6	F	CuSn4	PRET INNED vorverzinkt	0.5-1.0 FLR	1.4-2.1	E = 2.6 G = 2.8 D <sub>Dr</sub> = 1.1	H = 5.4 K = 4.6 D = 3.2	3	5.4	7	18.8	0.6
927770-3	F	CuSn4	PRET INNED vorverzinkt	0.5-1.0 FLR	1.4-2.1	E = 2.6 G = 2.8 D <sub>Dr</sub> = 1.1	H = 5.4 K = 4.6 D = 3.2	3	5.4	7	18.8	0.6
927770-1	F	CuFe2	PRET INNED vorverzinkt	0.5-1.0 FLR	1.4-2.1	E = 2.6 G = 2.8 D <sub>Dr</sub> = 1.1	H = 5.4 K = 4.6 D = 3.2	3	5.4	7	18.8	0.6
2-929941-1	E	CuSn4	PRET INNED vorverzinkt	0.2-0.5 FLR	1.15-1.6	E = 2.1 G = 2.1 D <sub>Dr</sub> = 0.8	H = 5.4 K = 4.6 D = 3.2	2.5	4.9	6.5	21	0.9
1-929941-1	E	CuFe2	PRET INNED vorverzinkt	0.2-0.5 FLR	1.15-1.6	E = 2.1 G = 2.1 D <sub>Dr</sub> = 0.8	H = 5.4 K = 4.6 D = 3.2	2.5	4.9	6.5	21	0.9
929941-6	D	CuSn4	PRET INNED vorverzinkt	0.2-0.5 FLR	1.15-1.6	E = 2.1 G = 2.1 D <sub>Dr</sub> = 0.8	H = 5.4 K = 4.6 D = 3.2	2.5	4.9	6.5	21	0.9
929941-3	D	CuSn4	PRET INNED vorverzinkt	0.2-0.5 FLR	1.15-1.6	E = 2.1 G = 2.1 D <sub>Dr</sub> = 0.8	H = 5.4 K = 4.6 D = 3.2	2.5	4.9	6.5	21	0.9
929941-1	D	CuFe2	PRET INNED vorverzinkt	0.2-0.5 FLR	1.15-1.6	E = 2.1 G = 2.1 D <sub>Dr</sub> = 0.8	H = 5.4 K = 4.6 					

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Automotive Connectors](#) category:*

*Click to view products by [TE Connectivity](#) manufacturer:*

Other Similar products are found below :

[003-018-000](#) [60403001](#) [60993906-B](#) [M902-2131](#) [M902-2161](#) [72.330.1035.1](#) [73.353.4028.0](#) [F119300-B](#) [F166900](#) [F258300-B](#) [F358300-B](#)  
[F407400](#) [F444110](#) [F487000](#) [F509500B-B](#) [827153-1](#) [8N1515-32-24P](#) [9-1326729-8](#) [925474-1](#) [928905-1](#) [964562-4](#) [968782-1](#) [GT17SA-8DS-](#)  
[HU](#) [98891-1012](#) [98947-1016](#) [12004147](#) [12004475-L](#) [12010290](#) [12010309-B](#) [12015454](#) [12020219-B](#) [12020308](#) [12041318-B](#) [12052225-L](#)  
[12052466](#) [12059125](#) [12064869](#) [12004327-B](#) [12010503-B](#) [12015308](#) [12015384](#) [12015909](#) [1-21030-1](#) [12041254](#) [12041318](#) [12047946-B](#)  
[12047957](#) [12047957-L](#) [12059473](#) [12066261](#)