

Key Features

Type CBT Series

Solid Carbon Composition

Designed for Pulse Withstand

Low Cost, High Performance

Two Sizes Available

Supplied Ammo Pack in boxes of 2000



The CBT series of resistors is constructed utilising solid carbon composition, which is the traditional medium for absorbing high energy pulses, in cases of high inrush current. These resistors have evolved over many years to have excellent pulse withstand capabilities, whilst remaining very stable. These improved characteristics have been achieved by prudent selection of materials of optimum physical properties and by advances in the manufacturing process.

Characteristics – Electrical

	CBT25			CBT50				
Power @ 70°C	0.25W (~0 @ 125°C)			0.5W (~0 @ 125°C)				
Maximum Voltage	250V				350V			
Tolerance	5%	10%	10%	20%	5%	10%	10%	20%
Selection Series	E24	E24	E12	E6	E24	E24	E12	E6
Resistance values Ω	1 -91K	100K – 5M6	1 – 5N	16	1–91K	100K – 22M	1 – 22	2M
Limiting Element Voltage	250v				350v			
Maximum Overload Voltage	500v			700v				
Insulation Resistance	1000M minimum							
Operating Temperature		-55 ~ +125						

Climatic Category

55/125/56	Lower Category Temperature Upper Category Temperature Damp Heat Steady State Duration	-55°C +125°C 56 Days
Stability Class		
10%	Limits For Change of Resistance For Long Term Tests For Short Term Tests	±(10%+0.5Ω) ±(2%+0.1Ω)


1773192 Rev D 03/2019

Dimensions in millimetres unless otherwise specified Dimensions Shown for reference purposes only. Specifications subject to change



Derating

At ambient temperatures in excess of 70°C the resistor shall be derated in accordance with the following curve:




Rated Voltage

D.C. or A.C. rms voltage calculated from the square root of the product of the rated resistance and the rated dissipation.



Where the calculated rated voltage is higher than the limiting element voltage, the limiting element voltage must be applied.

Dimensions



	L	ØD		Ød
CBT25	6.3±0.7	2.4±0.1	30±3	0.6±0.05
CBT50	9.5 ^{+0.8} -0.7	3.6±0.2	25±3	0.7 ^{+0.07} -0.05

Dimensions in millimetres unless otherwise specified Dimensions Shown for reference purposes only. Specifications subject to change



Performance Characteristics

		Performance
Test Item	Condition of Test (JIS C 5201-1)	Requirement
Visual Examination	Sub-clause 4.4.1 Checked by visual examination	As per 4.4.1 Marking shall be legible as checked visually
Dimension	Sub-clause 4.4.2	As specified
Resistance	Sub-clause 4.5	As specified Resistance value shall correspond to the rated resistance value taking into account the specified tolerance
Voltage Proof	Sub-clause 4.7 Method: V-Block Method Test Voltage: Alternating voltage with a peak value of 1.42 times the insulation voltage. Duration 60s ±5s	No breakdown or flashover
Solderability	Sub-clause 4.17 Without ageing Method 1 (solder bath method) Bath Temperature: 235°C±5°C Immersion time: 5s ±0.5s Immersion depth: A point within about 4mm from the resistor body.	Good tinning as evidenced by free flowing of the solder with wetting of the terminations
Overload (mounted)	Sub-clause 4.13 The applied voltage shall be 2.5 times RCWV or 2 times limiting element voltage, whichever is lower. Duration: 5s Visual Examination Resistance test	No Visible Damage Legible Marking ΔR≤±(2%+0.1Ω)
Terminal strength Tensile	Sub-clause 4.16 Sub-clause 4.16.2 Force: 10N Duration: 10s ±1s	
Bending	Sub-clause 4.16.3 Method 1 Bending times: 2 times Bending force: 5N	No visible damage ΔR≤±(2%+0.1Ω
Torsion	Sub-clause 4.16.4 Method A, Severity 2 (2 successive rotations of 180°)	

1773192 Rev D 03/2019

Dimensions in millimetres unless otherwise specified Dimensions Shown for reference purposes only. Specifications subject to change



	Sub-clause 4.18		
	Method 1B		
	Solder Temperature:		
Resistance to	CBT25: 300°C±10°C	No Visible Damage	
soldering heat	CBT50: 350°C±10°C	Legible marking	
soluering heat		ΔR≤±(3%+0.1Ω	
	Immersion time: 3.5s±0.5s		
	Immersion depth: A point within		
	4.0±0.8mm from the resistor body.		
	Sub-clause 4.19		
	Lower category temperature: -		
	55°C		
Rapid Temperature	Upper category temperature:	No visible damage	
change	125°C	ΔR≤±(2%+0.1Ω	
	Duration of exposure at each		
	temperature: 30 min.		
	Number of cycles: 5		
	Sub-Clause 4.22		
	Endurance by sweeping		
	Frequency range: 10Hz – 500Hz		
Vibratian		No visible damage	
Vibration	Amplitude: 0.75mm or	ΔR≤±(2%+0.1Ω	
	acceleration 98m/s ²		
	(whichever is less severe)		
	Total Duration: 6h		
Climatic sequence	Sub-clause 4.23		
	Sub-clause 4.23.2		
Dry Heat	Test temperature: 125°C		
	Duration 16h		
	Sub-clause 4.23.3		
Damp Heat, cycle	Test Method: 2		
(12 + 12h cycle	Test temperature: 55°C		
First Cycle	(Severity (2))		
	Sub-clause 4.23.4		
Cold		No Visible Damage	
Cold	Test temperature: -55°C	Legible marking	
	Duration: 2h	ΔR≤±(10%+0.5Ω)	
Low air pressure	8kPa	. ,	
	Sub-clause 4.23.6	Insulation Resistance:	
Damp heat, cycle	Test method: 2	R≥100 MΩ	
(12 + 12h cycle)	Test temperature: 55°C	112100 10122	
Remaining cycle	(Severity (2))		
	Number of cycles: 5		
	Sub-clause 4.23.7		
	The applied voltage shall be the		
	rated voltage or the limiting		
D.C. load	element voltage, whichever is		
	smaller.		
	Duration: 1 min.		
Endurance @ 70°C	Sub-clause 4.25.1		
	Ambient temperature: 70°C±2°C		
	Duration: 1000h		
	Voltage applied 1.5h on and 0.5h	No visible damage	
	off	ΔR≤±(10%+0.5Ω)	
	The applied voltage shall be the		
	rated voltage or the limiting	Insulation Resistance:	
	element voltage, whichever is	R≥1 GΩ	
	smaller		
	_		

1773192 Rev D 03/2019


Dimensions in millimetres unless otherwise specified Dimensions Shown for reference purposes only. Specifications subject to change



		At -	55°C
		Resistance	Temp.
		Range	Coefficient
		R≤1KΩ	+6.5-0(%)
		R≤10KΩ	+10-0(%)
		R≤100KΩ	+13-0(%)
Maniatian of	Cultural and A.O.	R≤1MΩ	+15-0(%)
Variation of Resistance with	Sub-clause 4.8	R>1MΩ +20-09	
	-55°C / +20°C	At +1	25°C
Temperature	+20°C / +125°C	Resistance	Temp.
		Range	Coefficient
1		R≤1KΩ	+1-5(%)
		R≤10KΩ	0-6(%)
		R≤100KΩ	0-7.5(%)
		R≤1MΩ	0-10(%)
		R>1MΩ	0-15(%)
Damp Heat, Steady State	Sub-clause 4.24 Ambient Temperature: 40°C±2°C Relative Humidity: 93*2/-3% a) 1 st group: without voltage applied b) 2 nd group: DC voltage applied continuously in accordance with sub- clause 4.24.2.1b c) 3 rd group: DC voltage – 20v±2v shall be applied continuously.	Legible ∆R≤±(10 Insulation	e Damage marking %+0.5Ω) resistance DMΩ
Endurance at upper category temperature	Sub-clause 4.25.3 Ambient temperature: 125°C±2°C Duration: 1000h Examination at 48h, 500h and 1000h Visual examination Resistance At 1000h only: Insulation Resistance	∆R≤±(10	e Damage %+0.5Ω) sistance ≥1GΩ

Packaging

Taping in accordance with JIS C 0806-1:1999



	٧	V	Р	L1 - L2	Z	S	Т	t
CBT25	52.4	+1.6	5.08±0.38	1.0 max	1.0 max	3.2 min	6.0±0.5	0.5 max
CBT50	52.4	-1.4	5.06±0.38	T.0 Max	T.O Max	5.2 11111	0.0±0.5	0.5 MdX

1773192 Rev D 03/2019

Dimensions in millimetres unless otherwise specified Dimensions Shown for reference purposes only. Specifications subject to change



Packaging

Notes:

The direction of the color codes should be unified.


No component shall be missed.

Wire leads shall be free from kinks and bends.


Pitch tolerance is 2mm for 20 pitches (100±2mm).

The edge waving on tape shall not be more than ± 1.0 mm through a length of 300mm.

The reinforcement of the tape cutting should be reinforced by a new tape (30mm min) in 3mm limits and ensuring 1 pitch dimension as shown below.



Tape in Box (Ammo Pack)



	Code	Qty per Box	а	b	С
CBT25	No Code	2000	60±5	75±5	275±5
CBT50	No Code	2000	65±5	75±5	455±5

How To Order

CBT	25	J	10K
Common Part	Size	Tolerance	Resistance Value
			1Ω - 1R0
CBT – Carbon	25 – 0.25W	J — 5%	100Ω - 100R
Composition	23 – 0.23W 50 – 0.5W	K – 10%	1000Ω (1ΚΩ) - 1ΚΟ
Resistor	50-0.500	M – 20%	100000Ω (100ΚΩ) - 100Κ
			1000000Ω (1ΜΩ) - 1Μ0

1773192 Rev D 03/2019

Dimensions in millimetres unless otherwise specified Dimensions Shown for reference purposes only. Specifications subject to change

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Carbon Composition Resistors category:

Click to view products by TE Connectivity manufacturer:

Other Similar products are found below :

IBT1/4102JLF OE5655 OG5625 OB1025 OE1855 OG2005 IBT1/4100JLF OF-112JE OH6205 RC0S2CA270RKE OF224KE CF18JT910R RC20GF240J RC20GF561J RC07GF361J RC1/4435JB RC1/4135JB RC1/4201JTD RC1/2331KTD RC20GF470JTRLF RC1/2155KTD RC1/4274KTD RC1/47R5JB RC1/4565JB RC1/4160JB RC1/2475KTB RC1/2471JTD RC1/2431JTD RC1/2334KB RC1/2225KB RC1/2166KTD RC1/2103KTD RC1/2102JTD RC1/2434JB RC1/22R4JB RC1/2165JB RC07GF510JTR RCC025 2R7 J B CFR0W4J0242A10 CFR0W4J0391A50 CFR0W4J0303A50 CFR0W4J0433A50 CFR03SJ0753AA0 CFR03SJ0470AA0 CF1/6W-20K±5% T52 CF1/4W-43±5% T52 CFR01SJ0433A10 RD50T5151J RD 1/8W 33K J T/B A1 RD 2WS 3K6 J T/B A1