

Ceramic Composition Resistors



Type CCR Series



The CCR series of resistors is constructed utilising solid ceramic composition, which is the traditional medium for absorbing high energy pulses, in cases of high inrush current. These resistors have evolved over many years to have excellent pulse withstand capabilities, whilst remaining very stable. These improved characteristics have been achieved by prudent selection of materials of optimum physical properties and by advances in the manufacturing process. The CCR series are ideal for circuitry associated performance in high voltage power supplies, R-C snubber circuits, and inrush limiters.

Key Features

- Designed for Pulse Withstand
- Range of Resistance **Tolerances**
- Solid Ceramic Composition
- Low Cost, High **Performance**
- Two Sizes Available
- Wide Range of **Resistance Values**
- Available on Tape

Characteristics -Electrical

Type CCR Series


Power at 70°C Ambient:	0.5 Watt.	1.0 Watt.	2.0 Watt.
Derating:	Derating to 0 at 200°C	Derating to 0 at 200°C	Derating to 0 at 200°C
Resistance Range:	10R – 100K	3R3 – 390K	3R3 – 390K
Resistance Tolerance:	10% E12 series	10% E12 series	10% E12 series
Temp. Coefficient (ppm/°C):	<100R: -900 to ±	300 >100	R: -1300 to ±300
Max. Working Voltage:	200V	300V	400V
Max. Overload Voltage:	400V	600V	800V
Dielectric Withstand Voltage:	500 volts	500 volts	700 volts
Impulse Withstanding Voltage*:	10 Kv	14 Kv	20 Kv

NB *: Please refer to Resistance to Pulse Circuit

Characteristics -Environmental


Operating Temperature Range:	-40°C to +200°C
Temperature Cycles (-40°C to 85°C, 5 cycles):	ΔR/R ± 2%
Load Life (1000 hours at 70°C):	ΔR/R ± 5%
Resistance to Solder Heat (360°C for 3 seconds):	ΔR/R ± 3%
Short Time Overload (2x rated voltage for 5 seconds):	ΔR/R ± 2%
Humidity (40°C, 95%RH 240 hrs.):	ΔR/R ± 5%

Resistance to Pulse Circuit




Resistance to Pulse Graphs CCR1






CCR2



Dimensions



BULK	L	D	d (nom)	I
CCR1/2	9.0 ± 1.0	3.5 ± 0.5	0.7	30 ± 3
CCR1	16.5 ± 1.0	5.5 ± 1.0	8.0	38 ± 3
CCR2	19.0 ± 1.0	7.0 ± 1.0	0.8	38 ± 3





Type CCR Series

Application Notes

Limitations of Potential Pulsing on Fixed Ceramic Composition Resistors

Ceramic Composition resistors are susceptible to failure under some high voltage conditions. In circuitry where there is a possibility of transient potentials, considerable high voltage may be applied to a resistor for a short period of time. These notes are intended to aid the determining of "safe" potential level for the CCR Series when used in pulse application.


For Pulse Power limitations please refer to the graph (fig.1). Power below that specified on the graph will, generally not cause any significant degradation to the resistor, but please note that the resistance value may vary slightly due to repeated pulsing over a long period of time. The circuit designer should also be aware of the fact that the pulse voltage is limited even under the conditions on which the graph is based. The maximum peak pulse voltage for these resistors is the lesser of (A) or (B) below.




"Po" is the pulse limit power taken from the graph.

"R" is the resistance value in ohms.


The Peak Power is defined as the maximum power dissipated at any point in time regardless of the waveform shape.



The Pulse Waveform, if other than square wave, must first be converted to an approximate square wave as shown below.



Wp - Peak Power. Wo - Rated Power. t - Time to attenuate down to the rated power.



Wp - Peak Power. Wo - Rated Power. t - Time to attenuate down to the rated power.

Application Notes

The following design rules determine if derating of the Pulse Limit Power (Po) obtained from the graph is required for repetitive pulse applications.

- 1. If T off < 4μ seconds, or T off < 5m seconds and (T off/t) < 1, then the peak power is treated as continuous power and, therefore, Pm = the resistor's rated wattage.
- 2. If T off is > 4 μ sec, but is < 100 μ sec, and (T off/t) < 700, then Pm = Po x 0.01 x (T off/t)0.7.
- 3. If T off is > 100 μ sec, and (T off/t) < 200, then Pm = Po x 0.01 x (T off/t)0.85.
- 4. If T off is > 4μ sec, but is < 100μ sec, and (T off/t) < 700, or T off is > 100μ sec, and (T off/t) > 200, then Pm = Po as obtained from the pulse power graph.

Where:

Pm: Derated Pulse Power (W)
Po: Pulse Power from graph below (W)
T off: Off time between pulses (sec)
t: Pulse width (sec)

Dimensions are in

millimetres unless

otherwise specified.

Ceramic Composition Resistors




Type CCR Series


Application Notes (continued)

Note

- Graph pulse power (Po) is for ambient temperatures of 70°C or less. For ambient operating temperatures greater than 70°C, pulse power (Po) or (Pm) must be further derated by 1.18% per °C above 70°C in accordance with the power derating schedule of the resistor.
- If derated pulse power (Pm) is calculated to be less than the resistor's rated continuous power, the resistor's rated wattage should be used.

Pulse Limiting Power (Po) One Pulse





X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Ceramic Composition Resistors category:

Click to view products by TE Connectivity manufacturer:

Other Similar products are found below:

47250 CCR21K0KT RC1R0EA1K00KE 109AS502KDS 250AS280JDS 109AS333KDS 890SP501K 890AS682LDS 1044AS301KDS
HPC1C394K DFN51120 PCF2CT631R121K PCF2C561K PCF1CT631R221K PCF1C221K PCF1/2C683K PCF1/2C471K PCF1/2C151K
PCF1/2C100K HPC1C681K HPC1/2C332K HPC1/2C471K HPC1/2CT52A102K HPC1C102K HPC1C103K HPC1C121K HPC1C123K
HPC1C153K HPC1C183K HPC1C220K HPC1C221K HPC1C223K HPC1C224K HPC1C272K HPC1C331K HPC1C332K HPC1C390K
HPC1C470K HPC1C471K HPC1C561K HPC1C680K HPC1C820K HPC2C100K HPC2C102K HPC2C103K HPC2C104K HPC2C121K
HPC2C182K HPC2C123K HPC1C562K