


1. SCOPE


This specification defines the technical requirements of TZ-P series thermal-link that are produced according to Relative Humidity series thermal-link.

2. MATERIAL& STRUCTURE



1.Fusing Agent 2.Fusing Point 3.Lead Wire4. Brass Solder 5.Plastic Shell 6. Epoxy Sealing


3.PRODUCT APPEARANCE



Printing content shall contain Trade Mark, Type, Rated Temperature, Rated Voltage, Rated Current, Safety Approval Logo. Marking shall be legible. Sealing Resin should be spread evenly filled. Tin plated layer of lead wire is good, without oxidation black spots. Shell without damage, perforated.

4. DIMENSION & TEMPERATURE PERFORMANCES 4.1 DIMENSION (mm)





Α	В	С	D
7.0	A P 1	6.0	2.7
6.1	According to the	6.0	2.7
4.4	customer requirement	5.3	2.2


4.2 Temperature Characteristics

Rated	Rated		$\begin{array}{c} \text{Holding} \\ \text{Temp.} \\ \text{T}_{\text{h}}(^{\circ}\!$	Maximum Temp. Limit T _m (°C)	Rated Voltage AC (V)	Rated Current (A)	Safety Approvals		
Туре		Fusing-off Temp. (°C)					TUV	VDE	CCC
TZ-P75	75	73±2	48	130			0	0	•
TZ-P80	80	75±2	58	130			0	0	0
TZ-P85	85	80±2	55	130		1,2,3	0	0	•
TZ-P90	90	87±2	60	130			0	0	0
TZ-P92	92	85±2	65	130			0	0	•
TZ-P98	98	96±2	70	130			0	0	0
TZ-P100	100	97±2	72	130			0	0	0
TZ-P102	102	98±2	72	150			0	0	•
TZ-P105	105	100±2	75	150			0	0	•
TZ-P110	110	105±2	80	150			0	0	0
TZ-P115	115	111±2	87	150	250		0	•	•
TZ-P120	120	115±2	90	150			0	0	0
TZ-P125	125	121±2	90	180			0	•	•
TZ-P130	130	126±1	92	180			0	•	•
TZ-P135	135	130±1	95	180			0	0	•
TZ-P140	140	136±1	102	180			0	•	•
TZ-P145	145	140±1	105	180			0	•	•
TZ-P150	150	145±1	115	180			0	•	•
TZ-P152	152	147±1	115	180			0	0	0
TZ-P160	160	155±1	125	190			0	0	0
TZ-P170	170	165±1	135	200			0	0	0
TZ-P180	180	175±1	145	200			0	0	0

[•] Denotes for Approved o Denotes for pending

PROFUSE

5. TEST EQUIPMENT AND TEST ITEM



5.1 Functioning Temperature Test Equipment

1.Heater 2,Stirrer 3.Oil Bath 4.Light-emitting Diode5.Current-limiting Resistance 6. Thermometer 7.Sample

5.2 Test Item

Test conditions: Temperature 25±10°C, Relative Humidity 65±15% 5.2.1Functioning Temperature Test

Functioning Temperature is Tested according to IEC60691. put the oil bath in the constant temperature oven to measure.

5.2.2 Dimension

Sample's dimension be conducted by micrometer/vernier caliper.

5.2.3 Appearance

Compliance is checked by inspection.

5.2.4 Insulation Resistance

Insulation resistance shall be measured with a D.C. voltage of 500V by SP-3A digital megohm meter. The measured between the open terminals is not less than $0.2M\Omega$.

5.2.5 Dielectric Strength

Dielectric strength shall be measured by ZNY-12 voltage tester and the test voltage shall be applied for 1 minute, sample shall have no defects such as damage, breakdown.

5.2.6 Tensile Test

Tensile Test be conducted by push-pull detector, 1.5 pounds of tensile force shall be applied to Lead wire for 1 minute and it is not damaged.

5.2.7 Bending/twist test

Lead wire shall be bent through 90° at a location 10 mm from the body of the thermal-link and then twisted through 180°, it is not damaged.

6. INSPECTION

6.1 Lot Definition

The products which are produced of same material in the same manufacturing conditions can be 1 lot.

6.2 Inspection Mode

Appearance: one hundred percent inspection on line.

Characteristics: Products is inspected in spot check and Performance index test Ac=0.

6.3 Inspection Quantity

Samples are inspected according to MIL-STD-105ES3, product are inspected 50EA when the quantity is not less than 150,000EA, it is inspected 32EA when the quantity is less than 150,000EA.



7. TEST STANDARDS

Test Item	Unit	Standard	Test Equipment
Functioning Temperature	°C	Tf +0/-10°C	Oven
High Voltage Test	V	1000+2U _r	Voltage Tester
Insulation Resistance	МΩ	>2	Digital Megohm Meter
Resistance	mΩ	<1	Bridge Resistance Meter
High Voltage Test After Temperature Test	V	>500	Voltage Tester
Insulation Resistance After Temperature Test	ΜΩ	>0.2	Digital Megohm Meter
Bending/twist test	/	lead wire shall be bent through 90° at a location 10 mm from the body of the thermal-link and then twisted through 180°, it is not damaged.	Manual Operation

8. Inspection Report

We will providing the test report if customer require, the test report include functioning temperature, insulation resistance, voltage test, tensile and bending/twist test of lead wire test report.

9. PACKING & MARKING

9.1 Packing

100EA/little plastic bag→30 little plastic bags /inner box→15 inner boxes/ external carton

9.2 Marking

The markings for every thermal-link and packaging shall be prescribed as below:

- 1)Type
- 2) Rate Temperature
- 3)Rate Current & Voltage
- 4) Packing Quantity
- 5) Production Date

10. Storage & Storage Condition

The storage life of thermal-link is 12 month from customer put in storage. Thermal-link must be storage in 25°C to 35°C and relative humidity is 65% to 75%, the environment must be avoid sun exposure and pollution.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Specialty Fuses category:

Click to view products by Proffuse manufacturer:

Other Similar products are found below:

63NZ02GL 714125 722134 80NH00GR-6 FWH-200A FWP-32A14F FWP-50 HBM-25 12LCT 12TDLSJ63 REN-3 15.5CAVH2E ECF-2 ECF-4 ECF-6 170M0213 170M1314 170M1369-D 170M3809D BK/F02A-2AS BK/F02B-1A N-2-1/2 N-3-2/10 NITD2 20D16 20D16SC 20D27FB KAA-3 KAB-2 KAB-30 KAJ-60 KAW-3 2D16 LKN-125B 16D27SB 170M1564D 170M2616 170M2668 170M4161 170M4241 170M4699 ESD63 ABS-25 ABS-30 ABS-8 ACF-15 ACF-30 ACO-30 SSD10 200NH1M