
KP1836



Vishay Roederstein

AC and Pulse Film/Foil Capacitors Radial Potted Type



FEATURES

 Material categorization: for definitions of compliance please see <u>www.vishay.com/doc?99912</u>

APPLICATIONS

• High voltage, very high current and high pulse operations, deflection circuits in TV sets (fly-back tuning)



GREEN (5-2008)

- Electronic ballasts, protection circuits in SMPS's
- Snubber and SCR commutating circuits

QUICK REFERENCE DATA					
Capacitance range	100 pF to 0.22 μF				
Capacitance tolerances	± 10 %, ± 5 %				
Climatic testing class according to IEC 60068	55/100/56				
Dielectric	Polypropylene film				
Electrodes	Aluminum foil				
Construction	Extended aluminum foil, internal series connection, double-sided metallized, polyester carrier film				
Leads	Tinned wire				
Marking	Manufacturer's logo, type, C-value, rated voltage, tolerance, data of manufacture				
Coating	Flame retardant plastic case (UL-class 94 V-0), epoxy resin sealed				
Insulation resistance	Measured at 500 V_{DC} after one minute 100 000 M $\!\Omega$ minimum value (1000 G $\!\Omega$ typical value)				
Operating temperature range	-55 °C to +100 °C				
Rated DC voltages	630 V _{DC} , 1000 V _{DC} , 1250 V _{DC} , 1600 V _{DC} , 2000 V _{DC}				
Permissible AC voltages (RMS) up to 60 Hz	300 V _{AC} , 350 V _{AC} , 400 V _{AC} , 500 V _{AC} , 600 V _{AC}				
Test voltages (electrode/electrode)	2 x U _R for 2 s				
Temperature coefficient	-250 x 10 ⁻⁶ /°C (typical value)				
Capacitance drift	Up to +40 °C, \pm 0.5 % for a period of two years				
Derating for DC and AC category voltage ${\rm U}_{\rm C}$	At +85 °C: $U_{C} = 1.0 U_{R}$ At +100 °C: $U_{C} = 0.7 U_{R}$				
Self inductance	~ 6 nH measured with 2 mm long leads				
Pull test on leads	\geq 30 N in direction of leads according to IEC 60068-2-21				
Reliability	Operational life > 300 000 h Failure rate < 1 FIT (0.5 x U _R and 40 °C)				

Note

For further details, please refer to the general information available at <u>www.vishay.com/doc?26033</u>


1



KP1836


Vishay Roederstein

COMPOSITION OF CATALOG NUMBER



Note

⁽¹⁾ Letter code for packing please see table "Recommended Packaging"



MAXIMUM PULSE RISE TIME						
PCM MAXIMUM PULSE RISE TIME dV/dt [V/µs]						
(mm)	630 V _{DC}	1000 V _{DC}	1250 V _{DC}	1600 V _{DC}	2000 V _{DC}	
15	6500	8200	11 100	13 900	13 900	
22.5	2600	3200	4600	6000	9800	
27.5	1800	2300	3100	4000	6000	
37.5	1200	1500	1900	2400	3500	

Note

• If the maximum pulse voltage is less than the rated voltage higher dV/dt values can be permitted

DISSIPATION FACTOR tan δ				
MEASURED AT	$C \le 0.1 \ \mu F$	C > 1.0 μF		
1 kHz	0.3 x 10 ⁻³	0.3 x 10 ⁻³		
10 kHz	0.4 x 10 ⁻³	0.4 x 10 ⁻³		
100 kHz	1 x 10 ⁻³	-		
	Maximum values			

Revision: 06-May-2019

Document Number: 26021



U _{RDC} (V)	CAP. (μF)	CAPACITANCE CODE	VOLTAGE CODE	V _{AC}	DIMENSIONS ⁽¹⁾ (w x h x l) (mm)	РСМ
	0.0027	-227			5.5 x 10.5 x 18.0	15
	0.0033	-233			5.5 x 10.5 x 18.0	15
	0.0039	-239]		6.5 x 12.5 x 18.0	15
	0.0047	-247			6.5 x 12.5 x 18.0	15
	0.0056	-256			7.5 x 13.5 x 18.0	15
	0.0068	-268			7.5 x 13.5 x 18.0	15
	0.0082	-282			8.5 x 14.5 x 18.0	15
	0.010	-310			8.5 x 14.5 x 18.0	15
	0.012	-312			8.5 x 17.5 x 18.0	15
	0.015	-315			10.5 x 17.5 x 18.0	15
	0.018	-318			7.5 x 15.5 x 26.5	22.5
	0.022	-322		000	7.5 x 15.5 x 26.5	22.5
630 -	0.027	-327	63	300	8.5 x 16.5 x 26.5	22.5
	0.033	-333			10.5 x 18.5 x 26.5	22.5
	0.039	-339			10.5 x 18.5 x 26.5	22.5
	0.047	-347			10.5 x 18.5 x 26.5	22.5
	0.056	-356			11.5 x 20.5 x 31.5	27.5
	0.068	-368			11.5 x 20.5 x 31.5	27.5
_	0.082	-382	-		11.5 x 20.5 x 31.5	27.5
_	0.10	-410			13.5 x 23.5 x 31.5	27.5
_	0.12	-412			12.5 x 22.5 x 41.5	37.5
_	0.15	-415			12.5 x 22.5 x 41.5	37.5
_	0.18	-418			14.5 x 24.5 x 41.5	37.5
F	0.22	-422			14.5 x 24.5 x 41.5	37.5
	0.0018	-218			5.5 x 10.5 x 18.0	15
F	0.0022	-222			5.5 x 10.5 x 18.0	15
	0.0027	-227			6.5 x 12.5 x 18.0	15
_	0.0033	-233	-		6.5 x 12.5 x 18.0	15
	0.0039	-239		7.5 x 13.5 x 18.0	15	
_	0.0047	-247	-		7.5 x 13.5 x 18.0	15
F	0.0056	-256			8.5 x 14.5 x 18.0	15
	0.0068	-268			8.5 x 14.5 x 18.0	15
F	0.0082	-282			6.5 x 14.5 x 26.5	22.5
-	0.010	-310	-		6.5 x 14.5 x 26.5	22.5
_	0.012	-312	-		7.5 x 15.5 x 26.5	22.5
_	0.015	-315	-		7.5 x 15.5 x 26.5	22.5
-	0.018	-318	-		8.5 x 16.5 x 26.5	22.5
1000 -	0.022	-322	10	350	8.5 x 16.5 x 26.5	22.5
-	0.027	-327	-		10.5 x 18.5 x 26.5	22.5
	0.033	-333	-		11.5 x 20.5 x 31.5	27.5
	0.039	-339	-		11.5 x 20.5 x 31.5	27.5
	0.047	-347	-		11.5 x 20.5 x 31.5	27.5
F	0.056	-356	1		12.5 x 22.5 x 41.5	37.5
F	0.068	-368	1		12.5 x 22.5 x 41.5	37.5
F	0.082	-382	1		12.5 x 22.5 x 41.5	37.5
┝	0.10	-410	1		14.5 x 24.5 x 41.5	37.5
┝	0.12	-412	1		14.5 x 24.5 x 41.5	37.5
	0.12	-412	1		16.0 x 28.5 x 41.5	37.5
F	0.13	-413	1		16.0 x 28.5 x 41.5	37.5
_	0.22	-418	4		18.0 x 32.5 x 41.5	37.5

Revision: 06-May-2019

3

Document Number: 26021

VISHAY,

Vishay Roederstein

	CAL DATA					
U _{RDC} (V)	CAP. (μF)	CAPACITANCE CODE	VOLTAGE CODE	V _{AC}	DIMENSIONS ⁽¹⁾ (w x h x l) (mm)	РСМ
	0.0012	-212			5.5 x 10.5 x 18.0	15
	0.0015	-215			5.5 x 10.5 x 18.0	15
	0.0018	-218			6.5 x 12.5 x 18.0	15
	0.0022	-222			6.5 x 12.5 x 18.0	15
	0.0027	-227			7.5 x 13.5 x 18.0	15
	0.0033	-233			7.5 x 13.5 x 18.0	15
	0.0039	-239			6.5 x 14.5 x 26.5	22.5
	0.0047	-247			6.5 x 14.5 x 26.5	22.5
	0.0056	-256			6.5 x 14.5 x 26.5	22.5
	0.0068	-268			6.5 x 14.5 x 26.5	22.5
	0.0082	-282			57.5 x 15.5 x 26.5	22.5
	0.010	-310			7.5 x 15.5 x 26.5	22.5
	0.012	-312			10.5 x 18.5 x 26.5	22.5
1250 -	0.015	-315	- 12	400	10.5 x 18.5 x 26.5	22.5
1230	0.018	-318	12	400	11.0 x 21.0 x 26.5	22.5
	0.022	-322			11.0 x 21.0 x 26.5	22.5
	0.027	-327			11.0 x 21.0 x 31.0	27.5
	0.033	-333			11.0 x 21.0 x 31.0	27.5
	0.039	-339			13.5 x 23.5 x 31.5	27.5
	0.047	-347]		13.5 x 23.5 x 31.5	27.5
	0.056	-356			12.5 x 23.5 x 41.5	37.5
	0.068	-368			12.5 x 22.5 x 41.5	37.5
	0.082	-382	-		14.5 x 24.5 x 41.5	37.5
	0.10	-410			14.5 x 24.5 x 41.5	37.5
	0.12	-412			16.0 x 28.5 x 41.5	37.5
	0.15	-415			16.0 x 28.5 x 41.5	37.5
	0.18	-418			20.0 x 40.0 x 42.5	37.5
	0.22	-422			20.0 x 40.0 x 42.5	37.5
	0.00068	-168			5.5 x 10.5 x 18.0	15
	0.0010	-210			5.5 x 10.5 x 18.0	15
	0.0012	-212			6.5 x 12.5 x 18.0	15
	0.0015	-215			6.5 x 12.5 x 18.0	15
	0.0018	-218			6.5 x 14.5 x 26.5	22.5
	0.0022	-222			6.5 x 14.5 x 26.5	22.5
	0.0027	-227			6.5 x 14.5 x 26.5	22.5
	0.0033	-233			6.5 x 14.5 x 26.5	22.5
	0.0039	-239	I '	7.5 x 15.5 x 26.5	22.5	
	0.0047	-247	4		7.5 x 15.5 x 26.5	22.5
	0.0056	-256	4		8.5 x 16.5 x 26.5	22.5
	0.0068	-268	4		8.5 x 16.5 x 26.5	22.5
1600 -	0.0082	-282	- 13	500	10.5 x 18.5 x 26.5	22.5
	0.010	-310			10.5 x 18.5 x 26.5	22.5
_	0.012	-312	4		11.5 x 20.5 x 31.5	27.5
	0.015	-315	4		11.5 x 20.5 x 31.5	27.5
_	0.018	-318	4		11.5 x 20.5 x 31.5	27.5
	0.022	-322	4		11.5 x 20.5 x 31.5	27.5
_	0.027	-327	4		13.5 x 23.5 x 31.5	27.5
	0.033	-333	4		13.5 x 23.5 x 31.5	27.5
	0.039	-339	4		12.5 x 22.5 x 41.5	37.5
	0.047	-347	1		12.5 x 22.5 x 41.5	37.5
	0.056	-356	4		14.5 x 24.5 x 41.5	37.5
	0.068	-368	1		14.5 x 24.5 x 41.5	37.5
	0.082	-382	1		16.0 x 28.5 x 41.5	37.5
	0.10	-410	1		16.0 x 28.5 x 41.5	37.5

Revision: 06-May-2019

4 For technical questions, contact: <u>dc-film@vishay.com</u>

THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. THE PRODUCTS DESCRIBED HEREIN AND THIS DOCUMENT ARE SUBJECT TO SPECIFIC DISCLAIMERS, SET FORTH AT www.vishay.com/doc?91000

www.vishay.com

KP1836

Vishay Roederstein

LECTR	ICAL DATA					
U _{RDC} (V)	CAP. (μF)	CAPACITANCE CODE	VOLTAGE CODE	V _{AC}	DIMENSIONS ⁽¹⁾ (w x h x l) (mm)	РСМ
	0.00010	-110			5.5 x 10.5 x 18.0	15
	0.00015	-115]		5.5 x 10.5 x 18.0	15
	0.00022	-122			5.5 x 10.5 x 18.0	15
	0.00033	-133]		5.5 x 10.5 x 18.0	15
	0.00047	-147			5.5 x 10.5 x 18.0	15
	0.00068	-168			5.5 x 10.5 x 18.0	15
	0.0010	-210]		6.5 x 14.5 x 26.5	22.5
	0.0012	-212]		6.5 x 14.5 x 26.5	22.5
	0.0015	-215]		6.5 x 14.5 x 26.5	22.5
	0.0018	-218			6.5 x 14.5 x 26.5	22.5
	0.0022	-222			6.5 x 14.5 x 26.5	22.5
	0.0027	-227]		7.5 x 15.5 x 26.5	22.5
	0.0033	-233			7.5 x 15.5 x 26.5	22.5
2000	0.0039	-239	20	600	10.5 x 18.5 x 26.5	22.5
	0.0047	-247			10.5 x 18.5 x 26.5	22.5
	0.0056	-256			10.5 x 18.5 x 26.5	22.5
	0.0068	-268			11.5 x 20.5 x 31.5	27.5
	0.0082	-282			11.5 x 20.5 x 31.5	27.5
F	0.010	-310	1		11.5 x 20.5 x 31.5	27.5
F	0.012	-312	1		13.5 x 23.5 x 31.5	27.5
F	0.015	-315]		13.5 x 23.5 x 31.5	27.5
F	0.018	-318	1		15.0 x 24.5 x 31.5	27.5
F	0.022	-322	1		15.0 x 24.5 x 31.5	27.5
F	0.027	-327	1		14.5 x 24.5 x 41.5	37.5
F	0.033	-333	1		14.5 x 24.5 x 41.5	37.5
F	0.039	-339	1		16.0 x 28.5 x 41.5	37.5
F	0.047	-347	1		16.0 x 28.5 x 41.5	37.5

Notes

• Further C-values upon request

⁽¹⁾ For tolerances see chapter "Space Requirements for Printed-Circuit Board Applications and Dimension Tolerances"

RECOMMENDED PACKAGING							
LETTER CODE	TYPE OF PACKAGING	HEIGHT (H) (mm)	REEL DIAMETER (mm)	ORDERING CODE EXAMPLES	PCM 15	PCM 22.5 TO 27.5	PCM 37.5
D	Ammo	16.5	S ⁽¹⁾	KP1836-168/205-D	х	-	-
G	Ammo	18.5	S ⁽¹⁾	KP1836-168/205-G	х	-	-
F	Reel	16.5	350	KP1836-168/205-F	х	-	-
W	Reel	18.5	350	KP1836-168/205-W	х	-	-
V	Reel	18.5	500	KP1836-310/134-V	х	x	-
G	Ammo	18.5	L ⁽²⁾	KP1836-310/134-G	-	х	-
-	Bulk	-	-	KP1836-310/134	х	x	х

Notes

 $^{(1)}$ S = Box size 55 mm x 210 mm x 340 mm (W x H x L)

⁽²⁾ L = Box size 60 mm x 360 mm x 510 mm (W x H x L)



MOUNTING

Normal Use

The capacitors are designed for mounting on printed-circuit boards. The capacitors packed in bandoleers are designed for mounting on printed-circuit boards by means of automatic insertion machines. For detailed tape specifications refer to packaging information www.vishay.com/doc?28139

Tor dotailou tapo opositionis totor to publicaging internation www.vondy.com/

Specific Method of Mounting to Withstand Vibration and Shock

In order to withstand vibration and shock tests, it must be ensured that the stand-off pips are in good contact with the printed-circuit board:

- For pitches \leq 15 mm the capacitors shall be mechanically fixed by the leads
- For larger pitches the capacitors shall be mounted in the same way and the body clamped

Space Requirements for Printed-Circuit Board Applications and Dimension Tolerances

For the maximum product dimensions and maximum space requirements for length (I_{max}), width (w_{max}), and height (h_{max}) following tolerances must be taken in account in the envelopment of the components as shown in the drawings below:


For products with pitch \leq 15 mm, Δw = ΔI = 0.3 mm and Δh = 0.1 mm

For products with 15 mm < pitch \leq 27.5 mm, $\Delta w = \Delta I = 0.5$ mm and $\Delta h = 0.1$ mm

For products with pitch = 37.5 mm, $\Delta w = \Delta I = 0.7$ mm and $\Delta h = 0.5$ mm

For products with pitch = 52.5 mm, $\Delta w = \Delta I = 1.0$ mm and $\Delta h = 0.5$ mm

Eccentricity defined as in drawing. The maximum eccentricity is smaller than or equal to the lead diameter of the product concerned.



For the minimum product dimensions for length (I_{min.}), width (w_{min.}), and height (h_{min.}) following tolerances of the components are valid:

 $I_{min.}$ = I - $\Delta I,$ $w_{min.}$ = w - $\Delta w,$ and $h_{min.}$ = h - Δh following

For products with pitch \leq 10 mm, Δl = 0.3 mm and Δw = Δh = 0.3 mm

For products with pitch = 15 mm, $\Delta I = 0.5$ mm and $\Delta w = \Delta h = 0.5$ mm

For products with 15 mm < pitch \leq 27.5 mm, Δl = 1.0 mm and Δw = Δh = 0.5 mm

For products with pitch = 37.5 mm, ΔI = 1.0 mm and Δw = Δh = 1.0 mm

For products with pitch = 52.5 mm, ΔI = 1.5 mm and Δw = Δh = 1.0 mm

SOLDERING CONDITIONS

For general soldering conditions and wave soldering profile, we refer to the application note "Soldering Guidelines for Film Capacitors": <u>www.vishay.com/doc?28171</u>

STORAGE TEMPERATURE

 T_{stq} = -25 °C to +35 °C with RH maximum 75 % without condensation.

RATINGS AND CHARACTERISTICS REFERENCE CONDITIONS


Unless otherwise specified, all electrical values apply to an ambient free temperature of 23 °C \pm 1 °C, an atmospheric pressure of 86 kPa to 106 kPa, and a relative humidity of 50 % \pm 2 %.


For reference testing, a conditioning period shall be applied over 96 h \pm 4 h by heating the products in a circulating air oven at the rated temperature and a relative humidity not exceeding 20 %.


THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. THE PRODUCTS DESCRIBED HEREIN AND THIS DOCUMENT ARE SUBJECT TO SPECIFIC DISCLAIMERS, SET FORTH AT <u>www.vishay.com/doc?91000</u>





PERMISSIBLE AC VOLTAGE VS. FREQUENCY











7

For technical questions, contact: <u>dc-film@vishay.com</u> THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. THE PRODUCTS DESCRIBED HEREIN AND THIS DOCUMENT ARE SUBJECT TO SPECIFIC DISCLAIMERS, SET FORTH AT <u>www.vishay.com/doc?91000</u>

PITCH 52.5 mm -_ --_ _ _ --_ _

-

-

-

-

_

-

_

155.0

170.0

200.0

KP1836

VISHAY					K
	www.vishay.com			Visha	y Roed
HEAT CON	DUCTIVITY (G) AS A	FUNCTION OF C	APACITOR BOD	THICKNESS IN	mW/°C
w _{max.}		HEA	T CONDUCTIVITY (m)	N/°C)	
(mm)	PITCH 15 mm	PITCH 22.5 mm	PITCH 27.5 mm	PITCH 37.5 mm	PITCH
5.5	10.0	-	-	-	
6.5	13.0	20.0	-	-	
7.5	15.0	22.0	-	-	
8.5	16.0	24.0	-	-	
9.0	-	-	32.0	-	
10.5	-	30.0	-	-	
11.0	-	-	38.0	-	
11.5	-	-	38.0	-	
12.5	-	34.0	-	-	
13.0	-	-	45.0	-	
13.5	-	-	45.0	-	

-

_

-

_

_

-

_

-

POWER DISSIPATION AND MAXIMUM COMPONENT TEMPERATURE RISE

The power dissipation must be limited in order not to exceed the maximum allowed component temperature rise as a function of the free air ambient temperature.

50.0

58.0

60.0

-

73.0

70.0

-

_

-

_

-

_

90.0

_

-

102.0

118.0

-

135.0

_

The component temperature rise (ΔT) can be measured or calculated by $\Delta T = P/G$:

• ΔT = component temperature rise (°C) with a maximum of 15 °C

-

-

_

-

_

_

-

_

-

_

• P = power dissipation of the component (mW)

15.0

16.5

18.0

18.5

20.0

21.0

21.5

24.0

25.0


30.0

35.0

• G = heat conductivity of the component (mW/°C)

MEASURING THE COMPONENT TEMPERATURE

A thermocouple must be attached to the capacitor body as in:



The temperature is measured in unloaded (T_{amb}) and maximum loaded condition (T_C) .

The temperature rise is given by $\Delta T = T_C - T_{amb}$.

To avoid thermal radiation or convection, the capacitor should be tested in a closed area from air circulation.

www.vishay.com

APPLICATION NOTE AND LIMITING CONDITIONS

These capacitors are not suitable for mains applications as across-the-line capacitors without additional protection, as described hereunder. These mains applications are strictly regulated in safety standards and therefore electromagnetic interference suppression capacitors conforming the standards must be used.

To select the capacitor for a certain application, the following conditions must be checked:

- 1. The peak voltage (U_p) shall not be greater than the rated DC voltage (U_{RDC})
- 2. The peak-to-peak voltage (U_{p-p}) shall not be greater than the maximum (U_{p-p}) to avoid the ionization inception level
- 3. The voltage peak slope (dU/dt) shall not exceed the rated voltage pulse slope in an RC-circuit at rated voltage and without ringing. If the pulse voltage is lower than the rated DC voltage, the rated voltage pulse slope may be multiplied by U_{RDC} and divided by the applied voltage.

For all other pulses following equation must be fulfilled:

$$2 \times \int_{0}^{T} \left(\frac{dU}{dt}\right) \times dt < U_{NDC} \times \left(\frac{dU}{dt}\right)_{rated}$$

T is the pulse duration

- 4. The maximum component surface temperature rise must be lower than the limits (see graph "Max. allowed component temperature rise").
- 5. Since in circuits used at voltages over 280 V peak-to-peak the risk for an intrinsically active flammability after a capacitor breakdown (short circuit) increases, it is recommended that the power to the component is limited to 100 times the values mentioned in the table: "Heat Conductivity"
- 6. When using these capacitors as across-the-line capacitor in the input filter for mains applications or as series connected with an impedance to the mains the applicant must guarantee that the following conditions are fulfilled in any case (spikes and surge voltages from the mains included).
- 7. For capacitors connected in parallel, normally the proof voltage and possibly the rated voltage must be reduced. For information depending of the capacitance value and the number of parallel connections contact <u>dc-film@vishay.com</u>.

VOLTAGE CONDITIONS FOR 6 ABOVE				
ALLOWED VOLTAGES	T _{amb} ≤ 85 °C	85 °C < T _{amb} ≤ 100 °C		
Maximum continuous RMS voltage	U _{RAC}	U _{RAC}		
Maximum temporary RMS-over voltage (< 24 h)	1.25 x U _{RAC}	0.875 x U _{RAC}		
Maximum peak voltage (V _{o-p}) (< 2 s)	1.6 x U _{RDC}	1.1 x U _{RDC}		



INSPECTION REQUIREMENTS

General Notes

Sub-clause numbers of tests and performance requirements refer to the "Sectional Specification, Publication IEC 60384-14 and Specific Reference Data".

GROUP C INSPECTION REQU	REMENTS	
SUB-CLAUSE NUMBER AND TEST	CONDITIONS	PERFORMANCE REQUIREMENTS
SUB-GROUP C1A PART OF SAMPLE OF	SUB-GROUP C1	•
4.1 Dimensions (detail)		As specified in chapters "General Data" of this specification
4.3.1 Initial measurements	Capacitance Tangent of loss angle at 100 kHz	
4.3 Robustness of terminations	Tensile and bending	No visible damage
4.4 Resistance to soldering heat	Method: 1A Solder bath: 280 °C ± 5 °C Duration: 10 s	
4.14 Component solvent resistance	Isopropylalcohol at room temperature Method: 2 Immersion time: 5 min ± 0.5 min Recovery time: min. 1 h, max. 2 h	
4.4.2 Final measurements	Visual examination	No visible damage Legible marking
	Capacitance	$\left \Delta C/C \right \leq 2$ % of the value measured initially
	Tangent of loss angle	Increase of tan $\delta : \le 0.002$ Compared to values measured initially
SUB-GROUP C1B OTHER PART OF SAM	IPLE OF SUB-GROUP C1	
4.6.1 Initial measurements	Capacitance Tangent of loss angle at 100 kHz	
4.15 Solvent resistance of the marking	Isopropyl alcohol at room temperature Method: 1 Rubbing material: cotton wool Immersion time: 5 min ± 0.5 min	No visible damage Legible marking
4.6 Rapid change of temperature	θA = lower category temperature θB = upper category temperature 5 cycles Duration t = 30 min	
4.7 Vibration	Visual examination Mounting: see section "Mounting" for more information Procedure B4: frequency range: 10 Hz to 55 Hz Amplitude: 0.75 mm or Acceleration 98 m/s ² (whichever is less severe) Total duration 6 h	No visible damage

KP1836

Vishay Roederstein

PERFORMANCE REQUIREMENTS

4.7.2 Final inspection Visual examination No visible damage 4.9 Shock Mounting: see section "Mounting" for more information and make Acceleration: 430 my% Duration of pulse: 11 ms No visible damage 4.9.3 Final measurements Visual examination No visible damage 4.10.2 Combine D SAMPLE OF SPECIMENS OF SUB-GROUPS C1A AND C1B Subscript of Visual examination Subscript of Visual examination 4.10.4 Cold Temperature: +100 °C Duration: 16 h No breakdown or flashover 4.10.4 Cold Temperature: +55 °C Duration: 2 h No breakdown or flashover 4.10.6 Damp heat cyclic Test DA, remaining cycles Visual examination No breakdown or flashover 4.10.6.2 Final measurements Visuag examination	SUB-G	ROUP C1B OTHER PART OF SAME	PLE OF SUB-GROUP C1	
4.9.3 Final measurements Visual examination Acceleration: 490 m/s ² Duration of pulse: 11 ms No visible damage 4.9.3 Final measurements Visual examination Capacitance Increase of tan 8: 0.002 Compared to values measured in 4.6.1 1 Tangent of loss angle Increase of tan 8: 0.002 Compared to values measured in 4.6.1 1 Insulation resistance ≥50 % of values specified in section "modulation Presistance" 4.10 Climatic sequence Immersture: +100 °C 4.10.2 Dry heat Temperature: +50 °C Duration: 16 h 4.10.3 Damp heat cyclic Test Db, first cycle Temperature: -55 °C Duration: 16 h 4.10.4 Cold Temperature: -55 °C Duration: 16 h 4.10.5 Damp heat cyclic Test Db, remaining cycles Visual examination 4.10.6.2 Final measurements Visual examination Visual examination No breakdown or flashover Capacitance 250 % of values specified in section "resulation Resistance 5.00-ROUP C2	4.7.2	Final inspection	Visual examination	No visible damage
Capacitance LG/C 5.2 % of the value measured in 4.6.1 Tangent of loss angle Increase of tan 8: 50.002 SUB-GROUP C1 COMBINED SAMPLE OF SPECIMENS OF SUB-GROUPS C1A AND C1 Increase of tan 8: 50.002 SUB-GROUP C1 COMBINED SAMPLE OF SPECIMENS OF SUB-GROUPS C1A AND C1 Increase of tan 8: 50.002 4.10 Climatic sequence Insulation Resistance" of this specification 4.10.2 Dry heat Temperature: +100 °C Duration: 16 h Temperature: -55 °C 4.10.4 Cold Temperature: -55 °C Duration: 2 h Voltage proof - Upoc for 1 minute within 15 minutes after removal from test chamber 4.10.6 Damp heat cyclic Test Db, remaining cycles No breakdown or flashover 4.10.6.2 Final measurements Visual examination No breakdown or flashover 4.10.6.2 Final measurements Secontance Secontance Coperase of to a 10.8 °C 0.003 Gragoitance Lacy of loss angle Insulation Resistance" of this specification 11.8 °C 0.003 Compared to values measured in 4.3.1 or 4.6.1 4.11.1 Insulation resistance Se days, 40 °C, 90 % to 95 % RH, no load No permanent breakdown or flash-over 4.11.3 Fina	4.9	Shock	information Pulse shape: half sine Acceleration: 490 m/s ²	
Tangent of loss angle Increase of tan 8: ≤ 0.002 Compared to values measured in 4.6.1 ≥ 50 % of values specified in section "Insulation resistance 3UB-GROUP C1 COMBINED SAMPLE OF SPECIMENS OF SUB-GROUPS C1A AND C1B 4.10 Climatic sequence 4.10.2 Dry heat 4.10.3 Damp heat cyclic Test Db, first cycle 4.10.4 Cold 4.10.5.2 Final measurements Visual examination No breakdown or flashover 4.10.6.2 Final measurements Visual examination No breakdown or flashover Capacitance Logic anarcing LoCiC) = 3 % of the value measured initially. 1.11 Insulation resistance ≥ 50 % of values specified in section "Insulation Resistance" of this specification SUB-GROUP C2 Tangent of loss angle No breakdown or flashover 4.11.1 Initial measurements S6 days, 40 °C, 90 % to 95 % RH, no load No permanent breakdown or flash-over 4.11.3 Final measurements Capacitance Tangent of loss angle at 1 kHz No permanent breakdown or flash-over 4.11.3 Final measurements Capacitance Tangent of loss angle at 1 kHz No visible damage Legible marking Capacitance 4.11.3 Final measurements Capacitance Tangent of loss angle No visible damage Legible marking Capacitance 4.11.3 Final measurements <td< td=""><td>4.9.3</td><td>Final measurements</td><td>Visual examination</td><td>No visible damage</td></td<>	4.9.3	Final measurements	Visual examination	No visible damage
Subscription Compared to values measured in 4.6.1 ≥ 0.% of values specified in section sub-GROUP C1 COMBINED SAMPLE OF SPECIMENS OF SUB-GROUPS C1A AND C18 4.10 Climatic sequence 4.10.2 Dry heat 4.10.3 Damp heat cyclic Test Db, first cycle 4.10.4 Cold 4.10.5 Damp heat cyclic Test Db, first cycle 4.10.4 Cold 4.10.5.2 Final measurements Voltage proof = U _{ROC} for 1 minute within Test Db, remaining cycles Voltage proof = U _{ROC} for 1 minute within 15 minutes after removal from test chamber 4.10.6.2 Final measurements Visual examination No breakdown or flashover Capacitance Locyl < 3 % of the value measured in 4.3.1 or 4.6.1 Insulation resistance SUB-GROUP C2			Capacitance	$\left \Delta C/C \right \leq 2$ % of the value measured in 4.6.1
SUB-GROUP C1 COMBINED SAMPLE OF SPECIMENS OF SUB-GROUPS C1A AND C1B 4.10 Climatic sequence 4.10.2 Dry heat 4.10.3 Damp heat cyclic Test Db, first cycle 4.10.4 Cold 4.10.5 Damp heat cyclic Test Db, first cycle 4.10.6 Damp heat cyclic Test Db, remaining cycles 4.10.6.2 Final measurements Visual examination No breakdown or flashover A.10.6.2 Final measurements Visual examination No breakdown or flashover Capacitance No sibile damage Legible marking [AC/C] ≤ 3 % of the value measured initially. Tangent of loss angle Increase of tan 3: ≤ 0.003 Compared to values specified in section "Insulation resistance" of this specification SUB-GROUP C2			Tangent of loss angle	
4.10. Climatic sequence 4.10.2 Dry heat 4.10.3 Damp heat cyclic Test Db, first cycle 4.10.4 Cold 4.10.5 Damp heat cyclic Test Db, first cycle 4.10.4 Cold 4.10.5 Damp heat cyclic Test Db, remaining cycles 4.10.6.2 Final measurements Voltage proof = U _{nDC} for 1 minute within 15 minutes after removal from test chamber 4.10.6.2 Final measurements Visual examination No breakdown or flashover Capacitance No visible damage Legible marking LoC/CI S 3V of the value measured initially. Insulation resistance ≥ 50 % of values specified in section "Insulation Resistance" of this specification SUB-GROUP C2 56 days, 40 °C, 90 % to 95 % RH, no load 4.11.1 Initial measurements S6 days, 40 °C, 90 % to 95 % RH, no load 4.11.3 Final measurements Voltage proof = U _{nDC} for 1 minute within 15 minutes after removal from test chamber Visual examination No permanent breakdown or flash-over Visual examination No visible damage Legible marking Capacitance Tangent of loss angle Increase of tan & ≤ 0.001 Compared to values measured initially. Increase of tan & ≤ 0.001 Compared t			Insulation resistance	\geq 50 % of values specified in section "Insulation Resistance" of this specification
4.10.2 Dry heat Temperature: +100 °C 4.10.3 Damp heat cyclic Test Db, first cycle Temperature: -55 °C 4.10.4 Cold Temperature: -55 °C 4.10.6 Damp heat cyclic Test Db, remaining cycles Voltage proof = U _{RDC} for 1 minute within 15 minutes after removal from test chamber 4.10.6.2 Final measurements Visual examination No breakdown or flashover 4.10.6.2 Final measurements Visual examination No breakdown or flashover 4.10.6 Damp heat cyclic Tangent of loss angle Increase of tan δ: < 0.003 Compared to values measured in 4.3.1 or 4.6.1 4.11 Damp heat steady state 56 days, 40 °C, 90 % to 95 % RH, no load ≥ 50 % of values specified in section "Insulation Resistance" of this specification SUB-GROUP C2	SUB-G	ROUP C1 COMBINED SAMPLE OF	SPECIMENS OF SUB-GROUPS C1A AND C1	В
Autor: 16 h Duration: 16 h 4.10.3 Damp heat cyclic Test Db, first cycle Temperature: -55 °C Duration: 2 h 4.10.4 Cold Temperature: -55 °C Duration: 2 h 4.10.6 Damp heat cyclic Test Db, remaining cycles Voltage proof = U _{ADC} for 1 minute within 15 minutes after removal from test chamber 4.10.6.2 Final measurements Visual examination No breakdown or flashover 4.10.6.2 Final measurements Visual examination No visible damage Legible marking AC/C] ≤ 3 % of the value measured initially. 1.10.6.2 Final measurements Tangent of loss angle Increase of tan 3: ≤ 0.003 Compared to values specified in section "Insulation resistance" 4.11 Damp heat steady state 56 days, 40 °C, 90 % to 95 % RH, no load >50 % of values specified in section 4.11.1 Initial measurements Capacitance Tangent of loss angle at 1 kHz No permanent breakdown or flash-over 4.11.3 Final measurements Voltage proof = U _{ACC} for 1 minute within 15 minutes after removal from test chamber No visible damage Legible marking 4.11.3 Final measurements Voltage proof = U _{ACC} for 1 minute within 15 minutes after removal from test chamber No visible damage Legible marking 4.11.3 Final measurements Capacitance No	4.10	Climatic sequence		
Test Db, first cycle Temperature: -55 °C 4.10.4 Cold Temperature: -55 °C 4.10.6 Damp heat cyclic Test Db, remaining cycles Voltage proof = U _{RDC} for 1 minute within 15 minutes after removal from test chamber 4.10.6.2 Final measurements Visual examination No breakdown or flashover 4.10.6.2 Final measurements Visual examination No breakdown or flashover Capacitance No visible damage Legible marking [AC/C] ≤ 3 % of the value measured initially. Increase of tan 8: ≤ 0.003 Compared to values measured in 4.3.1 or 4.6.1 SUB-GROUP C2 Tangent of loss angle ≥50 % of values specified in section "Insulation Resistance" of this specification 4.11.1 Initial measurements Capacitance Tangent of loss angle at 1 kHz No permanent breakdown or flash-over 4.11.3 Final measurements Capacitance Tangent of loss angle at 1 kHz No permanent breakdown or flash-over 4.11.3 Final measurements Capacitance Tangent of loss angle at 1 kHz No visible damage Legible marking 4.11.3 Final measurements Capacitance Tangent of loss angle No visible damage Legible marking 4.11.4 Intitial measurements Capacitance Tangent of loss angle No visible damage Legible marking Capacitanc	4.10.2	Dry heat	Temperature: +100 °C Duration: 16 h	
4.10.6 Damp heat cyclic Test DD, remaining cycles Voltage proof = U _{RDC} for 1 minute within 15 minutes after removal from test chamber 4.10.6.2 Final measurements Visual examination No breakdown or flashover 4.10.6.2 Final measurements Visual examination No breakdown or flashover 4.10.6.2 Final measurements Visual examination No breakdown or flashover Capacitance Logible marking LoC/C ≤ 3 % of the value measured initially. Tangent of loss angle Increase of tan δ: ≤ 0.003 Compared to values measured in 4.3.1 or 4.6.1 SUB-GROUP C2	4.10.3			
Test Db, remaining cycles 15 minutes after removal from test chamber 4.10.6.2 Final measurements Visual examination No breakdown or flashover Capacitance No visible damage Legible marking [AC/C] ≤ 3 % of the value measured initially. Tangent of loss angle Increase of tan 8: ≤ 0.003 Compared to values measured in 4.3.1 or 4.6.1 Insulation resistance ≥ 50 % of values specified in section "Insulation Resistance" of this specification SUB-GROUP C2 4.11 Damp heat steady state 56 days, 40 °C, 90 % to 95 % RH, no load 4.11.1 Initial measurements Capacitance Tangent of loss angle at 1 kHz No permanent breakdown or flash-over Visual examination No visible damage Legible marking Voltage proof = U _{RDC} for 1 minute within 15 minutes after removal from test chamber No visible damage Legible marking Visual examination No visible damage Legible marking No visible damage Legible marking Capacitance Tangent of loss angle Increase of tan 8: < 0.001 Compared to values measured initially. Insulation resistance ≥ 50 % of values specified in section	4.10.4	Cold		
CapacitanceNo visible damage Legible marking $ \Delta C/C \le 3$ % of the value measured initially.Tangent of loss angleIncrease of tan $\delta : \le 0.003$ Compared to values measured in 4.3.1 or $4.6.1$ Insulation resistance ≥ 50 % of values specified in section "Insulation Resistance" of this specificationSUB-GROUP C2 $= 56$ days, 40 °C, 90 % to 95 % RH, no load4.11Damp heat steady state 56 days, 40 °C, 90 % to 95 % RH, no load4.11.1Initial measurementsCapacitance Tangent of loss angle at 1 kHz4.11.3Final measurementsVoltage proof $= U_{RDC}$ for 1 minute within 15 minutes after removal from test chamberVisual examinationNo visible damage Legible markingVisual examinationNo visible damage Legible markingCapacitance Tangent of loss angle $ \Delta C/C \le 3$ % of the value measured initially.Increase of tan $\delta : \le 0.001$ Compared to values measured in 4.3.1 or $4.6.1$ Insulation resistance ≥ 50 % of values specified in section	4.10.6		Voltage proof = U _{RDC} for 1 minute within 15 minutes after removal from test chamber	
Legible marking $ \Delta C/C \le 3 \%$ of the value measured initially.Tangent of loss angleIncrease of tan $\delta : \le 0.003$ Compared to values measured in 4.3.1 or 4.6.1Insulation resistance $\ge 50 \%$ of values specified in section "Insulation Resistance" of this specificationSUB-GROUP C2 $= 56 \text{ days}, 40 °C, 90 \%$ to 95% RH, no load4.11Damp heat steady state $56 \text{ days}, 40 °C, 90 \%$ to 95% RH, no load4.11.1Initial measurementsCapacitance Tangent of loss angle at 1 kHz4.11.3Final measurementsVoltage proof $= U_{RDC}$ for 1 minute within 15 minutes after removal from test chamberVisual examinationNo visible damage Legible markingCapacitance Tangent of loss angle $ \Delta C/C \le 3 \%$ of the value measured initially.Increase of tan $\delta : \le 0.001$ Compared to values measured in 4.3.1 or $4.6.1$ Insulation resistance $\geq 50 \%$ of values specified in section	4.10.6.2	2 Final measurements	Visual examination	No breakdown or flashover
Subscription Compared to values measured in 4.3.1 or 4.6.1 Insulation resistance \geq 50 % of values specified in section "Insulation Resistance" of this specification SUB-GROUP C2 Capacitance No load 4.11 Damp heat steady state 56 days, 40 °C, 90 % to 95 % RH, no load Insulation Resistance" of this specification 4.11.1 Initial measurements Capacitance Tangent of loss angle at 1 kHz No permanent breakdown or flash-over 4.11.3 Final measurements Voltage proof = U _{RDC} for 1 minute within 15 minutes after removal from test chamber No visible damage Legible marking Visual examination No visible damage Legible marking Capacitance I $\Delta C/C \le 3 \%$ of the value measured initially. Tangent of loss angle Increase of tan $\delta : \le 0.001$ Compared to values measured in 4.3.1 or 4.6.1 S0 % of values measured in 4.3.1 or 4.6.1			Capacitance	Legible marking
SUB-GROUP C2 4.11 Damp heat steady state 56 days, 40 °C, 90 % to 95 % RH, no load 4.11.1 Initial measurements Capacitance Tangent of loss angle at 1 kHz 4.11.3 Final measurements Voltage proof = U _{RDC} for 1 minute within 15 minutes after removal from test chamber Visual examination No visible damage Legible marking Capacitance Increase of tan $\delta : \leq 0.001$ Compared to values measured in 4.3.1 or 4.6.1 Insulation resistance			Tangent of loss angle	Compared to values measured in 4.3.1 or
4.11 Damp heat steady state 56 days, 40 °C, 90 % to 95 % RH, no load 4.11.1 Initial measurements Capacitance Tangent of loss angle at 1 kHz 4.11.3 Final measurements Voltage proof = U _{RDC} for 1 minute within 15 minutes after removal from test chamber No permanent breakdown or flash-over Visual examination Visual examination No visible damage Legible marking Capacitance Increase of tan $\delta: \leq 0.001$ Compared to values measured in 4.3.1 or 4.6.1 Insulation resistance $\geq 50 %$ of values specified in section			Insulation resistance	\geq 50 % of values specified in section "Insulation Resistance" of this specification
no loadno load4.11.1 Initial measurementsCapacitance Tangent of loss angle at 1 kHz4.11.3 Final measurementsVoltage proof = U_{RDC} for 1 minute within 15 minutes after removal from test chamberNo permanent breakdown or flash-overVisual examinationNo visible damage Legible markingLegible markingCapacitance $ \Delta C/C \le 3$ % of the value measured initially.Tangent of loss angleIncrease of tan $\delta : \le 0.001$ Compared to values measured in 4.3.1 or 4.6.1Insulation resistance ≥ 50 % of values specified in section	SUB-G	ROUP C2		· · · · · · · · · · · · · · · · · · ·
4.11.3 Final measurements Tangent of loss angle at 1 kHz No permanent breakdown or flash-over 4.11.3 Final measurements Voltage proof = U_{RDC} for 1 minute within 15 minutes after removal from test chamber No permanent breakdown or flash-over Visual examination No visible damage Legible marking No visible damage Legible marking Capacitance $ \Delta C/C \le 3$ % of the value measured initially. Tangent of loss angle Increase of tan $\delta : \le 0.001$ Compared to values measured in 4.3.1 or 4.6.1 Insulation resistance ≥ 50 % of values specified in section	4.11	Damp heat steady state		
15 minutes after removal from test chamberVisual examinationNo visible damage Legible markingCapacitance $ \Delta C/C \le 3$ % of the value measured initially.Tangent of loss angleIncrease of tan $\delta: \le 0.001$ Compared to values measured in 4.3.1 or 4.6.1Insulation resistance ≥ 50 % of values specified in section	4.11.1	Initial measurements		
Legible markingCapacitance $ \Delta C/C \le 3$ % of the value measured initially.Tangent of loss angleIncrease of tan $\delta : \le 0.001$ Compared to values measured in 4.3.1 or 4.6.1Insulation resistance ≥ 50 % of values specified in section	4.11.3	Final measurements	Voltage proof = U _{RDC} for 1 minute within 15 minutes after removal from test chamber	No permanent breakdown or flash-over
Tangent of loss angleIncrease of tan δ : ≤ 0.001 Compared to values measured in 4.3.1 or 4.6.1Insulation resistance ≥ 50 % of values specified in section			Visual examination	
Compared to values measured in 4.3.1 or $4.6.1$ Insulation resistance \geq 50 % of values specified in section			Capacitance	$\left \Delta C/C \right \leq 3$ % of the value measured initially.
Insulation resistance \geq 50 % of values specified in section "Insulation Resistance" of this specification			Tangent of loss angle	Compared to values measured in 4.3.1 or
			Insulation resistance	\geq 50 % of values specified in section "Insulation Resistance" of this specification

CONDITIONS

SHA

www.vishay.com

SUB-CLAUSE NUMBER AND TEST

GROUP C INSPECTION REQUIREMENTS

11

For technical questions, contact: <u>dc-film@vishay.com</u> THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. THE PRODUCTS DESCRIBED HEREIN AND THIS DOCUMENT ARE SUBJECT TO SPECIFIC DISCLAIMERS, SET FORTH AT <u>www.vishay.com/doc?91000</u> www.vishay.com

VISHAY

Vishay Roederstein

GRO	UP C INSPECTION REQUI	REMENTS	
SUB-C	LAUSE NUMBER AND TEST	CONDITIONS	PERFORMANCE REQUIREMENTS
SUB-G	ROUP C3A	•	
4.12.1	Endurance test at 50 Hz alternating voltage	Duration: 2000 h Voltage: 1.0 x U _{RAC} at 100 °C	
4.12.1.	1 Initial measurements	Capacitance Tangent of loss angle: at 10 kHz	
4.12.1.3	3 Final measurements	Visual examination	No visible damage Legible marking
		Capacitance	$\left \Delta C/C \right \leq 5$ % of the value measured in 4.12.1
		Tangent of loss angle	Increase of tan $\delta : \le 0.004$ Compared to values measured in 4.12.1
		Insulation resistance	≥ 50 % of values specified in section "Insulation Resistance" of this specification
SUB-G	ROUP C4		
4.2.6	Temperature characteristics Initial measurements Intermediate measurements	Capacitance Capacitance at: -55 °C Capacitance at: 20 °C Capacitance at: 100 °C	For -55 °C to +20 °C: +1 % $\leq \Delta C/C \leq 3.75$ % or for 20 °C to 105 °C: -6 % $\leq \Delta C/C \leq 0$ %
	Final measurements	Capacitance	As specified in section "Capacitance" of this specification
		Insulation resistance	As specified in section "Insulation Resistance" of this specification
4.13	Charge and discharge	10 000 cycles Charged to U _{RDC} Discharge resistance: $R = \frac{U_{RDC}}{2.5 \times C (dU/dt)}$	
4.13.1	Initial measurements	Capacitance Tangent of loss angle at 100 kHz	
4.13.3	Final measurements	Capacitance	$ \Delta C/C \le 3$ % compared to values measured in 4.13.1.
		Tangent of loss angle	Increase of tan δ : \leq 0.005 Compared to values measured in 4.13.1
		Insulation resistance	$\geq 50~\%$ of values specified in section "Insulation Resistance" of this specification

12

For technical questions, contact: <u>dc-film@vishay.com</u> THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. THE PRODUCTS DESCRIBED HEREIN AND THIS DOCUMENT ARE SUBJECT TO SPECIFIC DISCLAIMERS, SET FORTH AT <u>www.vishay.com/doc?91000</u>



Vishay

Disclaimer

ALL PRODUCT, PRODUCT SPECIFICATIONS AND DATA ARE SUBJECT TO CHANGE WITHOUT NOTICE TO IMPROVE RELIABILITY, FUNCTION OR DESIGN OR OTHERWISE.

Vishay Intertechnology, Inc., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Vishay"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any datasheet or in any other disclosure relating to any product.

Vishay makes no warranty, representation or guarantee regarding the suitability of the products for any particular purpose or the continuing production of any product. To the maximum extent permitted by applicable law, Vishay disclaims (i) any and all liability arising out of the application or use of any product, (ii) any and all liability, including without limitation special, consequential or incidental damages, and (iii) any and all implied warranties, including warranties of fitness for particular purpose, non-infringement and merchantability.

Statements regarding the suitability of products for certain types of applications are based on Vishay's knowledge of typical requirements that are often placed on Vishay products in generic applications. Such statements are not binding statements about the suitability of products for a particular application. It is the customer's responsibility to validate that a particular product with the properties described in the product specification is suitable for use in a particular application. Parameters provided in datasheets and / or specifications may vary in different applications and performance may vary over time. All operating parameters, including typical parameters, must be validated for each customer application by the customer's technical experts. Product specifications do not expand or otherwise modify Vishay's terms and conditions of purchase, including but not limited to the warranty expressed therein.

Hyperlinks included in this datasheet may direct users to third-party websites. These links are provided as a convenience and for informational purposes only. Inclusion of these hyperlinks does not constitute an endorsement or an approval by Vishay of any of the products, services or opinions of the corporation, organization or individual associated with the third-party website. Vishay disclaims any and all liability and bears no responsibility for the accuracy, legality or content of the third-party website or for that of subsequent links.

Except as expressly indicated in writing, Vishay products are not designed for use in medical, life-saving, or life-sustaining applications or for any other application in which the failure of the Vishay product could result in personal injury or death. Customers using or selling Vishay products not expressly indicated for use in such applications do so at their own risk. Please contact authorized Vishay personnel to obtain written terms and conditions regarding products designed for such applications.

No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Vishay. Product names and markings noted herein may be trademarks of their respective owners.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Film Capacitors category:

Click to view products by Vishay manufacturer:

Other Similar products are found below :

 F450KG153J250ALH0J
 750-1018
 FKP1-1000160010P15
 FKP1-1500160010P15
 82EC1100DQ50K
 MMWAF150KME

 PFR5101J100J11L16.5TA18
 PME261JB5220KR19T0
 A521HH333M035C
 QXJ2E474KTPT
 QXL2B333KTPT
 QXM2G104K
 DMT2P22

 EEC2G505HQA406
 B32520C6332K000
 B32522C6104K000
 B32523Q3155J
 B32676E6755K
 C3B2AD44400B20K
 KP1830-247/061-G

 SCD105K122A3-22
 2N3155
 F601BL225K063CL60A
 FKP1-2202KV5P15
 FKS3-680040010P10
 445450-1
 B32523Q0475K000

 46KR415050M1K
 4BSNBX4100ZBFJ
 4DCNAQ4450ZA0J
 MKP383510063JKP2T0
 MKT 1813-368-015
 MKT182022263473
 4055292001

 WMC08P22
 WMF1S15
 WMF4S68
 EEC2E106HQA405
 EEC2G805HQA415
 82DC3100DQ50J
 82EC2150DQ50K
 WMF4D68
 WMF1D68

 B25620B118K883
 B25620B158K883
 A521HH471M450C
 97F8038
 NRM-S225K250F
 730P205X9400
 P42DB8483AA00F