www.vishay.com

# MMU 0102, MMA 0204, MMB 0207 - Professional

Vishay Beyschlag

# **Professional Thin Film MELF Resistors**



MMU 0102, MMA 0204, and MMB 0207 professional thin film MELF resistors are the perfect choice for most fields of modern professional electronics where reliability and stability is of major concern. The typical applications in the fields of automotive, telecommunication and medical equipment reflect the outstanding level of proven reliability.

## FEATURES

- Approved according to EN 140401-803
- AEC-Q200 qualified
- Advanced metal film technology
- Excellent overall stability: exceeds class 0.25
- Best in class pulse load capability
- Intrinsic sulfur resistance
- Material categorization: for definitions of compliance please see www.vishay.com/doc?99912

### APPLICATIONS

- Automotive
- Telecommunication
- Industrial
- Medical equipment

TECHNICAL SPECIFICATIONS									
DESCRIPTION	MMU 0102	MMA 0204	MMB 0207						
DIN size	0102	0204	0207						
Metric size code	RC2211M	RC3715M	RC6123M						
Resistance range	0.22 $\Omega$ to 2.21 M $\Omega$ ; 0 $\Omega$	0.22 $\Omega$ to 10 M $\Omega;$ 0 $\Omega$	0.1 Ω to 15 MΩ; 0 Ω						
Resistance tolerance	$\pm 5$ %; $\pm 2$ %; $\pm 1$ %; $\pm 0.5$ %	± 5 %; ± 1 %; ± 0.5 %	± 5 %; ± 2 %; ± 1 %; ± 0.5 %						
Temperature coefficient	± 50 ppm/K;	± 100 ppm/K; ± 50 ppm/K; ± 25 ppm/K							
Rated dissipation, P70 <sup>(1)</sup>	0.3 W	0.4 W	1.0 W						
Operating voltage, Umax. ACRMS/DC	150 V	200 V	350 V						
Permissible film temperature, $\mathcal{P}_{F max.}$ <sup>(1)</sup>		155 °C	·						
Operating temperature range <sup>(1)</sup>		-55 °C to 155 °C							
Permissible voltage against ambient (insulation):									
1 min, U <sub>ins</sub>	200 V	300 V	500 V						
Failure rate: FIT <sub>observed</sub>		$\le$ 0.1 x 10 <sup>-9</sup> /h							

### Note

<sup>(1)</sup> Please refer to APPLICATION INFORMATION below

## **APPLICATION INFORMATION**

When the resistor dissipates power, a temperature rise above the ambient temperature occurs, dependent on the thermal resistance of the assembled resistor together with the printed circuit board. The rated dissipation applies only if the permitted film temperature is not exceeded.

These resistors do not feature a limited lifetime when operated within the permissible limits. However, resistance value drift increasing over operating time may result in exceeding a limit acceptable to the specific application, thereby establishing a functional lifetime.

Revision:	06-Apr-18
-----------	-----------



RoHS COMPLIANT HALOGEN FREE GREEN (5-2008)



www.vishay.com

Vishay Beyschlag

MAXIMUM RESISTANCE CHANGE AT RATED DISSIPATION							
OPERATION MODE		STANDARD	POWER				
	MMU 0102	0.2 W	0.3 W				
Rated dissipation, P <sub>70</sub>	MMA 0204	0.25 W	0.4 W				
	MMB 0207	0.4 W	1.0 W				
Operating temperature range	Operating temperature range		-55 °C to 155 °C				
Permissible film temperature, $\mathcal{P}_{F}$ max.		125 °C	155 °C				
	MMU 0102	0.22 $\Omega$ to 2.21 M $\Omega$	0.22 $\Omega$ to 2.21 $M\Omega$				
	MMA 0204	0.22 $\Omega$ to 10 M $\Omega$	0.22 $\Omega$ to 10 M $\Omega$				
Max. resistance change at $P_{70}$ for	MMB 0207	0.1 $\Omega$ to 15 M $\Omega$	0.1 $\Omega$ to 15 M $\Omega$				
resistance range, $ \Delta R/R $ after:	1000 h	≤ 0.15 %	≤ 0.25 %				
	8000 h	$\leq$ 0.3 %	≤ <b>0.5</b> %				
	225 000 h	≤ <b>1.0</b> %	-				

Note

• The presented operation modes do not refer to different types of resistors, but actually show examples of different loads, that lead to different film temperatures and different achievable load-life stability (drift) of the resistance value. A suitable low thermal resistance of the circuit board assembly must be safeguarded in order to maintain the film temperature of the resistors within the specified limits. Please consider the application note "Thermal Management in Surface-Mounted Resistor Applications" (www.vishay.com/doc?28844) for information on the general nature of thermal resistance

TEMPERATUR	TCR	TOLERANCE	RESISTANCE	E-SERIES	
TTPE/SIZE	ICR			E-SERIES	
		± 5 %	0.22 $\Omega$ to 0.91 $\Omega$	E24	
	± 50 ppm/K	±2 %	1 Ω to 9.1 Ω		
		±1%	10 $\Omega$ to 2.21 $M\Omega$	E24; E96	
MMU 0102		± 0.5 %	10 $\Omega$ to 221 k $\Omega$	E24; E192	
	± 25 ppm/K	±1%	10 $\Omega$ to 221 k $\Omega$	E24; E96	
	± 25 pp///K	± 0.5 %	10 $\Omega$ to 221 k $\Omega$	E24; E192	
	Jumper; I <sub>max.</sub> = 2 A	$\leq$ 10 m $\Omega$	0 Ω	-	
		± 5 %	0.22 $\Omega$ to 0.91 $\Omega$	E24	
	. 50 nnm//	±1%	0.22 $\Omega$ to 0.91 $\Omega$ $^{(1)}$	E24	
	± 50 ppm/K	±1%	1 $\Omega$ to 10 $M\Omega$	E24; E96	
MMA 0204		± 0.5 %	10 $\Omega$ to 2.21 M $\Omega$	E24; E192	
	. 05 nnm//	±1%	10 $\Omega$ to 511 k $\Omega$	E24; E96	
	± 25 ppm/K	± 0.5 %	10 $\Omega$ to 511 k $\Omega$	E24; E192	
	Jumper; I <sub>max.</sub> = 3 A	$\leq$ 10 m $\Omega$	0 Ω	-	
	. 100	± 5 %	0.1 Ω to 0.2 Ω		
	± 100 ppm/K	±2%	0.1 $\Omega$ to 0.2 $\Omega$ <sup>(1)</sup>		
		± 5 %	0.22 $\Omega$ to 0.91 $\Omega$	E24	
MMD 0007	. 50 mm //	±2%	0.22 $\Omega$ to 0.91 $\Omega$		
MMB 0207	± 50 ppm/K	±1%	0.22 $\Omega$ to 0.91 $\Omega$ $^{(1)}$		
		±1%	1 $\Omega$ to 15 M $\Omega$	E24; E96	
	± 25 ppm/K	± 0.5 %	10 $\Omega$ to 1 M $\Omega$	E24; E192	
	Jumper; I <sub>max.</sub> = 5 A	$\leq$ 10 m $\Omega$	0 Ω	-	

Note


(1) Approval according to EN 140401-803 not available



www.vishay.com

## Vishay Beyschlag

PACKAGING										
TYPE/SIZE	CODE	QUANTITY PACKAGING STYLE		WIDTH	РІТСН	PACKAGING DIMENSIONS				
MMU 0102	B3 = BL	3000	Antistatic blister tape acc.	8 mm	4 mm	Ø 180 mm/7"				
	B0	10 000	IEC 60286-3, Type 2a	0 11111	4 11111	Ø 330 mm/13"				
	M8	8000	Bulk case acc. IEC 60286-6	-	-	-				
	B3 = BL	3000	Antistatic blister tape acc.	8 mm	4 mm	Ø 180 mm/7"				
MMA 0204	B0	10 000	IEC 60286-3, Type 2a	0 11111	4 11111	Ø 330 mm/13"				
	М3	3000	Bulk case acc. IEC 60286-6	-	-	-				
MMB 0207	B2	2000	Antistatic blister tape acc.	10	4 mm	Ø 180 mm/7"				
	B7	7000	IEC 60286-3, Type 2a	12 mm	4 11111	Ø 330 mm/13"				



### Note

• Products can be ordered using either the PART NUMBER or the PRODUCT DESCRIPTION



Vishay Beyschlag

### DESCRIPTION

Production is strictly controlled and follows an extensive set of instructions established for reproducibility. A homogeneous film of metal alloy is deposited on a high grade ceramic body ( $Al_2O_3$ ) and conditioned to achieve the desired temperature coefficient. Nickel plated steel termination caps are firmly pressed on the metallised rods. A special laser is used to achieve the target value by smoothly cutting a helical groove in the resistive layer without damaging the ceramics. The resistor elements are covered by a protective coating designed for electrical, mechanical and climatic protection. The terminations receive a final pure matte tin on nickel plating. Four or five color code rings designate the resistance value and tolerance in accordance with **IEC 60062** <sup>(1)</sup>.

The result of the determined production is verified by an extensive testing procedure performed on 100 % of the individual resistors. This includes full screening for the elimination of products with a potential risk of early field failures (feasible for  $R \ge 10 \Omega$ ) according to EN 140401-803, 2.1.2.2. Only accepted products are laid directly into the blister tape in accordance with **IEC 60286-3**, **Type 2a** <sup>(1)</sup> or bulk case in accordance with **IEC 60286-6** <sup>(1)</sup>.

### ASSEMBLY

The resistors are suitable for processing on automatic SMD assembly systems. They are suitable for automatic soldering using wave, reflow or vapor phase as shown in **IEC 61760-1** <sup>(1)</sup>. The encapsulation is resistant to all cleaning solvents commonly used in the electronics industry, including alcohols, esters and aqueous solutions. The suitability of conformal coatings, potting compounds and their processes, if applied, shall be qualified by appropriate means to ensure the long term stability of the whole system.

The resistors are completely lead (Pb)-free, the pure matte tin plating provides compatibility with lead (Pb)-free and lead containing soldering processes. Solderability is specified for 2 years after production or requalification, however, excellent solderability is proven after extended storage in excess of 10 years. The permitted storage time is 20 years. The immunity of the plating against tin whisker growth has been proven under extensive testing.

### MATERIALS

Vishay acknowledges the following systems for the regulation of hazardous substances:

- IEC 62474, Material Declaration for Products of and for the Electrotechnical Industry, with the list of declarable substances given therein <sup>(2)</sup>
- The Global Automotive Declarable Substance List (GADSL)  $^{\rm (3)}$
- The REACH regulation (1907/2006/EC) and the related list of substances with very high concern (SVHC) <sup>(4)</sup> for its supply chain

The products do not contain any of the banned substances as per IEC 62474, GADSL, or the SVHC list, see www.vishay.com/how/leadfree.

Hence the products fully comply with the following directives:

- 2000/53/EC End-of-Life Vehicle Directive (ELV) and Annex II (ELV II)
- 2011/65/EU Restriction of the Use of Hazardous Substances Directive (RoHS) with amendment 2015/863/EU
- 2012/19/EU Waste Electrical and Electronic Equipment Directive (WEEE)

Vishay pursues the elimination of conflict minerals from its supply chain, see the Conflict Minerals Policy at www.vishay.com/doc?49037.

## APPROVALS

The resistors are approved within the IECQ-CECC Quality Assessment System for Electronic Components according to table "Temperature Coefficient and Resistance Range" to the detail specification **EN 140401-803** which refers to **EN 60115-1**, **EN 60115-8** and the variety of environmental test procedures of the **IEC 60068** <sup>(1)</sup> series.

Conformity is attested by the use of the **CECC** logo () as the mark of conformity on the package label. Vishay Beyschlag has achieved "**Approval of Manufacturer**" in accordance with **IECQ 03-1**. The release certificate for "**Technology Approval Schedule**" in accordance with **CECC 240001** based on **IECQ 03-3-1** is granted for the Vishay Beyschlag manufacturing process.

The resistors are qualified according to AEC-Q200.

### **RELATED PRODUCTS**

For products with precision specification see the datasheet:

- "Precision Thin Film MELF Resistors" (www.vishay.com/doc?28714)
- "Ultra Precision Thin Film MELF Resistors" (www.vishay.com/doc?28715)

Resistors are available with established reliability in accordance with **EN 140401-803 Version E**. Please refer to datasheet "MELF Resistors with Established Reliability". (www.vishay.com/doc?28707)

### Notes

- 2) The IEC 62474 list of declarable substances is maintained in a dedicated database, which is available at http://std.iec.ch/iec62474
- (3) The Global Automotive Declarable Substance List (GADSL) is maintained by the American Chemistry Council and available at <a href="http://www.gadsl.org">www.gadsl.org</a>
- <sup>(4)</sup> The SVHC list is maintained by the European Chemical Agency (ECHA) and available at <u>http://echa.europa.eu/candidate-list-table</u>


<sup>&</sup>lt;sup>(1)</sup> The quoted IEC standards are also released as EN standards with the same number and identical contents




www.vishay.com

Vishay Beyschlag


## FUNCTIONAL PERFORMANCE




**Derating - Standard Operation Mode** 




**Derating - Power Operation Mode** 




Single Pulse for  $R < 10 \Omega$ 







Continuous Pulse for  $R < 10 \Omega$ 




Single Pulse for  $R \ge 10 \Omega$ 




6






 $\begin{array}{l} \mbox{Maximum pulse voltage, single and continuous pulses; applicable if $\widehat{P} \leq \widehat{P}_{max}$; $$ for permissible resistance change $\pm$ (0.5 % $R$ + 0.01 $\Omega$) $ \end{array}$ 






Pulse load rating in accordance with IEC 60 115-1, 4.27; 1.2 µs / 50 µs; 5 pulses at 12 s intervals; for permissible resistance change  $\pm$  (0.5 % R + 0.05  $\Omega$ )




Revision: 06-Apr-18

Document Number: 28713


THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. THE PRODUCTS DESCRIBED HEREIN AND THIS DOCUMENT ARE SUBJECT TO SPECIFIC DISCLAIMERS, SET FORTH AT www.vishav.com/doc?91000





In accordance with IEC 60195

**Current Noise Voltage Ratio** 



**RF - Behavior** 



## Vishay Beyschlag

### **TESTS AND REQUIREMENTS**

All tests are carried out in accordance with the following specifications:

EN 60115-1, generic specification

EN 60115-8, sectional specification

EN 140401-803, detail specification

IEC 60068-2-xx, test methods

The components are approved under the IECQ-CECC quality assessment system for electronic components according to table "Temperature Coefficient and Resistance Range".

The parameters stated in the Test Procedures and Requirements table are based on the required tests and permitted limits of EN 140401-803. The table presents only the most important tests, for the full test schedule refer to the documents listed above. However, some additional tests and a number of improvements against those minimum requirements have been included. The testing also covers most of the requirements specified by EIA/ECA-703 and JIS-C-5201-1.

The tests are carried out under standard atmospheric conditions in accordance with IEC 60068-1, 4.3, whereupon the following values are applied:

Temperature: 15 °C to 35 °C

Relative humidity: 25 % to 75 %

Air pressure: 86 kPa to 106 kPa (860 mbar to 1060 mbar)

A climatic category LCT / UCT / 56 is applied, defined by the lower category temperature (LCT), the upper category temperature (UCT), and the duration of exposure in the damp heat, steady state test (56 days).

The components are mounted for testing on printed circuit boards in accordance with EN 60115-8, 2.4.2, unless otherwise specified.

EN 60115-1 CLAUSE	IEC 60068-2 <sup>(1)</sup> TEST METHOD	TEST	PROCEDURE	REQUIREMENTS PERMISSIBLE CHANGE (∆ <i>R</i> )				
			Stability for product types:	STABILITY CLASS 0.25 OR BETTER	STABILITY CLASS 0.5 OR BETTER	STABILITY CLASS 1 OR BETTER	STABILITY CLASS 2 OR BETTER	
			MMU 0102	10 $\Omega$ to 221 k $\Omega$	1 $\Omega$ to < 10 $\Omega$	<1Ω	> 221 kΩ	
			MMA 0204	10 $\Omega$ to 332 k $\Omega$	1 $\Omega$ to < 10 $\Omega$	< 1 Ω	> 332 kΩ	
			MMB 0207	10 $\Omega$ to 1 $M\Omega$	1 $\Omega$ to < 10 $\Omega$	< 1 Ω	> 1 MΩ	
4.5	-	Resistance	-	± 1 % <i>R</i> ; ± 0.5 % <i>R</i>	± 2 % <i>R</i> ; ± 1 % <i>R</i>	± 5 % <i>R</i> ; ± 2 % <i>R</i> ; ± 1 % <i>R</i>	±1% <i>R</i>	
4.8	-	Temperature coefficient	At (20/-55/20) °C and (20/125/20) °C	± 100 ppm/K, ± 50 ppm/K, ± 25 ppm/K				
		Endurance at 70 °C: Standard	$U = \sqrt{P_{70} \times R} \text{ or } U = U_{\text{max}};$ whichever is the less severe; 1.5 h on; 0.5 h off;					
		operation	70 °C; 1000 h	± (0.15 % <i>R</i> + 10 mΩ)				
1051		mode	70 °C; 8000 h		± (0.3 % F	? + 10 mΩ)		
4.25.1	-	Endurance at 70 °C: Power	$U = \sqrt{P_{70} \times R} \text{ or } U = U_{\text{max.}};$ whichever is the less severe; 1.5 h on; 0.5 h off;					
		operation	70 °C; 1000 h		± (0.25 % I	R + 10 mΩ)		
		mode	70 °C; 8000 h		± (0.5 % F	? + 10 mΩ)		
4.25.3		Endurance at upper category	125 °C; 1000 h	± (0.15 % <i>R</i> + 5 mΩ)	±	(0.25 % <i>R</i> + 5 ms	2)	
4.23.3	_	temperature	155 °C; 1000 h	± (0.3 % <i>R</i> + 5 mΩ)	1	: (0.5 % <i>R</i> + 5 mΩ	2)	
4.24	78 (Cab)	Damp heat, steady state	(40 ± 2) °C; 56 days; (93 ± 3) % RH	$\pm$ (0.15 % <i>R</i> + 10 mΩ) $\pm$ (0.25 % <i>R</i> + 10 mΩ)				
4.37	67 (Cy)	Damp heat, steady state, accelerated	$\begin{array}{c} (85 \pm 2) \ ^{\circ}\text{C}; \\ (85 \pm 5) \ ^{\circ}\text{C} \text{RH}; \\ U = 0.3 \ x \ \sqrt{P_{70}} \ x \ R \\ \leq 100 \ \text{V} \ \text{and} \\ U = 0.3 \ x \ U_{\text{max}}; \\ (\text{the smaller value is valid}) \\ 1000 \ \text{h} \end{array}$	± (0.25 % <i>R</i> + 10 mΩ)	± (0.5 % <i>R</i> + 10 mΩ)	± (1 % <i>R</i> + 10 mΩ)	± (2 % <i>R</i> + 10 mΩ)	



www.vishay.com

Vishay Beyschlag

TEST PROCEDURES AND REQUIREMENTS								
EN 60115-1 CLAUSE	IEC 60068-2 <sup>(1)</sup> TEST METHOD	TEST	PROCEDURE			EMENTS © CHANGE (∆ <i>R</i> )		
			Stability for product types:	STABILITY CLASS 0.25 OR BETTER	STABILITY CLASS 0.5 OR BETTER	STABILITY CLASS 1 OR BETTER	STABILITY CLASS 2 OR BETTER	
			MMU 0102	10 $\Omega$ to 221 k $\Omega$	1 $\Omega$ to < 10 $\Omega$	< 1 Ω	> 221 kΩ	
			MMA 0204 MMB 0207	10 Ω to 332 kΩ 10 Ω to 1 MΩ	$1 \Omega$ to < $10 \Omega$	<1Ω	> 332 kΩ > 1 MΩ	
-		Climatic		10 22 10 1 10122	1 $\Omega$ to < 10 $\Omega$	< 1 Ω	> 1 1VIS2	
4.23		sequence:						
4.23.2	2 (Bb)	Dry heat	UCT; 16 h					
4.23.3	30 (Db)	Damp heat, cyclic	55 °C; 24 h; ≥ 90 % RH; 1 cycle					
4.23.4	1 (Ab)	Cold	LCT; 2 h	± (0.15 % R	± (0.5 % R	± (1 % R	± (1 % <i>R</i>	
4.23.5	13 (M)	Low air pressure	8.5 kPa; 2 h; (25 ± 10) °C	+ 10 mΩ)	+ 10 mΩ)	+ 10 mΩ)	+ 10 mΩ)	
4.23.6	30 (Db)	Damp heat, cyclic	55 °C; 24 h; ≥ 90 % RH; 5 cycles					
4.23.7	-	DC load	U = √P <sub>70</sub> x R or U <sub>max.</sub> ; 1 min. LCT = - 55 °C; UCT = 155 °C					
-	1 (Ab)	Cold	- 55 °C; 2 h	±	± (0.05 % <i>R</i> + 5 mΩ)			
			30 min at LCT; 30 min at UCT; LCT = - 55 °C; UCT = 125 °C					
4.19	14 (Na)	Rapid change	5 cycles	±	(0.05 % <i>R</i> + 10 m	Ω)	± (0.1 % <i>R</i> + 10 mΩ)	
4.15	14 (INd)	of temperature	1000 cycles	±	(0.15 % <i>R</i> + 10 m	Ω)	± (0.25 % <i>R</i> + 10 mΩ)	
			LCT = - 55 °C; UCT = 155 °C					
			1000 cycles	± (	(0.25 % <i>R</i> + 10 m	Ω)	± (0.5 % <i>R</i> + 10 mΩ)	
4.13		Short time overload: Standard operation mode	overload: Standard operation $U = 2.5 \times \sqrt{P_{70} \times R}$ or $\pm (0.03 \%)$		(0.03 % <i>R</i> + 5 m <u>ú</u>	2)	± (0.15 % <i>R</i> + 5 mΩ)	
4.13	-	Short time overload: Power operation mode	whichever is the less severe; 5 s	±	± (0.05 % <i>R</i> + 5 mΩ)		± (0.15 % <i>R</i> + 5 mΩ)	
4.27		Single pulse high voltage overload: Standard operation mode	Severity no. 4: $U = 10 \times \sqrt{P_{70} \times R}$ or $U = 2 \times U$		± (0.25 %	<i>R</i> + 5 mΩ)		
4.21		Single pulse high voltage overload: Power operation mode	U = 2 x Ū <sub>max.</sub> ; whichever is the less severe; 10 pulses 10 μs/700 μs	± (0.5 % <i>R</i> + 5 mΩ)				

Revision: 06-Apr-18

10 For technical questions, contact: <u>melf@vishay.com</u> Document Number: 28713



Vishay Beyschlag

TEST PROCEDURES AND REQUIREMENTS									
EN 60115-1 CLAUSE	IEC 60068-2 <sup>(1)</sup> TEST METHOD	TEST	PROCEDURE			EMENTS E CHANGE (∆ <i>R</i> )			
			Stability for product types:	STABILITY CLASS 0.25 OR BETTER	STABILITY CLASS 0.5 OR BETTER	STABILITY CLASS 1 OR BETTER	STABILITY CLASS 2 OR BETTER		
			MMU 0102	10 $\Omega$ to 221 k $\Omega$	1 $\Omega$ to < 10 $\Omega$	< 1 Ω	> 221 kΩ		
			MMA 0204	10 $\Omega$ to 332 k $\Omega$	1 $\Omega$ to < 10 $\Omega$	< <b>1</b> Ω	> 332 kΩ		
			MMB 0207	10 $\Omega$ to 1 M $\Omega$	1 $\Omega$ to < 10 $\Omega$	< 1 Ω	>1 MΩ		
4.39	_	Periodic electric overload: Standard operation mode	$U = \sqrt{15 \times P_{70} \times R} \text{ or}$ $U = 2 \times U_{\text{max}};$ whichever is the less severe;		± (0.5 % /	R + 5 mΩ)			
÷.55		Periodic electric overload: Power operation mode	0.1 s on; 2.5 s off; 1000 cycles						
4.22	6 (Fc)	Vibration	Endurance by sweeping; 10 Hz to 2000 Hz; no resonance; amplitude $\leq$ 1.5 mm or $\leq$ 200 m/s <sup>2</sup> ; 7.5 h	$\pm$ (0.05 % R + 5 mΩ) $\pm$ (0.7 + 5					
4.38	-	Electrostatic discharge (Human Body Model)	IEC 61340-3-1 <sup>(1)</sup> ; 3 pos. + 3 neg. discharges MMU 0102: 1.5 kV MMA 0204: 2 kV MMB 0207: 4 kV	± (0.5 % <i>R</i> + 0.05 Ω)					
4.17	58 (Td)	Solderability	Solder bath method; SnPb40; non-activated flux; (215 ± 3) °C; (3 ± 0.3) s	Good ti	nning (≥ 95 % cov	vered); no visible	damage		
4.17	30 (14)	Colderability	Solder bath method; SnAg3Cu0.5 or SnAg3.5; non-activated flux; (235 ± 3) °C; (2 ± 0.2) s	Good ti	nning (≥ 95 % cov	vered); no visible (	damage		
		Resistance	Solder bath method; (260 $\pm$ 5) °C; (10 $\pm$ 1) s	± (0.05 % <i>R</i> + 10 mΩ)	± (0.1 % <i>R</i> + 10 mΩ)	± (0.25 % <i>R</i> + 10 mΩ)	± (0.25 % <i>R</i> + 10 mΩ)		
4.18	58 (Td)	to soldering heat	Reflow method 2 (IR/forced gas convection); $(260 \pm 5)$ °C; $(10 \pm 1)$ s	± (0.02 % <i>R</i> + 10 mΩ)	± (0.05 % <i>R</i> + 10 mΩ)	± (0.05 % <i>R</i> + 10 mΩ)	± (0.1 % <i>R</i> + 10 mΩ)		
4.29	45 (XA)	Component solvent resistance	lsopropyl alcohol; 50 °C; method 2	No visible damage					
4.30	45 (XA)	Solvent resistance of marking	Isopropyl alcohol; 50 °C; method 1, toothbrush	Marking legible; no visible damage					
4.32	21 (Ue <sub>3</sub> )	Shear (adhesion)	45 N			e damage			
4.33	21 (Ue <sub>1</sub> )	Substrate bending	Depth 2 mm, 3 times	No visib	± (0.05 % F	pen circuit in bent $(2)^{(2)}$	position		
4.7	-	Voltage proof	$U_{\rm RMS} = U_{\rm ins}; 60  \rm s$		No flashover	or breakdown			
4.35	-	Flammability	IEC 60695-11-5 <sup>(1)</sup> , needle flame test; 10 s		No burning	g after 30 s			


Notes

(1) The quoted IEC standards are also released as EN standards with the same number and identical contents (2) Special requirements apply to MICRO-MELF, MMU 0102: •  $R < 100 \Omega: \pm (0.25 \% R + 10 m\Omega)$ •  $100 \Omega \le R \le 221 k\Omega: \pm 0.1 \% R$ •  $221 k\Omega < R: \pm 0.25 \% R$ 



Vishay Beyschlag

## DIMENSIONS




DIMENSIONS AND MASS										
TYPE/SIZE	L (mm)	D (mm)	L <sub>1 min.</sub> (mm)	D <sub>1</sub> (mm)	K (mm)	MASS (mg)				
MMU 0102	2.2 + 0/- 0.1	1.1 + 0/- 0.1	1.2	D + 0/- 0.1	$0.4 \pm 0.05$	8				
MMA 0204	3.6 + 0/- 0.2	1.4 + 0/- 0.1	1.8	D + 0/- 0.15	0.75 ± 0.1	22				
MMB 0207	5.8 + 0/- 0.15	2.2 + 0/- 0.2	3.2	D + 0/- 0.2	1.1 ± 0.1	80				

### Note

Color code marking is applied according to IEC 60062 <sup>(1)</sup> in four bands (E24 series) or five bands (E96 or E192 series). Each color band appears as a single solid line, voids are permissible if at least <sup>2</sup>/<sub>3</sub> of the band is visible from each radial angle of view. The last color band for tolerance is approximately 50 % wider than the other bands. An interrupted yellow band between the 4<sup>th</sup> and 5<sup>th</sup> full band indicates TC25

## PATTERN STYLES FOR MELF RESISTORS



RECOMMENDED SOLDER PAD DIMENSIONS									
TYPE/SIZE		WAVE SC	LDERING			REFLOW SOLDERING			
	G (mm)	Y (mm)	X (mm)	Z (mm)	G (mm)	Y (mm)	X (mm)	Z (mm)	
MMU 0102	0.7	1.2	1.5	3.1	1.1	0.8	1.3	2.7	
MMA 0204	1.5	1.5	1.8	4.5	1.7	1.2	1.6	4.1	
MMB 0207	2.8	2.1	2.6	7.0	3.2	1.7	2.4	6.6	

### Notes

• The given solder pad dimensions reflect the considerations for board design and assembly as outlined e.g. in standards IEC 61188-5-x <sup>(1)</sup>, or in publication IPC-7351

<sup>(1)</sup> The quoted IEC standards are also released as EN standards with the same number and identical contents



Vishay Beyschlag

## **HISTORICAL 12NC INFORMATION**

- The resistors had a 12-digit numeric code starting with 2312.
- The subsequent 4 digits indicated the resistor type, specification and packaging; see the 12NC table.
- The remaining 4 digits indicated the resistance value:
  - The first 3 digits indicated the resistance value.
  - The last digit indicated the resistance decade in accordance with the 12NC Indicating Resistance Decade table.

### Last Digit of 12NC Indicating Resistance Decade

RESISTANCE DECADE	LAST DIGIT
0.1 Ω to 0.999 Ω	7
1 Ω to 9.99 Ω	8
10 Ω to 99.9 Ω	9
100 $\Omega$ to 999.9 $\Omega$	1
1 kΩ to 9.99 kΩ	2
10 kΩ to 99.9 kΩ	3
100 kΩ to 999 kΩ	4
1 MΩ to 9.99 MΩ	5
10 MΩ to 99.9 MΩ	6

### **Historical 12NC**

The 12NC of a MMU 0102 resistor, value 47 k $\Omega$ . and TCR 50 with ± 1 % tolerance, supplied in blister tape of 3000 units per reel is: 2312 165 14703.

HISTORICAL	12NC - Resistor type	e and packaging			
	DESCRIPTION			2312	
	DESCRIPTION		BLISTER TA	PE ON REEL	BULK CASE
ТҮРЕ	TCR	TOL.	BL 3000 UNITS	B0 10 000 UNITS	M8 8000 UNITS
		±5%	165 3	175 3	060 3
	· 50 mm//	±2%	165 2	175 2	060 2
	± 50 ppm/K	±1%	165 1	175 1	060 1
MMU 0102		± 0.5 %	2312   BLISTER TAPE ON REEL   TOL. BL 3000 UNITS BO 10 000 UNITS   ± 5 % 165 3 175 3   ± 2 % 165 2 175 2   ± 1 % 165 1 175 5   ± 1 % 165 1 175 5   ± 1 % 166 1 176 1   ± 0.5 % 166 5 176 5   ± 1 % 166 1 176 5   ± 1 % 165 90001 175 90001   TOL. BL 3000 UNITS B0 10 000 UNITS   ± 5 % 155 3 145 3   ± 1 % 155 1 145 1   ± 0.5 % 155 5 145 5   ± 1 % 156 1 146 6   ± 0.5 % 156 5 145 90001   TOL. B2 2000 UNITS B7 7000 UNITS   ± 5 % 195 3 185 3   ± 5 % 195 3 185 3   ± 5 % 195 3 185 3   ± 2 % 195 2 <td>060 5</td>	060 5	
	. 05	±1%	166 1	176 1	061 1
·	± 25 ppm/K	± 0.5 %	166 5	176 5	061 5
	Jum	per	165 90001	175 90001	060 90001
ТҮРЕ	TCR	TOL.			M3 3000 UNITS
		±5%	155 3	145 3	040 3
	± 50 ppm/K	±1%	155 1	145 1	040 1
MMA 0204		± 0.5 %	155 5	145 5	040 5
IVIIVIA UZU4	. 05	±1%	156 1	146 1	041 1
	± 25 ppm/K	± 0.5 %	156 5	146 5	041 5
	Jum	iper	155 90001	145 90001	040 90001
ТҮРЕ	TCR	TOL.			
	± 100 ppm/K	±5%	195 3	185 3	
		±5%	195 3	185 3	
	± 50 ppm/K	±2%	195 2	185 2	
MMB 0207		±1%	195 1	185 1	
	± 25 ppm/K	± 0.5 %	196 5	186 5	
	Jum	iper	195 90001	185 90001	



Vishay

# Disclaimer

ALL PRODUCT, PRODUCT SPECIFICATIONS AND DATA ARE SUBJECT TO CHANGE WITHOUT NOTICE TO IMPROVE RELIABILITY, FUNCTION OR DESIGN OR OTHERWISE.

Vishay Intertechnology, Inc., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Vishay"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any datasheet or in any other disclosure relating to any product.

Vishay makes no warranty, representation or guarantee regarding the suitability of the products for any particular purpose or the continuing production of any product. To the maximum extent permitted by applicable law, Vishay disclaims (i) any and all liability arising out of the application or use of any product, (ii) any and all liability, including without limitation special, consequential or incidental damages, and (iii) any and all implied warranties, including warranties of fitness for particular purpose, non-infringement and merchantability.

Statements regarding the suitability of products for certain types of applications are based on Vishay's knowledge of typical requirements that are often placed on Vishay products in generic applications. Such statements are not binding statements about the suitability of products for a particular application. It is the customer's responsibility to validate that a particular product with the properties described in the product specification is suitable for use in a particular application. Parameters provided in datasheets and / or specifications may vary in different applications and performance may vary over time. All operating parameters, including typical parameters, must be validated for each customer application by the customer's technical experts. Product specifications do not expand or otherwise modify Vishay's terms and conditions of purchase, including but not limited to the warranty expressed therein.

Except as expressly indicated in writing, Vishay products are not designed for use in medical, life-saving, or life-sustaining applications or for any other application in which the failure of the Vishay product could result in personal injury or death. Customers using or selling Vishay products not expressly indicated for use in such applications do so at their own risk. Please contact authorized Vishay personnel to obtain written terms and conditions regarding products designed for such applications.

No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Vishay. Product names and markings noted herein may be trademarks of their respective owners.

# **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for vishay manufacturer:

Other Similar products are found below :

M39006/22-0577H Y00892K49000BR13L VSKT250-16PBF M8340109M6801GGD03 NTCALUG01A103F291L ITU1341SM3 VS-MBRB1545CTPBF 1KAB100E 1KAB20E IH10EB600K12 CP0005150R0JE1490 562R5GAD47RR S472M69Z5UR84K0R MKP1848C65090JY5L CRCW1210360RFKEA VSMF4720-GS08 TSOP34438SS1V CRCW04024021FRT7 001789X CRCW08054K00FKTA LVR10R0200FE03 CRCW12063K30FKEAHP 009923A CRCW2010331JR02 CRCW25128K06FKEG CS6600552K000B8768 CSC07A0110K0GPA M34C156K100BZSS M39003/01-2289 M39003/01-2784 M39006/25-0133 M39006/25-0228 M64W101KB40 M64Z501KB40 CW001R5000JS73 CW0055R000JE12 CW0056K800JB12 CW0106K000JE73 672D826H075EK5C CWR06JC105KC CWR06NC475JC MAL219699001E3 MCRL007035R00JHB00 92MT80KPBF PTF56100K00QYEK PTN0805H1502BBTR1K RCWL1210R130JNEA RH005220R0FE02 RH005330R0FC02 RH010R0500FC02