

APPROVAL SHEET

MULTILAYER CERAMIC ANTENNA

RFANT Series – RoHS Compliance

2.4 GHz ISM Band Working Frequency

P/N: RFANT3216120A3T Series

*Contents in this sheet are subject to change without prior notice.




FEATURES

- 1. Surface Mounted Devices with a small dimension of 3.2 X 1.6 X1.2 mm³ meet future miniaturization trend.
- 2. LTCC process
- 3. High stability in Temperature / Humidity Change

APPLICATIONS

- 1. 2.4GHz ISM band RF applications
- 2. Bluetooth, Wireless, HomeRF

CONSTRUCTION



- 1. Feeding
- 2. Identification Mark
- 3. Soldering terminal

DIMENSIONS

Figure			Symbol	Dimension (mm)
	a		L	3.20 ± 0.20
w	O		W	1.60 ± 0.10
<u>*</u>	L →	$\left \begin{array}{c} \\ \\ \end{array}\right $	Т	1.20 ± 0.10
			а	0.25 ± 0.15




ELECTRICAL CHARACTERISTICS

RFANT321612	0A3T	Specification	
Working Frequency Range		2450 ± 50 MHz	
Fc (GHz)		2.7	
Gain (dBi)		2 (Typical)	
Matching component valve	Series 1	3.9nH	
	Series 2	1.0nH	


^{*} This frequency must be adjusted to 2.45GHz with matching circuit.

SOLDER LAND PATTERN DESIGN Figure Empty Area 6x6 mm 45mm Unit: mm Soldering Pad Ground 50 Ω Transmission Line **20**mm 6 8.0 1.66 3.43

Antenna on Test Board (Thickness 1.2mm)



Antenna S11 on Test Board






RADIATION PATTERN

Radiation Pattern and Gain were dependent on measurement board design. The specification of RFANT3216120A3T antenna was measured based on the PCB size and installation position as shown in the below figure Test Board







RELIABILITY TEST

Test item	Test condition / Test method	Specification
Solderability JIS C 0050-4.6 JESD22-B102D	*Solder bath temperature : $235 \pm 5^{\circ}$ C *Immersion time : 2 ± 0.5 sec *Solder : Sn3Ag0.5Cu for lead-free	At least 95% of a surface of each terminal electrode must be covered by fresh solder.
Leaching (Resistance to dissolution of metallization) IEC 60068-2-58	*Solder bath temperature : $260 \pm 5^{\circ}\text{C}$ *Leaching immersion time : $30 \pm 0.5 \text{ sec}$ *Solder : SN63A	Loss of metallization on the edges of each electrode shall not exceed 25%.
Resistance to soldering heat JIS C 0050-5.4	*Preheating temperature : 120~150°C, 1 minute. *Solder temperature : 270±5°C *Immersion time : 10±1 sec *Solder : Sn3Ag0.5Cu for lead-free Measurement to be made after keeping at room temperature for 24±2 hrs	No mechanical damage. Samples shall satisfy electrical specification after test. Loss of metallization on the edges of each electrode shall not exceed 25%.
Drop Test JIS C 0044	*Height: 75 cm *Test Surface: Rigid surface of concrete or steel. *Times: 6 surfaces for each units; 2 times for each side.	after test.
Adhesive Strength of Termination JIS C 0051- 7.4.3	*Pressurizing force : 5N(≤0603) ; 10N(>0603) *Test time : 10±1 sec	No remarkable damage or removal of the termination.
Bending test JIS C 0051- 7.4.1	The middle part of substrate shall be pressurized by means of the pressurizing rod at a rate of about 1 mm/s per second until the deflection becomes 1mm/s and then pressure shall be maintained for 5±1 sec. Measurement to be made after keeping at room temperature for 24±2 hours	No mechanical damage. Samples shall satisfy electrical specification after test.

Temperature cycle	1. 30±3 minutes at -40°C±3°C,	No mechanical damage.
JIS C 0025	2. 10~15 minutes at room temperature,	Samples shall satisfy electrical specification after test.
	3. 30±3 minutes at +85°C±3°C,	alter test.
	 10~15 minutes at room temperature, Total 100 continuous cycles 	
	Measurement to be made after keeping at room temperature for 24±2 hrs	
Vibration	*Frequency: 10Hz~55Hz~10Hz(1min)	No mechanical damage.
JIS C 0040	*Total amplitude: 1.5mm	Samples shall satisfy electrical specification
	*Test times : 6hrs.(Two hrs each in three mutually perpendicular directions)	after test.
High temperature	*Temperature : 85°C±2°C	No mechanical damage.
JIS C 0021	*Test duration: 1000+24/-0 hours	Samples shall satisfy electrical specification
	Measurement to be made after keeping at	after test.
	room temperature for 24±2 hrs	
Humidity	*Humidity: 90% to 95% R.H.	No mechanical damage.
(steady conditions)	*Temperature : 40±2°C	Samples shall satisfy electrical specification
JIS C 0022	*Time: 1000+24/-0 hrs.	after test.
	Measurement to be made after	
	keeping at room temperature for 24±2	
	hrs	
	1000hrs data	
Low temperature JIS C 0020	*Temperature: -40°C±2°C	No mechanical damage.
313 0 0020	*Test duration: 1000+24/-0 hours	Samples shall satisfy electrical specification
	Measurement to be made after keeping at	after test.
	room temperature for 24±2 hrs	

SOLDERING CONDITION

Typical examples of soldering processes that provide reliable joints without any damage are given in Fig 2





Fig 2. Infrared soldering profile

ORDERIND CODE

RF	ANT	321612	0	Α	3	Т
Walsin	Product code	Dimension code	Unit of	Application	Specification	Packing
RF device	ANT : Antenna	Per 2 digits of	dimension	A: 2.4GHZ ISM	Design Code	T:7" Reeled
		Length, Width,	0 : 0.1 mm	Band		
		Thickness :	1 : 1.0 mm			
		e.g. :				
		321612 = Length				
		32, Width 16,				
		Thickness 12				

Minimum Ordering Quantity: 2000 pcs per reel.

PACKAGING




Plastic Tape specifications (unit :mm)

Index	Ao	Во	ΦD	T	W
Dimension (mm)	1.95 ± 0.10	3.45 ± 0.10	1.55 ± 0.05	1.30 ± 0.10	8.20 +0.10 -0.30
Index	E	F	Po	P1	P2
Dimension (mm)	1.75 ± 0.10	3.50 ± 0.05	4.00 ± 0.10	4.00 ± 0.10	2.00 ± 0.10



Reel dimensions



Index	А	В	С
Dimension (mm)	Φ178	Φ60.0	Ф13.5

Typing Quantity: 2000 pieces per 7" reel

CAUTION OF HANDLING

Limitation of Applications

Please contact us before using our products for the applications listed below which require especially high reliability for the prevention of defects, which might directly cause damage to the third party's life, body or property.

- (1) Aircraft equipment
- (2) Aerospace equipment
- (3) Undersea equipment
- (4) Medical equipment
- (5) Disaster prevention / crime prevention equipment
- (6) Traffic signal equipment
- (7) Transportation equipment (vehicles, trains, ships, etc.)
- (8) Applications of similar complexity and /or reliability requirements to the applications listed in the above.

Storage condition

- (1) Products should be used in 6 months from the day of WALSIN outgoing inspection, which can be confirmed.
- (2) Storage environment condition.
 - Products should be storage in the warehouse on the following conditions.

Temperature : -10 to +40 $^{\circ}$ C

Humidity: 30 to 70% relative humidity

- Don't keep products in corrosive gases such as sulfur. Chlorine gas or acid or it may cause oxidization of electrode, resulting in poor solderability.
- Products should be storage on the palette for the prevention of the influence from humidity, dust and son on.
- Products should be storage in the warehouse without heat shock, vibration, direct sunlight and so on.
- Products should be storage under the airtight packaged condition.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Antennas category:

Click to view products by Walsin manufacturer:

Other Similar products are found below:

930-033-R EXE902SM APAMPG-117 108-00014-50 66089-2406 A09-F8NF-M A09-F5NF-M RGFRA1903041A1T 108-00016-050
SIMNA-868 SIMNA-915 SIMNA-433 W1049B090 TRABT1560 WTL2449CQ1-FRSMM CPL9C 0600-00060 Y4503 PAL90209H-FNF
GD53-25 C37 MAF94051 S9025PLSMF QWFTB120 MAF94300 FG4403 MIKROE-2393 GPSCPMM00 ANTDOM-05-01-WPM ANTWP868SMA-Y EXW30BNX RAD-ISM-2459-ANT-FOOD-6-0- S4908WBFNM GD57-21 B4305CN 108-20131-010 108-00032-010 C27S
CBNC58 EXH160MXI EXH160SFK MD10-004 EXC902SM CB27 ABFT BB4502NR B4502N S4908WBFNF NMOCAPB 60210