


KSMD0402E5R5N180T

1. Electrical Characteristics


Please refer to Appendix A (Page 9~13).

- 1) Operating and storage temperature range (individual chip without packing): -55℃ ~ +125℃.
- 2) Storage temperature range (packaging conditions): -10 $^\circ\!C$ ~+40 $^\circ\!C$ RH 70% (Max.).

2. Shape and Dimensions









Unit: mm [inch]

Туре	L	W	Т	а	A	В	С
1005 [0402]	1.0±0.15 [0.039±0.006]	0.5±0.15 [0.020±0.006]	0.5±0.15 [0.020±0.006]	0.25±0.1 [0.010±0.004]	0.45~0.55	0.40~0.50	0.45~0.55





① ZnO for chip varistor

2 Internal electrode (Ag-Pd)

③-1 Terminal electrode: Inside (Ag)③-2 Outside (Electro-plating Ni-Sn)

Part Number	Max. Working Voltage		Varistor Voltage		Clamping Itage	Rated Sin Trans	0	Typical Capacitance
	<2	0μΑ				Energy	Peak	@0.5V _{rms} ,
Test Condition	DC	AC RMS	@1mA DC	8/20µs	ESD	10/1000µs	Current 8/20µs	1MHz
Units	Volts	Volts	Volts	Volts	Volts	Joules	Amps	pF
Symbol	V_{WDC}	V _{WAC}	V _B	V _C ^{*1}	Vc*2	Eτ	l _P	С
KSMD0402E5R5N180T	18.0	12.7	31.0-38.0	58	70	0.003	1	5

3. Test and Measurement Procedures

3.1 Test Conditions

3.1.1 Unless otherwise specified, the standard atmospheric conditions for measurement/test as:

- a. Ambient Temperature: 20±15°C.
- b. Relative Humidity: 65±20%.
- c. Air Pressure: 86kPa to 106kPa.
- 3.1.2 If any doubt on the results, measurements/tests should be made within the following limits:
 - a. Ambient Temperature: 20±2℃
 - b. Relative Humidity: 65±5%.
 - c. Air Pressure: 86kPa to 106kPa.

3.2 Visual Examination

a. Inspection Equipment: $20 \times$ magnifier.

3.3 Electrical Test

Items	Requirements	Test Methods and Remarks		
3.3.1 Varistor Voltage at 1mA DC (V _B)	Refer to Appendix A	Measuring current: 1mA DC Duration: 0.2 to 2 sec		
3.3.2 Capacitance (C)	Refer to Appendix A	Measure source: 0.5 V _{RMS} Test frequency: 1MHz.		
3.3.3 Leakage Current (IL)	Refer to Appendix A	Measuring voltage: Maximum DC working voltage		
3.3.4 Clamping Voltage (V _c)	Refer to Appendix A	Measuring source: 8/20us waveform, ESD waveform		

3.4 Reliability Test

Items	Requirements	Test Methods and Remarks		
3.4.1. Terminal	No removal or split of the termination or other defects shall occur.	 Solder the chip to the testing jig (glass epoxy board shown in Fig.5.4.1-1) using eutectic solder. Then apply a force in the 		
Strength	Chip Mounting Pad Glass Epoxy Board	 direction of the arrow. 2 5N force for SDV1005 and 1608 series, 10N force for SDV2012 and 3216 series. 3 Keep time: 10±1s. 		
	Fig.5.4.1-1			


3.4.2 Resistance	No visible mechanical damage.	① Solder the chip to the test jig (glass epoxy board shown in		
to Flexure		Fig.3.4.2-1) using a eutectic solder. Then apply a force in the		
	Type a b c	direction shown in Fig.3.4.2-2.		
	1005[0402] 0.4 1.5 0.5	2 Flexure: 2mm.		
	1608[0603] 1.0 3.0 1.2	 ③ Pressurizing Speed: 0.5mm/sec. ④ Keep time: 30 sec. 		
	2012[0805] 1.2 4.0 1.65			
	3216[1206] 2.2 5.0 2.0			
	Unit: mm [inch] \downarrow^{b} $\downarrow^{\phi4.5}$ $\downarrow^{\phi4.$	R230 45[1.772] Fig.5.4.2-2		
3.4.3 Vibration	No visible mechanical damage. Cu pad Solder mask Glass Epoxy Board Fig. 3.4.3-1	 Solder the chip to the testing jig (glass epoxy board shown in Fig.3.4.3-1) using eutectic solder. The chip shall be subjected to a simple harmonic motion having total amplitude of 1.5mm, the frequency being varied uniformly between the approximate limits of 10 and 55 Hz. The frequency range from 10 to 55 Hz and return to 10 Hz shall be traversed in approximately 1 minute. This motion shall be applied for a period of 2 hours in each 3mutually perpendicular directions (total of 6 hours). 		
3.4.4 Solderability	 No visible mechanical damage. Wetting shall exceed 90% coverage. 	 Solder temperature: 240±2°C Duration: 3 sec. Solder: Sn/3.0Ag/0.5Cu. Flux: 25% Resin and 75% ethanol in weight. 		
3.4.5 Resistance to Soldering Heat	 No visible mechanical damage. Varistor voltage change: within ±10%. 	 Solder temperature: 260±3℃ Duration: 5 sec. The chip shall be stabilized at normal condition for 1~2hours before measuring. Golder: Sn/3.0Ag/0.5Cu. 		
3.4.6 Thermal Shock	 No visible mechanical damage. Varistor voltage change: within ±10%. 	 ⑤ Flux: 25% Resin and 75% ethanol in weight. ① Temperature, Time: -55℃for 30±3 min→125℃ for 30±3min. ② Transforming interval: 20sec. (max.) ③ Tested cycle: 100 cycles. ④ The chip shall be stabilized at normal condition for 1~2 hours 		
	125°C 30 min. 30 min. Ambient	before measuring.		
3.4.7 Resistance to Low Temperature	 No visible mechanical damage. Varistor voltage change: within ±10%. 	 Temperature: -55±2℃ Duration: 1000⁺²⁴ hours. The chip shall be stabilized at normal condition for 1~2 hours before measuring. 		
3.4.8 Resistance to High Temperature	 No visible mechanical damage. Varistor voltage change: within ±10%. 	 Temperature: 125±2°C. Duration: 1000⁺²⁴ hours. The chip shall be stabilized at normal condition for 1~2 hours before measuring. 		
3.4.9 Damp Heat (Steady States)	 No visible mechanical damage. Varistor voltage change: within ±10%. 	 Temperature: 60±2°C Humidity: 90% to 95% RH. Duration: 1000⁺²⁴ hours. The chip shall be stabilized at normal condition for 1~2 hours before measuring. 		


3.4.10 Loading Under Damp Heat 3.4.11 Loading at High Temperature (Life Test)	 No visible mechanical damage. Varistor voltage change: within ±10%. No visible mechanical damage. Varistor voltage change: within ±10%. 	 Temperature: 60±2°C Humidity: 90% to 95% RH. Duration: 1000⁺²⁴ hours. Applied voltage: DC Working Voltage. The chip shall be stabilized at normal condition for 1~2 hours before measuring. Temperature: 125±2°C Duration: 1000⁺²⁴ hours. Applied voltage: DC Working Voltage. The chip shall be stabilized at normal condition for 1~2 hours before measuring.
3.4.12 Maximum Surge Current	 No visible mechanical damage. Varistor voltage change: within ±10%. IEC61000-4-5 standard 1.2/50us-8/20us voltage-current combination pulse 	 Temperature: 25±5°C Humidity: 30% to 65% RH. Number of hit: each 1 time of +/- polarity. Pulse waveform: 8/20 us. Applied current: maximum surge current (I_P). The chip shall be stabilized at normal condition for 1~2 hours before measuring.
3.4.13 Maximum Surge Energy	 No visible mechanical damage. Varistor voltage change: within ±10%. IEC61000-4-5 standard 10/1000us current pulse 	 Temperature :25±5℃ Humidity: 30% to 65% RH. Number of hit: 1 time. Pulse waveform: 10/1000 us. Applied energy: maximum surge energy (E_T). The chip shall be stabilized at normal condition for 1~2 hours before measuring.
3.4.14 ESD Life	 No visible mechanical damage. Varistor voltage change: within ±10%. IEC61000-4-2 standard ESD gun C=150pF R=330Ω 	 Discharge: Contact discharge. Voltage: 8000V (Level 4). Polarity: +, Number: 10 times within 10 sec. The chip shall be stabilized at normal condition for 1~2 hours before measuring.
3.4.15 ESD Test	 No visible mechanical damage. Varistor voltage change: within ±10%. IEC61000-4-2 standard ESD gun C=150pF R=330Ω 	 Discharge: Air discharge. Voltage: 15000V (Special level). Polarity: +, - Number: 10 times within 10 sec. The chip shall be stabilized at normal condition for 1~2 hours before measuring.

4. Recommended Soldering Technologies

- 4.1 Reflow Profile:
- \triangle Preheat condition: 150 ~200 °C/60~120sec.
- \triangle Allowed time above 217C: 60~90sec.
- △ Max temp: 260°C
- \triangle Max time at max temp: 10sec.
- △ Solder paste: Sn/3.0Ag/0.5Cu
- \triangle Allowed Reflow time: 2x max

[Note: The reflow profile in the above table is only for qualification and is not meant to specify board assembly profiles. Actual board assembly profiles must be based on the customer's specific board design, solder paste and process, and should not exceed the parameters as the Reflow profile shows.]







4.2 Iron Soldering Profile.

- \triangle Iron soldering power: Max.30W
- △ Pre-heating: 150 °C / 60 sec.
- \triangle Soldering Tip temperature: 350 °C Max.
- \triangle Soldering time: 3 sec Max.
- △ Solder paste: Sn/3.0Ag/0.5Cu
- \triangle Max.1 times for iron soldering

[Note: Take care not to apply the tip of the soldering iron to the terminal electrodes.]

5.characteristic curves of chip varistor





X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Varistors category:

Click to view products by Yongyutai Electronics manufacturer:

Other Similar products are found below :

 820443211E
 MOV05131AIA
 MOV07231AQA
 MOV18131CZA
 R71ZOV151HC
 D58ZOV500RA01T1
 B72205S271K111

 B72214S110K151
 B72214S251K151
 B72232B131K1
 B72530E1140S272
 B72540E250K62
 B72660M0271K093
 NTE1V020
 NTE1V130

 NTE2V010
 NTE2V130
 25FN511K
 S10K11G5S5
 ERZ-C14DK361U
 ERZ-C20DK221U
 ERZ-C32CK201B
 207869-1
 AS-13

 TMOV25SP625E
 B72210S251K531
 B72214S200K551
 B72280B112K1
 B72280B381K1
 B72590D360A60
 B72650M301K93

 B72670M1140K72
 MOV07251ARA
 MOV10131EDA
 MOV10151EFA
 MOV14151CWA
 MOV20251DFA
 TVZ18EC271KBS

 TVZ20EB911KBS
 TVZ25D201KBS
 TVZ25D241KBS
 VDRH20X230BSE
 VZ07D220KBS
 VZ40D241K
 VZ25D511KBS-N

 VZ20E511KBSX
 VZ10D471KBS-N
 ERZ-V20R201
 ERZ-V20R221
 ERZ-V20R221