

POWER/Q2™ SIGNAL COMBO QMS-PC, QFS-PC

SPECIFICATIONS

For complete specifications and recommended PCB layouts see www.samtec.com?QMS-PC or www.samtec.com?QFS-PC

Insulator Material: Liquid Crystal Polymer
Contact, Terminal & Ground Plane Material: Phosphor Bronze
Plating: Au over 50µ" (1,27µm) Ni (Tin on Ground Plane Tail)
Insertion Depth (Power Pins): (2,29mm) .090" to (4,06mm) .160"
Wiping Distance (Power Pins): (0,38mm) .015"
Current Rating: Signal Contact: 1.8A @ 80°C Power Contact: See chart Ground Plane: 8.9A @ 80°C
Voltage Rating: 300 VAC
Operating Temp: -55°C to +125°C
RoHS Compliant: Yes



Mates with: QMS-PC


-026, -052, -078
(52 total pins per bank)

Specify LEAD STYLE from chart


LEAD STYLE	A
-05.75	(5,38) .212
-06.75	(6,35) .250

-L
= 10µ" (0,25µm) Gold on Signal Pins and Ground Plane
(Gold flash on Signal Pin tails, Tin on Ground Plane tails)

-PC4
= 4 Power Pins per End



APPLICATION



QMS LEAD STYLE	BOARD SPACE
-05.75	10mm
-06.75	11mm

CURRENT RATING	
AMBIENT TEMP	QMS-PC/QFS-PC
20°C	5.0A
40°C	4.5A
60°C	4.0A
95°C	2.7A
8 POWER PINS POWERED	

Processing:

Max Processing Temp: 230°C for 60 seconds, or 260°C for 20 seconds 3x
Lead-Free Solderable: Yes
SMT Lead Coplanarity: (0,10mm) .004" max (026-078)
Board Stacking: For applications requiring more than two connectors per board, contact ipg@samtec.com

APPLICATION SPECIFIC OPTION

- Shielded (See QMSS/QFSS Series)
 - Differential Pairs
 - 8 Power Pins/End for (1,60mm) .062" thick board
 - 4 or 8 Power Pins/End for (2,36mm) .093" thick board
- Call Samtec.

Note: Some lengths, styles and options are non-standard, non-returnable.




Mates with: QMS-PC

-026, -052, -078
(52 total pins per bank)

-L
= 10µ" (0,25µm) Gold on Signal Pins and Ground Plane
(Gold flash on Signal Pin tails, Tin on Ground Plane tails)

-PC4
= 4 Power Pins per End



Due to technical progress, all designs, specifications and components are subject to change without notice.

WWW.SAMTEC.COM

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Headers & Wire Housings](#) category:

Click to view products by [Samtec](#) manufacturer:

Other Similar products are found below :

[95000-104TRLF](#) [10135584-644402LF](#) [DF62W-EP2022PCA](#) [95000-106TRLF](#) [DF62W-2022SCA](#) [DF62W-EP2022PC](#) [2203348](#) [DF62W-2022SC](#) [1084018](#) [1029039](#) [1084017](#) [802-10-012-10-002000](#) [1112640](#) [1112639](#) [891-007-9SS-BST1T](#) [000-34000](#) [0008550134](#) [0009482033](#) [0009507031](#) [57102-F02-18ULF](#) [57102-S06-03LF](#) [57202-S52-04LF](#) [PCN6-15S-2.5E](#) [0039019024](#) [58102-G61-06LF](#) [582553-1](#) [0009485154](#) [0009508121](#) [0022285053](#) [0050291907](#) [018731A](#) [LY20-4P-DT1-P1E-BR](#) [02.125.8002.8](#) [60101931](#) [60598-1 \(Cut Strip\)](#) [M1625-3R/100](#) [61062-3](#) [61082-181009](#) [CSU011177004](#) [636-1427](#) [638009-1](#) [641938-9](#) [641991-4](#) [644168-1](#) [644827-2](#) [647662-1](#) [65039-019ELF](#) [65692-001LF](#) [65781-018](#) [65781-047](#)