



PLUG-IN RELAY COMPACT UNIT DC 24V,
2 CO CONTACT LED MODULE RED STANDARD PLUG-IN
SOCKET SCREW TERMINAL

| General technical details: | | |
|--|---|----------------------|
| Type of voltage | | DC |
| Control supply voltage | | |
| <ul style="list-style-type: none"> • for DC / rated value | | |
| <ul style="list-style-type: none"> • minimum | V | 24 |
| <ul style="list-style-type: none"> • maximum | V | 24 |
| Number of NC contacts | | |
| <ul style="list-style-type: none"> • for auxiliary contacts | | 0 |
| Number of NO contacts | | |
| <ul style="list-style-type: none"> • for auxiliary contacts | | 0 |
| Number of changeover contacts | | |
| <ul style="list-style-type: none"> • for auxiliary contacts | | 2 |
| Operating current / of the auxiliary contacts | | |
| <ul style="list-style-type: none"> • at AC-15 | | |
| <ul style="list-style-type: none"> • at 230 V | A | 2.5 |
| Design of the switching function | | |
| <ul style="list-style-type: none"> • guided | | changeover switch |
| | | No |
| Switching behaviour | | monostable |
| Mechanical design: | | |
| Design of the electrical connection | | screw-type terminals |

| | | |
|--|----|-------|
| Design of the relay operating mechanism | | poled |
| Product component / jumper socket | | Yes |
| Width | mm | 15.5 |
| Height | mm | 71 |
| Depth | mm | 78 |

Certificates/approvals:

other

[Declaration of Conformity](#)

Further information:

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/industrial-controls/catalogs>

Industry Mall (Online ordering system)

<http://www.siemens.com/industrial-controls/mall>

CAX-Online-Generator


<http://www.siemens.com/cax>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<http://support.automation.siemens.com/WW/view/en/LZS:RT4A4L24/all>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=LZS:RT4A4L24



last change:

Jun 16, 2014

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [General Purpose Relays](#) category:

Click to view products by [Siemens](#) manufacturer:

Other Similar products are found below :

[APF30318](#) [JVN1AF-4.5V-F](#) [PCN-105D3MHZ](#) [5JO-10000S-SIL](#) [5JO-1000CD-SIL](#) [5JO-400CD-SIL](#) [LY2S-AC220/240](#) [LYQ20DC12](#)
[6031007G](#) [6131406HQ](#) [6-1393099-8](#) [6-1393122-4](#) [6-1393123-2](#) [6-1393767-1](#) [6-1393843-7](#) [6-1415012-1](#) [6-1419102-2](#) [6-1423698-4](#) [6-](#)
[1608051-6](#) [6-1608067-0](#) [6-1616170-6](#) [6-1616248-2](#) [6-1616282-3](#) [6-1616348-2](#) [6-1616350-1](#) [6-1616350-8](#) [6-1616358-7](#) [6-1616359-9](#) [6-](#)
[1616360-9](#) [6-1616931-6](#) [6-1617039-1](#) [6-1617052-1](#) [6-1617090-2](#) [6-1617090-5](#) [6-1617347-5](#) [6-1617353-3](#) [6-1617801-8](#) [6-1618107-9](#) [6-](#)
[1618248-4](#) [M83536/1-027M](#) [M83725/1-005](#) [CX-4014](#) [MAHC-5494](#) [MAVCD-5419-6](#) [703XCX-120A](#) [7-1393100-5](#) [7-1393111-7](#) [7-](#)
[1393144-5](#) [7-1393767-8](#) [7-1414968-8](#)